

**OASIS TEARS LUBRICANT- white petrolatum, light mineral oil ointment  
Hanlim**

-----  
**Hanlim (MFG) for Oasis (PLD)**

**Keep Out of Reach of Children**

Keep out of reach of children.  
If swallowed get medical  
help or contact a poison  
control center(1-800-222-1222) right away.

**Inactive Ingredients**

Lanolin Alcohols

Active ingredients

White Petrolatum (57.3%) . . . . . Eye Lubricant

Light mineral oil (42.5%) . . . . . Eye Lubricant

Eye Lubricant

**Directions**

- pull down the lower lid of the affected eye
- apply a small amount (1/4inch) of ointment to the inside of eyelid

**Warnings**

**For external use only**

**Do not use**

- except under the advice and supervision of a doctor

**When using this product**

- replace cap after use
- to avoidcontamination do not touch tip of container to any surface
- remove contact lenses before using

**Stop use and ask a doctor if**

- you experience eye pain, changes in vision, continued redness or irritation of the eye
- condition worsens or persists for more than 72 hours

Uses

- for thetemporary relief of burning, irritation,and discomfort due to dryness of the eye or exposure to wind or sun
- may be used as a protectant against further irritation



PM  
OASIS  
TEARS


P38968-00

NDC 42126-8000-1

LUBRICANT  
EYE OINTMENT

OASIS  
TEARS

LUBRICANT  
EYE OINTMENT  
PRESERVATIVE-FREE  
DESIGNED FOR  
EXTENDED RELIEF AND  
OVERNIGHT USE  
STERILE



asis TEARS PM™

mpier Evident: Do not  
e if carton is open or  
ckband on bottom of  
p is broken or missing.

ep outer carton for  
mplete warnings and  
oduct information.

NET WT. 0.125 OZ (3.5G)

PM™

LOT & EXP

FPO  
LEAVE THIS AREA BLANK  
FOR LOT AND EXP.  
NO TEXT OR GRAPHICS  
IN THIS AREA.

**Drug Facts**

**Active ingredients**      **Purposes**

Light Mineral Oil  
42.5%.....Eye Lubricant  
White Petrolatum  
57.3%.....Eye Lubricant

**Uses**

- for the temporary relief of burning, irritation, and discomfort due to dryness of the eye or exposure to wind or sun
- may be used as a protectant against further irritation

**Warnings**

**For external use only**

**Do not use**

- except under the advice and supervision of a doctor

**When using this product**

- replace cap after use
- to avoid contamination do not touch tip of container to any surface
- remove contact lenses before using

**Stop use and ask a doctor if**

- you experience eye pain, changes in vision, continued redness or irritation of the eye
- condition worsens or persists for more than 72 hours

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. ▶

**Drug Facts (continued)**

**Directions**

- pull down the lower lid of the affected eye
- apply a small amount (1/4 inch) of ointment to the inside of eyelid

**Other information**

- store at 15-25°C (59-77°F)
- DO NOT FREEZE
- keep tightly closed
- do not use if difficult to dispense or visible particles are seen in the product
- do not roll, bend, twist, or fold tube during use
- store away from heat

**Inactive ingredient**

lanolin alcohols

**Questions or comments?**

or to report an adverse event call (800) 631-7180 or (909) 305-5400 or log onto [www.oasismedical.com](http://www.oasismedical.com)



YOUR EYES MATTER.™

Manufactured for: OASIS®

© 2025 OASIS® Medical, Inc.

2035 E Financial Way

Glendora, CA 91741, USA

P1061 Rev A 09/2025

Made in South Korea

Oasis TEARS® is a

trademark of OASIS® Medical, Inc.

OT8000



CEOPM0012AS0

# OASIS TEARS LUBRICANT

white petrolatum, light mineral oil ointment

## Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:11716-8000 |
| <b>Route of Administration</b> | OPHTHALMIC     |                           |                |

## Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength      |
|---|-------------------|---------------|
| <b>PETROLATUM</b> (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)               | PETROLATUM        | 0.57 g in 1 g |
| <b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP) (LIGHT MINERAL OIL - UNII:N6K5787QVP) | LIGHT MINERAL OIL | 0.42 g in 1 g |

## Inactive Ingredients

| Ingredient Name                            | Strength |
|--|----------|
| <b>LANOLIN ALCOHOLS</b> (UNII: 884C3FA9HE) |          |

## Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:11716-8000-1 | 1 in 1 BOX   | 04/04/2026           |                    |
| 1 |                  | 3.5 g in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M018                                     | 04/04/2026           |                    |

**Labeler** - Hanlim (687986034)

Revised: 4/2026

Hanlim