

DOUBLEANTIBIOTICOINTMENT- bacitracin zinc, polymyxin b sulfate ointment
Trifecta Pharmaceuticals USA LLC

Double Antibiotic Ointment

Active Ingredient

Bacitracin 500 Units

Purpose

First Aid Antibiotic

Active Ingredient

Polymyxin B

Purpose

First Aid Double Antibiotic Ointment

Uses

First aid to help prevent infection in minor

- cuts
- scrapes
- burns

Warnings

For External use only.

Do not use

- If you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have:

- deep puncture wounds
- animal bites
- serious burns

Stop use and ask doctor if:

- You need to use longer than 1 week
- Condition persists or gets worse

- rash or other allergic reaction develops

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions:

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- May be covered with a sterile bandage

Other Information

Store between 20° to 25°C (68° to 77°F)

Inactive Ingredients

White Petrolatum

Questions?

Call 1-888-296-9067

Distributed By:

Trifecta Pharmaceuticals USA™

101 NE Third Avenue, Suite 1500

Ft. Lauderdale, FL, 33301, USA

1-888-296-9067

www.trifecta-pharma.com

Product of PRC

This product is not manufactured or distributed by Johnson & Johnson Consumer Products company, owner of the registered trademark Polysporin®

OUTER BOX



POLYMYXIN B SULFATE OINTMENT USP

**HELPS PREVENT INFECTION
IN MINOR CUTS, SCRAPES, & BURNS**

Double Antibiotic Ointment
BACITRACIN ZINC & POLYMYXIN B SULFATE OINTMENT USP

Net Wt. 1 oz. (28g)

FIRST AID ANTIBIOTIC



Distributed by:
Trifecta Pharmaceuticals USA®
101 NE Third Avenue, Suite 1500
FL Lauderdale, FL 33301 USA
Product of PRC | www.trifecta-pharma.com

LOT:
EXP:

This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, owner of the registered trademark Polysporin®

Drug Facts	<p>Active ingredient (in each gram)</p> <p>Bactracin 500 units First aid antibiotic</p> <p>Polymyxin B 10,000 units First aid antibiotic</p> <p>Uses</p> <p>First aid to help prevent infection in minor</p> <ul style="list-style-type: none"> ■ cuts ■ scrapes ■ burns <p>Warnings</p> <p>For external use only.</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ if you are allergic to any of the ingredients ■ in the eyes <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ deep puncture wounds ■ animal bites ■ serious burns.
Drug Facts (continued)	<p>Purpose</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ you need to use longer than 1 week ■ condition persists or gets worse ■ rash or other allergic reaction develops <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.</p> <p>Directions</p> <ul style="list-style-type: none"> ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage. <p>Other information</p> <p>Store between 20° to 25° C (68° to 77°F)</p> <p>Inactive ingredients: White petrolatum</p> <p>Questions? Call 1-888-296-9067</p>
Drug Facts	<p>Warnings</p> <p>First aid to help prevent infection in minor</p> <ul style="list-style-type: none"> ■ cuts ■ scrapes ■ burns <p>Do not use</p> <ul style="list-style-type: none"> ■ if you are allergic to any of the ingredients ■ over large areas of the body <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ deep puncture wounds ■ animal bites ■ serious burns. <p>Directions</p> <ul style="list-style-type: none"> ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage. <p>Other information</p> <p>Store between 20° to 25° C (68° to 77°F)</p> <p>Inactive ingredients: White petrolatum</p> <p>Questions? Call 1-888-296-9067</p>
Drug Facts	<p>Active ingredient (in each gram)</p> <p>Bactracin 500 units First aid antibiotic</p> <p>Polymyxin B 10,000 units First aid antibiotic</p> <p>Uses</p> <p>First aid to help prevent infection in minor</p> <ul style="list-style-type: none"> ■ cuts ■ scrapes ■ burns <p>Warnings</p> <p>For external use only.</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ if you are allergic to any of the ingredients ■ in the eyes <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ deep puncture wounds ■ animal bites ■ serious burns.
Drug Facts	<p>Purpose</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ you need to use longer than 1 week ■ condition persists or gets worse ■ rash or other allergic reaction develops <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.</p> <p>Directions</p> <ul style="list-style-type: none"> ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage. <p>Other information</p> <p>Store between 20° to 25° C (68° to 77°F)</p> <p>Inactive ingredients: White petrolatum</p> <p>Questions? Call 1-888-296-9067</p>
Drug Facts	<p>Warnings</p> <p>First aid to help prevent infection in minor</p> <ul style="list-style-type: none"> ■ cuts ■ scrapes ■ burns <p>Do not use</p> <ul style="list-style-type: none"> ■ if you are allergic to any of the ingredients ■ over large areas of the body <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ deep puncture wounds ■ animal bites ■ serious burns. <p>Directions</p> <ul style="list-style-type: none"> ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage. <p>Other information</p> <p>Store between 20° to 25° C (68° to 77°F)</p> <p>Inactive ingredients: White petrolatum</p> <p>Questions? Call 1-888-296-9067</p>
Drug Facts	<p>Active ingredient (in each gram)</p> <p>Bactracin 500 units First aid antibiotic</p> <p>Polymyxin B 10,000 units First aid antibiotic</p> <p>Uses</p> <p>First aid to help prevent infection in minor</p> <ul style="list-style-type: none"> ■ cuts ■ scrapes ■ burns <p>Warnings</p> <p>For external use only.</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ if you are allergic to any of the ingredients ■ in the eyes <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ deep puncture wounds ■ animal bites ■ serious burns.
Drug Facts	<p>Purpose</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ you need to use longer than 1 week ■ condition persists or gets worse ■ rash or other allergic reaction develops <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.</p> <p>Directions</p> <ul style="list-style-type: none"> ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage. <p>Other information</p> <p>Store between 20° to 25° C (68° to 77°F)</p> <p>Inactive ingredients: White petrolatum</p> <p>Questions? Call 1-888-296-9067</p>
Drug Facts	<p>Warnings</p> <p>First aid to help prevent infection in minor</p> <ul style="list-style-type: none"> ■ cuts ■ scrapes ■ burns <p>Do not use</p> <ul style="list-style-type: none"> ■ if you are allergic to any of the ingredients ■ over large areas of the body <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ deep puncture wounds ■ animal bites ■ serious burns. <p>Directions</p> <ul style="list-style-type: none"> ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage. <p>Other information</p> <p>Store between 20° to 25° C (68° to 77°F)</p> <p>Inactive ingredients: White petrolatum</p> <p>Questions? Call 1-888-296-9067</p>

**100%
GUARANTEED**

Double Antibiotic Ointment
BACITRACIN ZINC & POLYMYXIN B SULFATE OINTMENT USP

INNER TUBE

NDC:69396-029-30

Double Antibiotic Ointment
BACITRACIN ZINC & POLYMYXIN B SULFATE OINTMENT USP

Net Wt. 1 oz. (28g) **FIRST AID ANTIBIOTIC**

<p>Active ingredient (in each gram)</p> <p>Bactracin 500 units First aid antibiotic</p> <p>Polymyxin B 10,000 units First aid antibiotic</p> <p>Uses</p> <p>First aid to help prevent infection in minor</p> <ul style="list-style-type: none"> ■ cuts ■ scrapes ■ burns <p>Warnings</p> <p>For external use only.</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ if you are allergic to any of the ingredients ■ in the eyes <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ deep puncture wounds ■ animal bites ■ serious burns. 	<p>Purpose</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ you need to use longer than 1 week ■ condition persists or gets worse ■ rash or other allergic reaction develops <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.</p> <p>Directions</p> <ul style="list-style-type: none"> ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage. <p>Other information</p> <p>Store between 20° to 25° C (68° to 77°F)</p> <p>Inactive ingredients: White petrolatum</p> <p>Questions? Call 1-888-296-9067</p>
---	---

Distributed by: Trifecta Pharmaceuticals USA®
101 NE Third Avenue, Suite 1500, Ft. Lauderdale, FL 33301 USA | Product of PRC | www.trifecta-pharma.com

DOUBLEANTIBIOTICOINTMENT

bacitracin zinc, polymyxin b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69396-029
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69396-029-30	1 in 1 BOX	05/04/2017	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	05/04/2017	

Labeler - Trifecta Pharmaceuticals USA LLC (079424163)