

**PYROGENIUM- rancid beef pellet**  
**Laboratoires Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Pyrogenium RX**

Active ingredient\*\*: See product name on front panel

Pyrogenium 8X (\*\*contains 0.443 mg of the active ingredient per pellet)

**Use**

Uses: see symptoms on front panel.

Rx only\*

**Stop use and ask a doctor** if symptoms persist for more than 3 days or worsen  
**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Do not use if pellet dispenser seal is broken.  
Contains approx.80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

**Inactive ingredients**

lactose, sucrose

BoironUSA.com Info@boiron.com  
1-800-BOIRON-1 (1-800-264-7661)  
Distributed by Boiron, Inc.  
Newtown Square, PA 19073

**Principle Display Panel - Pyrogenium HPUS 8X**



# Pyrogenium

8 x

HPUS NDC 0220-7609-41


**BOIRON®**

HOMEOPATHIC MEDICINE

Made in France

Rx only.\*

Pyrogenium 8 x



Lot:

Exp:

3

06960

91606

2

Contains approx. 80 pellets.

US

Peel for Drugs Facts and instructions for use.

AIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE,  
NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

## Drug Facts

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

## **Drug Facts** (continued)

**Inactive ingredients:** lactose, sucrose

### **Questions or comments?**

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

**How to  
dispense pellets?**



**1** Turn tube upside down.



**2** Twist until 5 pellets are dispensed into cap.



**3** Carefully remove cap and use it to pour pellets under the tongue.

# Pyrogenium

# 8 x

HPUS NDC 0220-7609-41

**BOIRON®**

**Drug Facts:** Active ingredient listed above. Use for symptoms listed below. **Warnings:** ■ Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. ■ If pregnant or breast-feeding, ask a health professional before use. ■ Keep out of reach of children. **Directions** 5 pellets 3 times a day until symptoms are relieved. **Other information:** Do not use if pellet dispenser seal is broken. contains approx. 80 pellets ■ **Inactive ingredients:** lactose, sucrose. \*These "Uses" have not been evaluated by the FDA.

**Lot:**

**Exp:**

**Rx only\***

HOMEOPATHIC MEDICINE ■ Made in France  
1-800-BOIRON-1 • Newtown Square, PA 19073 • info@boironusa.com

Turn tube  
upside down  
& twist cap

Pull here ►►

US



## PYROGENIUM

rancid beef pellet

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:0220-7609
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RANCID BEEF (UNII: 29SUH5R3HU) (RANCID BEEF - UNII:29SUH5R3HU)	RANCID BEEF	8 [hp_X]

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>SUCROSE</b> (UNII: C151H8M554)	
<b>LACTOSE</b> (UNII: J2B2A4N98G)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>	ROUND	<b>Size</b>	4mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-7609-41	80 in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/03/1983	

**Labeler** - Laboratoires Boiron (282560473)

**Registrant** - Boiron Inc. (014892269)

### Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-7609)

Revised: 11/2023

Laboratoires Boiron