

CITRAMON- aspirin acetaminophen caffeine tablet
Borisovskiy Zavod Medicinskikh Preparatov JSC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug facts

Active ingredients

One tablet contains: Aspirin - 220 mg, Acetaminophen - 200 mg, Caffeine - 27 mg.

Purpose

Analgetic - antipyretic

Uses

Effective in mild to moderate intensity pain (including headache, migraine, toothache, pain in osteoarthritis, arthritis, menalgia, algodismenorrhea, lumbago, sciatica, osteochondrosis, neuralgia, myalgia) and fever syndrome in acute infectious, infectious inflammatory diseases.

Warnings

Stop use and ask a doctor if condition worsens or does not improve after regular use of this product as directed.

Prompt medical attention is critical even if you do not notice any signs or symptoms.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control center immediately.

Directions

Adults and children over 15 years take 1 tablet 2 - 3 times a day. The interval between the drug intakes should be at least 6 - 8 hours. Maximum single dose is 2 tablets, maximum daily dose is 4 tablets.

Other information

Keep in a dry place at temperature below 77 °F (25 °C).

Inactive ingredients

Cocoa, Citric acid monohydrate, Potato starch, Talc, Stearic acid.

The model of graphic design

Paper blister 6 tablets

NDC 16638-118-13

 JSC "BORISOVSKIY ZAVOD
MEDICINSKIH PREPARATOV"
64 Chapaeva str., Borisov, Republic of Belarus

CITRAMON

6 tablets

One tablet contains:
aspirin - 220 mg,
acetaminophen - 200 mg,
caffeine - 27 mg.
Keep in a dry place at temperature
below 25 °C.
Keep out of reach of children.

Batch overleaf
EXP



Pantone 2597 C

Separate insert (information for patients)

Drug Facts	
Active ingredients One tablet contains: Aspirin - 220 mg, Acetaminophen - 200 mg, Caffeine - 27 mg.	Purpose Analgetic - antipyretic
Uses Effective in mild to moderate intensity pain (including headache, migraine, toothache, pain in osteoarthritis, arthritis, menalgia, algodismenorrhea, lumbago, sciatica, osteochondrosis, neuralgia, myalgia) and fever syndrome in acute infectious, infectious inflammatory diseases.	
Warnings Stop use and ask a doctor if condition worsens or does not improve after regular use of this product as directed. Prompt medical attention is critical even if you do not notice any signs or symptoms. Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control center immediately.	
Directions <i>Adults and children over 15 years</i> take 1 tablet 2 - 3 times a day. The interval between the drug intakes should be at least 6 - 8 hours. Maximum single dose is 2 tablets, maximum daily dose is 4 tablets.	
Other information Keep in a dry place at temperature below 77 °F (25 °C).	
Inactive ingredients Cocoa, Citric acid monohydrate, Potato starch, Talc, Stearic acid.	

The model of graphic design

Group label 60 x 90 mm

NDC 16638-118-13

 JSC "BORISOVSKIY ZAVOD MEDICINSKIKH PREPARATOV"
64 Chapaeva str., Borisov, Republic of Belarus

 **CITRAMON**

_____ packs of 6 tablets

Keep in a dry place at temperature below 77 °F (25 °C).

Graphical design version number → 1 US

Exp XXXXXX
 XX XXXX

← batch
← mm yyyy

**CITRAMON**

aspirin acetaminophen caffeine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:16638-118
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	220 mg in 550 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	200 mg in 550 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	27 mg in 550 mg

Inactive Ingredients

Ingredient Name	Strength
COCOA (UNII: D9108TZ9KG)	22.5 mg in 550 mg
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	4.6 mg in 550 mg
STARCH, POTATO (UNII: 8I089SAHBT)	68 mg in 550 mg
TALC (UNII: 7SEV7J4R1U)	2.4 mg in 550 mg
STEARIC ACID (UNII: 4ELV7Z65AP)	7.15 mg in 550 mg

Product Characteristics

Color	brown (Light brown with white inclusions)	Score	2 pieces
Shape	ROUND (Tablet)	Size	12mm
Flavor	COFFEE (Coffee flavor)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:16638-118-13	3300 mg in 1 PACKAGE; Type 0: Not a Combination Product	09/11/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	06/26/1996	

Establishment

Name	Address	ID/FEI	Business Operations
Borisovskiy Zavod Medicinskikh Preparatov JSC		628149593	manufacture(16638-118)

Revised: 8/2016

Borisovskiy Zavod Medicinskikh Preparatov JSC