

ALGENIST - octinoxate, titanium dioxide, zinc oxide cream
Solazyme, Inc.

Drug Facts

Active Ingredients

Octinoxate 7.5%, Titanium Dioxide 2%, Zinc Oxide 17.1%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake bottle well
- Apply to face in the morning or prior to sun exposure
- Reapply at least every 2 hours
 - Use a water resistant sunscreen if swimming or sweating
 - Children under 6 months: Ask a doctor
 - This lightweight fluid can be used alone, over skincare products and under makeup.
- **Sun Protection Measures.**
 - Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. – 2 p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses.

Inactive Ingredients:

Cyclopentasiloxane, Water (Aqua, Eau), Alcohol Denat., Glycerin, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Methyl Methacrylate Crosspolymer, PEG/PPG-18/18 Dimethicone, PEG-9 Polydimethylsiloxyethyl Dimethicone, Parachlorella Beijerinckii Exopolysaccharides, Echinacea Purpurea Extract, Tocopheryl Acetate, Camellia Oleifera Leaf Extract, Arctostaphylos Uva Ursi Leaf Extract, Glycyrrhiza Glabra (Licorice) Root Extract, Stearic Acid, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, BHT, Ethylhexylglycerin, Caprylyl Glycol, Aluminum Hydroxide, Phenoxyethanol, Hexylene Glycol, Fragrance (Parfum), Hexyl Cinnamal, Linalool.

Other Information

Protect this product from excessive heat and direct sun.

Questions

Call toll free 1-877-650-1837

Principal Display Panel - 30 mL Carton Label

URBAN PROTECTION

SUBLIME DEFENSE

Ultra Lightweight
UV Defense Fluid

*Sunscreen Broad Spectrum
SPF 50*

ALGENIST

with Alguronic Acid

1 US fl. oz. / 30 ml



ALGENIST

URBAN PROTECTION

PROTECT & DELAY
SIGNS OF AGING

SUBLIME DEFENSE

Ultra Lightweight
UV Defense Fluid

Sunscreen Broad Spectrum
SPF 50

Ultra Lightweight UV
Defense Fluid SPF 50

This fast-absorbing, ultra lightweight fluid provides daily protection against broad spectrum UVA/UVB damage. Alguronic Acid combines with antioxidant-rich botanicals and sunscreens to delay signs of aging caused by sun and environmental stressors. This oil-free, sheer formula is designed to apply on top of other skincare products and under makeup for a soft, matte finish.

oil-free • dermatologist tested • for all skin types • non-comedogenic • paraben free • UVA/UVB protection

ALGENIST
with Alguronic Acid

Drug Facts (continued)
Other Information
Protect this product from excessive heat and direct sun.
Questions
Call toll free 1-877-650-1837

Drug Facts
Active Ingredients Purpose
Octinoxate 7.5%, Titanium Dioxide 2%, Zinc Oxide 17.1% Sunscreen
Uses
• Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.
Warnings
For external use only
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions
• Shake bottle well
• Apply to face in the morning or prior to sun exposure
• Reapply at least every 2 hours
• Use a water resistant sunscreen if swimming or sweating
• Children under 6 months: Ask a doctor
• This lightweight fluid can be used alone, over skincare products and under makeup.
Sun Protection Measures.
• Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
• Limit time in the sun, especially from 10 a.m. – 2 p.m.
• Wear long-sleeve shirts, pants, hats, and sunglasses.

Inactive Ingredients: Cyclopentasiloxane, Water (Aqua, Eau), Alcohol Denat., Glycerin, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Methyl Methacrylate Crosspolymer, PEG/PPG-18/18 Dimethicone, PEG-9 Polydimethylsiloxyethyl Dimethicone, Parachlorella Beijerinckii Exopolysaccharides, Echinacea Purpurea Extract, Tocopheryl Acetate, Camellia Oleifera Leaf Extract, Arctostaphylos Uva Ursi Leaf Extract, Glycyrrhiza Glabra (Licorice) Root Extract, Stearic Acid, Triethoxysilyl Ethyl Polydimethylsiloxyethyl Hexyl Dimethicone, BHT, Ethylhexylglycerin, Caprylyl Glycol, Aluminum Hydroxide, Phenoxyethanol, Hexylene Glycol, Fragrance (Parfum), Hexyl Cinnamal, Linalool.

DIST: Algenist, Glendale, CA 91203.
Made in the USA of globally sourced ingredients
Algenist and Alguronic Acid are U.S. registered trademarks.
U.S. Patent No. 8,277,849 , 8,298,548, 8,927,522 & 9,095,733
www.algenist.com



1 US fl. oz. / 30 ml

#poweredbyalgae
#ingredientabohic



121205_V1
PMP1198-03

Principal Display Panel - 30 mL Jar Label

**SUBLIME
DEFENSE**

Ultra Lightweight
UV Defense Fluid

Fluide UV Défense
Ultra Léger

Sunscreen Broad Spectrum
SPF 50

Écran Solaire Large Spectre
FPS 50

ALGENIST

Biotechnology from
San Francisco

30 mL
25
20
15
10
5

**SUBLIME
DEFENSE**
Ultra Lightweight
UV Defense Fluid
Fluide UV Défense
Ultra Léger
Sunscreen Broad Spectrum
SPF 50
Écran Solaire Large Spectre
FPS 50

ALGENIST

Biotechnology from
San Francisco

Shake bottle well. Apply to face in the morning or prior to sun exposure. Can be used alone, over moisturizer and under makeup. For external use only. Avoid contact with eyes. Keep out of reach of children. Do not use on damaged or broken skin. Use only as directed.
Bien agiter le flacon. Appliquer le produit uniformément sur le visage le matin ou avant l'exposition au soleil. Peut être appliqué seul ou après votre soin et avant le maquillage. Usage externe uniquement. Éviter tout contact avec les yeux. Tenir hors de portée des enfants. Ne pas utiliser sur une peau abîmée ou lésée. Utiliser uniquement comme indiqué.

ACTIVE INGREDIENTS:
Octinoxate 7.5% • Titanium Dioxide 2.0% • Zinc Oxide 17.1%

Distributed by | Distribué par :
Algenist, Glendale, CA 91203
CoSiChem AG Ernst-Lemmer-Straße 23
D - 35041 Marburg
Made in USA | www.algenist.com

1 US fl. oz. / 30 ml

   PMP1196-01

ALGENIST

octinoxate, titanium dioxide, zinc oxide cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:53407-138 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate | 75 mg in 1 mL |
| Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide | 20 mg in 1 mL |
| Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z) | Zinc Oxide | 171 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------|----------|
|-----------------|----------|

| |
|--|
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) |
| water (UNII: 059QF0KO0R) |
| alcohol (UNII: 3K9958V90M) |
| glycerin (UNII: PDC6A3C00X) |
| METHYL METHACRYLATE (UNII: 196OC77688) |
| peg/ppg-18/18 dimethicone (UNII: 9H0AO7T794) |
| echinacea purpurea (UNII: QI7G114Y98) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| camellia oleifera seed (UNII: 59ED29FM2J) |
| ARCTOSTAPHYLOS UVA-URSI LEAF (UNII: 3M5V3D1X36) |
| GLYCYRRHIZA GLABRA (UNII: 2788Z9758H) |
| stearic acid (UNII: 4ELV7Z65AP) |
| ethylhexylglycerin (UNII: 147D247K3P) |
| caprylyl glycol (UNII: 00YIU5438U) |
| aluminum hydroxide (UNII: 5QB0T2IUN0) |
| phenoxyethanol (UNII: HIE492ZZ3T) |
| hexylene glycol (UNII: KEH0A3F75J) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:53407-138-30 | 1 in 1 BOX | 08/01/2012 | |
| 1 | | 1 in 1 CARTON | | |
| 1 | | 30 mL in 1 JAR; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 08/01/2012 | |

Labeler - Solazyme, Inc. (145862012)

Registrant - Phytogenx, Inc. (624386772)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-----------------|---------|-----------|------------------------|
| Phytogenx, Inc. | | 624386772 | MANUFACTURE(53407-138) |