

LIDOCAINE PAIN-RELIEVING PATCH- lidocaine
CVS Pharmacy

CVS Lidocaine Pain Relieving Patch Assorted

Active ingredient

Lidocaine 4%

Purpose

Topical Analgesic

Use

For the temporary relief of pain.

Warnings

For external use only

Do not use

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this carton.
- Do not use more than one patch in an 8 hour period. Maximum 3 patches per day.
- Rare cases of serious burns have been reported with products of this type
- Do not apply to wounds or damaged, broken or irritated skin
- Do not allow contact with the eyes and mucous membranes
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not use at the same time as other topical analgesics
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug products that can produce serious adverse effects if a child or pets chews or ingests this patch
- **NOTE:** patches may not adhere as well to all individuals, skin types, or certain parts of the body.

Stop use and ask a doctor if

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days

- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast feeding

ask a physician before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **Adults and children 12 years and older:**
- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and dapply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing completely to apply patch to affected area
- once applied, press firmly and rub on all sides and center of patch to help adhesive adhere to skin
- do not remove patch and reapply, this will result in the patch not sticking
- avoid strenuous exercise while wearing patch, this will result in patch not sticking
- do not use more than one patch in an 8 hour period.
- **Children 12 years or younger:** ask a doctor.

Other information

Store at room temperature - do not exceed 86° Fahrenheit, 30° Celsius.

Inactive ingredients

aluminum glycinat e, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, povidone, sodium polyacrylate, tartaric acid, titanium dioxide, water

Principal Display Panel

CVS Health ®

Compare to the active

ingredient in Salonpas ®

4% Lidocaine Gel Patch*

Maximum Strength

Lidocaine concentration without a prescription †

LIDOCAINE PAIN-RELIEVING PATCH

lidocaine kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51316-460
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-460-06	1 in 1 CARTON; Type 0: Not a Combination Product	04/06/2026	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	2 PATCH	14 g
Part 2	2 PATCH	46 g
Part 3	2 PATCH	22 g

Part 1 of 3

LIDOCAINE PAIN-RELIEVING PATCH

lidocaine patch

Product Information

Item Code (Source)	NDC:51316-370
---------------------------	---------------

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM GLYCINATE (UNII: 1K713C615K)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
TARTARIC ACID (UNII: W4888I119H)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	

KAOLIN (UNII: 24H4NWX5CO)	
POVIDONE (UNII: FZ989GH94E)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-370-01	1 in 1 POUCH		
1		7 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/06/2026	

Part 2 of 3

LIDOCAINE PAIN-RELIEVING PATCH

lidocaine patch

Product Information

Item Code (Source)	NDC:51316-370
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALUMINUM GLYCINATE (UNII: 1K713C615K)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
TARTARIC ACID (UNII: W4888I119H)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

PROPYLPARABEN (UNII: Z8IX2SC1OH)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0K00R)	
KAOLIN (UNII: 24H4NWX5CO)	
POVIDONE (UNII: FZ989GH94E)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)	

--	--

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-370-03	1 in 1 POUCH		
1		23 g in 1 PATCH; Type 0: Not a Combination Product		

--	--	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/06/2026	

--	--	--	--

Part 3 of 3

LIDOCAINE PAIN-RELIEVING PATCH

lidocaine patch

--	--

Product Information

Item Code (Source)	NDC:51316-370
Route of Administration	TOPICAL

--	--

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

--	--	--

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALUMINUM GLYCINATE (UNII: 1K713C615K)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
TARTARIC ACID (UNII: W4888I119H)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

PROPYLPARABEN (UNII: Z8IX2SC1OH)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0K00R)	
KAOLIN (UNII: 24H4NWX5CO)	
POVIDONE (UNII: FZ989GH94E)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-370-02	1 in 1 POUCH		
1		11 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/06/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/06/2026	

Labeler - CVS Pharmacy (062312574)

Revised: 4/2026

CVS Pharmacy