

**GOOD NEIGHBOR PHARMACY TRIPLE ANTIBIOTIC PLUS PAIN RELIEF- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment**  
**Amerisource Bergen**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Triple Antibiotic Ointment + Pain Relief**

**Drug Facts**

<b>Active ingredients (each gram contains)</b>	<b>Purpose</b>
Bacitracin zinc 500 units	First aid antibiotic
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 10,000 units	First aid antibiotic
Pramoxine hydrochloride 10 mg	External analgesic

**Uses**

first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition persists or gets worse
- you need to use longer than 1 week
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- a rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Adults and children 2 years of age and older:
  - clean the affected area and dry thoroughly
  - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on

the area 1 to 3 times daily

- may be covered with a sterile bandage
- Children under 2 years of age: ask a doctor

**Other information**

- To open: unscrew cap, pull tab to remove foil seal
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

**Inactive ingredient**

white petrolatum

**Questions?**

Call **1-866-923-4914**

Distributed By  
AmerisourceBergen  
1300 Morris Drive  
Chesterbrook, PA 19087

**PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton**

**GOOD  
NEIGHBOR  
PHARMACY®**

**Compare to Neosporin® + Pain Relief active ingredients\***

**NDC 24385-143-03**

**Triple Antibiotic Ointment + Pain Relief**

**Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine Hydrochloride**

***First Aid Antibiotic / Pain Relieving Ointment***

NET WT 1 oz (28.4 g)



Compare to Neosporin® + Pain Relief active ingredients\*

NDC 24385-143-03

# Triple Antibiotic Ointment + Pain Relief

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine Hydrochloride

## First Aid Antibiotic / Pain Relieving Ointment

Helps Prevent Infection in Minor Cuts, Scrapes, and Burns Plus Maximum Strength Pain Relief.



NDC 24385-143-03

# Triple Antibiotic Ointment + Pain Relief

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine Hydrochloride

## First Aid Antibiotic / Pain Relieving Ointment



Compare to Neosporin® + Pain Relie active ingredients\*

NDC 24385-143-03

# Triple Antibiotic Ointment + Pain Relief

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine Hydrochloride

## First Aid Antibiotic / Pain Relieving Ointment

NET WT 1 oz (28.4 g)

LPK-5165-2  
02-12-2  
M251

T51



**Drug Facts (continued)**

**Other information**

- To open: unscrew cap, pull tab to remove foil seal
- Store at 20° to 25°C (68° to 77°F)
- See carton or tube crimp for lot number and expiration date

**Inactive ingredient** white petrolatum

Questions? Call 1-866-923-4914

NO COPY / NO COLOR  
THIS FLAP FOR LOT #  
AND EXP DATE PRINT



Distributed By  
Amgen Europe Berghem  
1300 Morris Drive  
Chesham, PA 19087  
Visit us at  
[www.goodneighborpharmacy.com](http://www.goodneighborpharmacy.com)  
Made in Canada

This product is not  
manufactured or  
distributed by  
Johnson & Johnson  
Corporation, owner  
of the registered  
trademark  
Neosporin®  
+ Pain Relief

**Drug Facts**

**Active ingredients (each gram contains)**

Bacitracin zinc 500 units.....First aid antibiotic  
Neomycin sulfate 3.5 mg.....First aid antibiotic  
Polymyxin B sulfate 10,000 units.....First aid antibiotic  
Pramoxine hydrochloride 10 mg.....External analgesic

**Uses** first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:  
• cuts • scrapes • burns

**Warnings**  
For external use only.  
Do not use • in the eyes • over large areas of the body  
Ask a doctor before use if you have  
• deep or puncture wounds • animal bites • serious burns  
Stop use and ask a doctor if  
• condition persists or gets worse  
• you need to use longer than 1 week  
• symptoms persist for more than 1 week, or clear up and occur again within a few days  
• a rash or other allergic reaction develops  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
• Adults and children 2 years of age and older:  
• clean the affected area and dry thoroughly  
• apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily  
• may be covered with a sterile bandage  
• Children under 2 years of age: ask a doctor

**Purpose**

**GOOD NEIGHBOR PHARMACY TRIPLE ANTIBIOTIC PLUS PAIN RELIEF**  
bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:24385-143
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Bacitracin zinc</b> (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin zinc	500 [iU] in 1 g
<b>Neomycin sulfate</b> (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin sulfate	3.5 mg in 1 g
<b>Polymyxin B sulfate</b> (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	10000 [iU] in 1 g
<b>Pramoxine hydrochloride</b> (UNII: 88AYB867L5) (Pramoxine - UNII:068X84E056)	Pramoxine hydrochloride	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>petrolatum</b> (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24385-143-03	1 in 1 CARTON	03/31/2012	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333B	03/31/2012	

**Labeler** - Amerisource Bergen (007914906)

**Registrant** - Taro Pharmaceuticals U.S.A., Inc (145186370)

### Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(24385-143)

Revised: 3/2019

Amerisource Bergen