

Stay in Motion

FAST RELIEF FOR

- Arthritis
- Muscle & Joint Pain
- Stiffness and Cramps

RAPID RELIEF
Stay in Motion

STRETCHABLE!

3.9" x 7.9"
10cm x 20cm

www.rapidaid.com

Inactive ingredients:
 Acrylamide/Sodium Acryloyldimethyltaurate Copolymer, Dihydroxyaluminum aminoacetate, DMDM hydantoin, Edetic acid, Glycerin, Laurocapram, Polyacrylic acid, Propylene glycol, Sodium polyacrylate, Tartaric acid, Titanium dioxide, Water.

Do Not Reuse **Consult instructions for use**

Drug Facts
Active ingredient Capsaicin 0.025%
Purpose Topical analgesic
Uses For temporary relief of minor pain associated with arthritis, simple backache, strains, sprains.
Warnings For external use only.
Do not use: - On wounds or damaged skin - With a heating pad such as electrical heating pad, as this may result in excessive skin irritation or skin burn.
When using this product: - Use only as directed - Do not tan/dye - tightly - Avoid contact with eyes, mucous membranes or rashes - If contact occurs, rinse thoroughly with water - Discontinue use at least 1 hour before a bath or shower - Do not use immediately after a bath or shower.
Stop use and ask a doctor if: - Condition worsens - Symptoms persist for more than 7 days - Symptoms clear up and occur again within a few days - Redness is present or irritation or rash develops - Hypersensitivity/allergy occurs - Severe burning sensation occurs - If red, itchy and/or redness occur - If you experience pain, swelling or blistering, as rare but serious burns can occur - If pregnant or breast feeding, ask a health professional before use - Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions Adults and children 12 years of age and older: - Clean and dry affected area. Remove film from patch and apply to the skin - Apply 1 patch at a time to the affected area up to 3 times per day. Do not leave on skin for more than a total of 8 hours per day - Children under 12 years of age: consult a doctor - Supervise children when using this product - May take 1-2 weeks to produce beneficial effects - Ask a health care professional or physician for use beyond 6 weeks.
Other information - Avoid storing product in direct sunlight - Protect product from excessive moisture.
Inactive ingredients Acrylamide/Sodium Acryloyldimethyltaurate Copolymer, Dihydroxyaluminum aminoacetate, DMDM hydantoin, Edetic acid, Glycerin, Laurocapram, Polyacrylic acid, Propylene glycol, Sodium polyacrylate, Tartaric acid, Titanium dioxide, Water.
Questions or Comments? 1-800-COLD-HOT www.rapidaid.com

Portable and convenient
 • Targeted, penetrating heat
 • No messy residue

RA

0.025%

Capsaicin

Pain Relief

For FAST, long

USE UP TO 8 HOURS

Hands-free Hot Sensat

6 Patch

Manufactured by:
 Rapid Aid Vietnam Co., Ltd.
 Chau Hai A-Hamlet,
 An Giang Commune,
 Hai Phong City, Vietnam,
 380000

Made in Vietnam

Imported by:
 Rapid Aid Corp.,
 Mississauga, ON L6L 6Z3
 CANADA

REF MPH2502506CB

0 64317 25025 1

Stay in Motion

FAST RELIEF FOR

- Arthritis
- Muscle & Joint Pain
- Stiffness and Cramps

3.9" x 7.9"
10cm x 20cm

STRETCHABLE!

www.rapidaid.com

Purpose: Topical analgesic

Uses:

Do Not Reuse

Consult instructions for use

Drug Facts

Active ingredient
Capsaicin 0.025%

Purpose
Topical analgesic

Uses
For temporary relief of minor pain associated with arthritis, simple backache, strains, sprains.

Warnings
For external use only.

Do not use:
- On wounds or damaged skin - With a heating pad such as electric heating pad, as this may result in excessive skin irritation or skin burn.

When using this product:
- Use only as directed - Do not bandage tightly - Avoid contact with eyes, mucous membranes or rashes - If contact occurs, rinse thoroughly with water - Discontinue use at least 1 hour before a bath or shower - Do not use immediately after a bath or shower.

Stop use and ask a doctor if:
- Condition worsens - Symptoms persist for more than 7 days - Symptoms clear up and occur again within a few days - Redness is present or irritation/rash develops - Hypersensitivity/allergy occurs - Severe burning sensation occurs - If head ache and/or redness occur - If you experience pain, swelling or blistering, as rare but serious burns can occur. If pregnant or breast feeding, ask a health professional before use - Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Adults and children 12 years of age and older:
- Clean and dry affected area - Remove film from patch and apply to the skin - Apply 1 patch at a time to the affected area up to 3 times per day. Do not leave on skin for more than a total of 8 hours per day - Children under 12 years of age: consult a doctor - Supervise children when using this product - May take 1-2 weeks to produce beneficial effects - Ask a health care professional or physician for use beyond 6 weeks.

Other information
- Avoid staining product in direct sunlight - Protect product from excessive moisture.

Inactive Ingredients
Acrylamide, Octadecylamine, Acrylonitrile, Methyl Methacrylate, Copolymer, Dihydroxyaluminum aminoacetate, DMIUM Hydrated, Ethacnic acid, Glyceryl Laurate, Lauric acid, Propylene Glycol, Sodium Polyacrylate, Tartaric acid, Titanium dioxide, Water.

Questions or Comments? 1-800-COLD-HOT www.rapidaid.com

REF MPH2502506CB

0 64317 25025 1

Manufactured by:
RapidAid Vietnam Co., Ltd.
Cau Ha Hamlet,
An Quang Commune,
Hai Phong City, Vietnam,
280000
Made in Vietnam

Imported by:
RapidAid Corp.,
Mississauga, ON L5L 5Z3
CANADA

• Portable and convenient
• Targeted, penetrating heat
• No messy residue

Uses

For temporary relief of minor pain associated with: arthritis, simple backache, strains, sprains.

Warnings

For external use only.

Do not use:

• On wounds or damaged skin • With a heating pad such as electrical heating pad, as this may result in excessive skin irritation or skin burn.

When using this product:

• Use only as directed • Do not bandage tightly • Avoid contact with eyes, mucous membranes or rashes • If contact occurs, rinse thoroughly with water • Discontinue use at least 1 hour before a bath or shower • Do not use immediately after a bath or shower.

Stop use and ask a doctor if:

• Condition worsens • Symptoms persist for more than 7 days • Symptoms clear up and occur again within a few days • Redness is present or irritation or rash develops • Hypersensitivity/allergy occurs • A severe burning sensation occurs • If headache and/or redness occur • If you experience pain, swelling or blistering, as rare but serious burns can occur.

If pregnant or breast feeding, ask a health professional before use

• Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older:

• Clean and dry affected area • Remove film from patch and apply to the skin • Apply 1 patch at a time to the affected area up to 3 times per day. Do not leave on skin for more than a total of 8 hours per day • **Children under 12 years of age:** consult a doctor • Supervise children when using this product • May take 1-2 weeks to produce beneficial effects • Ask a health care professional or physician for use beyond 6 weeks.

Other information

• Avoid storing product in direct sunlight • Protect product from excessive moisture.

Inactive ingredients

Acrylamide/Sodium Acryloyldimethyltaurate Copolymer, Dihydroxyaluminum aminoacetate, DMDM hydantoin, Edetic acid, Glycerin, Laurocapram, Polyacrylic acid, Propylene glycol, Sodium polyacrylate, Tartaric acid, Titanium dioxide, Water.

Questions or Comments?

1-800-COLD-HOT

www.rapidaid.com

Do Not Reuse

Drug Facts

Active ingredient

Capsaicin 0.05%

Purpose

Topical analgesic

Uses

For temporary relief of minor pain associated with

Warnings

For external use only.

Do not use:

• On wounds or damaged skin • With a heating pad or skin burn.

When using this product:

• Use only as directed • Do not bandage tightly • If occurs, rinse thoroughly with water • Discontinue immediately after a bath or shower.

Stop use and ask a doctor if:

• Condition worsens • Symptoms persist for more than 7 days • Symptoms clear up and occur again within a few days • Redness is present or irritation or rash develops • If headache and/or redness occur • If you experience pain, swelling or blistering, as rare but serious burns can occur.

Directions

Adults and children 12 years of age and older: • Clean and dry affected area • Remove film from area up to 3 times per day. Do not leave on skin if age: consult a doctor • Supervise children when using • Ask a health care professional or physician for use beyond 6 weeks.

Other information

• Avoid storing product in direct sunlight • Protec

Inactive ingredients

Acrylamide/Sodium Acryloyldimethyltaurate Copolymer, Dihydroxyaluminum aminoacetate, DMDM hydantoin, Edetic acid, Glycerin, Laurocapram, Polyacrylic acid, Propylene glycol, Sodium polyacrylate, Tartaric acid, Titanium dioxide, Water.

Questions or Comments?

1.

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAPSAICIN (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM)	CAPSAICIN	0.00025 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
EDETIC ACID (UNII: 9G34HU7RV0)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TARTARIC ACID (UNII: W4888I119H)	
LAUROCAPRAM (UNII: 1F3X9DRV9X)	
WATER (UNII: 059QF0KO0R)	
DMDM HYDANTOIN (UNII: BYR0546TOW)	
POLYACRYLIC ACID (800000 MW) (UNII: D0I6NSZ87U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
GLYCERIN (UNII: PDC6A3C0OX)	
ACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER (120000 MPA.S AT 1%) (UNII: 5F4963KLHS)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83569-018-06	6 in 1 BOX	04/07/2026	
1		12 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/07/2026	

Labeler - 83569 (673067008)

Establishment

Name	Address	ID/FEI	Business Operations
RAPID AID VIET NAM COMPANY LIMITED		673067008	manufacture(83569-018)