

RAPID RELIEF- 0.025% capsaicin pain patch patch
RAPID AID VIET NAM COMPANY LIMITED

0.025% Capsaicin



RAPID RELIEF®

Stay in Motion

0.025%

Capsaicin

Pain Patch

For FAST, long lasting pain relief





1 Patch

3.9" x 7.9"
10cm x 20cm

Drug Facts

Active ingredient
Capsaicin 0.025%

Purpose
Topical analgesic

Uses
For temporary relief of minor pain associated with: arthritis, simple backache, strains, sprains

Warnings
For external use only.

Do not use:
- On wounds or damaged skin - With a heating pad such as electrical heating pad, as this may irritate skin or skin burn.

When using this product:
- Use only as directed - Do not bandage tightly - Avoid contact with eyes, mucous membranes, nose, mouth, or genital area - Wash hands thoroughly with water - Discontinue use at least 1 hour before a bath or shower - Immediately after a bath or shower.

Stop use and ask a doctor if:
- Condition worsens - Symptoms persist for more than 7 days - Symptoms clear up and occur again - Redness, irritation, or rash develops - Hypersensitivity/allergy occurs - A severe allergic reaction occurs - If headache and/or redness occur - If you experience pain, swelling or blistering, as may occur.

If pregnant or breast feeding, ask a health professional before use
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center.

Directions
Adults and children 12 years of age and older:
- Clean and dry affected area - Remove film from patch and apply to the skin - Apply 1 patch at affected area up to 3 times per day. Do not leave on skin for more than a total of 8 hours per day. - A time to the affected area up to 3 times per day. Do not leave on skin for more than a total of 8 hours per day.
- Children under 12 years of age: consult a doctor - Supervise children when using this product - Do not use for more than 7 days - Ask a health care professional or physician for use beyond 7 days.

Other information
- Avoid storing product in direct sunlight - Protect product from excessive moisture.

Inactive ingredients
Acrylamide/Sodium Acryloyldimethylaminate Copolymer, Dihydroxyaluminum aminosuccinate, Ethacrynic acid, Glycerin, Laureoceram, Polyacrylic acid, Propylene glycol, Sodium polyacrylate, Titanium dioxide, Water.

Questions or Comments?

1-800-COLD-HOT

Manufactured by:
Rapid Aid Vietnam Co., Ltd.
Caothi Alexander, An Giang Commune,
Phu Phong District, Vietnam, 138000

Imported by:
Rapid Aid Corp., Massachusetts,
One U.S. 523 CHINA




RMA



result in excessive
 or rashes - If contact
 Do not use
 again within a few days
 irritating sensation
 e but serious burns
 enter right away
 a time to the
 lay - Apply 1 patch at
 8 hours per day/
 ct - May take 1-2
 nd 6 weeks.
 DNDM hydnatin,
 ertric acid, Titanium

www.rapidaid.com

Do Not Reuse

Consult instructions for use

4PM250240BV 011VN

Directions for use

Purpose: Topical analgesic



RAPID+RELIEF
Stay in Motion

**0.025%
Capsaicin
Pain Patch**

For FAST, long lasting pain relief



USE UP TO
8
HOURS

1 Patch

3.9" x 7.9"
10cm x 20cm

Drug Facts

Active ingredient
Capsaicin 0.025%

Purpose
Topical analgesic

Uses
For temporary relief of minor pain associated with arthritis.

Warnings
For external use only.

Do not use:
 • On wounds or damaged skin
 • With a heating pad such as skin irritation or skin burn

When using this product:
 • Use only as directed - Do not bandage tightly - Avoid contact occurs, rinse thoroughly with water - Discontinue use at least immediately after a bath or shower

Stop use and ask a doctor if:
 • Condition worsens - Symptoms persist for more than 7 days
 • Redness is present or irritation or rash develops - Hypersens occurs - If headache and/or dizziness occur - If you experience can occur

If pregnant or breast feeding, ask a health professional before use.
 • Keep out of reach of children. If swallowed, get medical help

Directions
Adults and children 12 years of age and older:
 • Clean and dry affected area - Remove film from patch and a affected area up to 3 times per day. Do not leave on skin for a time to the affected area up to 3 times per day. Do not leave
 • Children under 12 years of age: consult a doctor - Supervise weeks to produce beneficial effects - Ask a health care professional

Other information
 • Avoid storing product in direct sunlight - Protect product from moisture
Inactive ingredients
 Acrylamide/Sodium Acryloyldimethylsulfate Copolymer, Dihydroxyacetone, Glycerin, Laurelsyring, Polyacrylic acid, Propylene Glycol, Water.

Questions or Comments? 1-800-441-1111

Manufactured by:
 Rapid Aid Vietnam Co., Ltd.
 Cach Le Avenue, JangQuang Commune,
 Hai Phong City, Vietnam, 180000
 Imported by:
 Rapid Aid Corp, USA
 01156, 573 CAUSA
 Madison Wisconsin



simple headache, strains, sprains.

ectrical heating pad, as this may result in excessive

with eye & mucous membranes or rashes. If contact
1 hour before a bath or shower. Do not use

Symptoms clear up and occur again within a few days
if/when they occur. A severe burning sensation
pain, swelling or blisters, as rare but serious burns

Do not use
if you contact a Poison Control Center right away.

Apply to the skin. Apply 1 patch at a time to the
more than a total of 8 hours per day. Apply 1 patch at
one skin for more than a total of 8 hours per day
use children when using this product. May take 1-2
sessions or physician for use beyond 6 weeks.

Do not use on excessive moisture.

hydroxyaluminum aminocetate, DMDM hydantoin,
methylglycol, Sodium polyacrylate, Tartaric acid, Titanium

COLD-HOT www.rapidrelief.com

description



Consult instructions for use

RMMHP12024DBV01VM

For external use only.



RAPID-RELIEF®

Stay in Motion

0.025%

Capsaicin Pain Patch

For FAST, long lasting pain relief



1 Patch

3.9" x 7.9"
10cm x 20cm

Drug Facts

Active ingredient

Capsaicin 0.025%

Purpose

Topical analgesic

Uses

For temporary relief of minor pain asso

Warnings

For external use only.

Do not use:

On wounds or damaged skin. With a
skin irritation or skin burn.

When using this product:

Use only as directed. Do not bandage
occurs, rinse thoroughly with water. It
immediately after a bath or shower.

Stop use and ask a doctor if:

Condition worsens. Symptoms persi
Redness is present or irritation or rasi
occurs. If redness and/or redness oc
can occur.

If pregnant or breast feeding, ask a h
Keep out of reach of children. If swi

Directions

Adults and children 12 years of age a
Clean and dry affected area. Remove
affected area up to 3 times per day. Do
a time to the affected area up to 3 tim
Children under 12 years of age: con
weeks to produce beneficial effects. A

Other information

Avoid storing product in direct sunlig

Inactive ingredients

Acrylamide/Sodium Acryloyldimethyl
Ederic acid, Glycerin, Laureocapram, Po
doxide, Water.

Questions or Comments?

Manufactured by:
Suzhi Aidiyuan Co., Ltd.
Caohe Aidiyuan, Anqing Commune,
Hui Feng Qiu, Wenzhou, 310000
Made in Vietnam



Do not use with:

Do not use with:

Do not use with:

Do not use with:

Do not use with:

Do not use with:

Do not use with:

Do not use with:

Do not use with:

1-800-COLD-HOT

www.rapidaid.com

Imported by:
Rapid Aid Corp., Massachusetts,
ON U.S. 521 CHINA



Do Not Reuse



Consult instructions for use

RMMMPH25024DBV01VN

- Condition worsens
- Symptoms persist for more than 7 days
- Symptoms clear up and occur again within a few days
- Redness is present or irritation or rash develops
- Hypersensitivity/allergy occurs
- A severe burning sensation occurs
- If headache and/or redness occur
- If you experience pain, swelling or blistering, as rare but serious burns can occur.



RAPID-RELIEF

Stay in Motion

0.025%

Capsaicin Pain Patch

For FAST, long lasting pain relief



USE UP TO
8
HOURS

1 Patch

3.9" x 7.9"
10cm x 20cm

Drug Facts

Active ingredient

Capsaicin 0.025%

Purpose

Topical analgesic

Uses

For temporary relief of minor pain associated with: arthritis, simple backache, strains, sprains.

Warnings

For external use only.

Do not use:

• On wounds or damaged skin • With a heating pad such as electrical heating pad, as this may result in excessive skin irritation or skin burn.

When using this product:

• Use only as directed • Do not bandage tightly • Avoid contact with eyes, mucous membranes or rashes • If contact occurs, rinse thoroughly with water • Discontinue use at least 1 hour before a bath or shower • Do not use immediately after a bath or shower.

Stop use and ask a doctor if:

• Condition worsens • Symptoms persist for more than 7 days • Symptoms clear up and occur again within a few days • Redness is present or irritation or rash develops • Hypersensitivity/allergy occurs • A severe burning sensation occurs • If headache and/or redness occur • If you experience pain, swelling or blistering, as rare but serious burns can occur.

If pregnant or breast feeding, ask a health professional before use

• Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older:

• Clean and dry affected area • Remove film from patch and apply to the skin • Apply 1 patch at a time to the affected area up to 3 times per day. Do not leave on skin for more than a total of 8 hours per day • Apply 1 patch at a time to the affected area up to 3 times per day. Do not leave on skin for more than a total of 8 hours per day • Children under 12 years of age: consult a doctor • Supervise children when using this product • May take 1-2 weeks to produce beneficial effects • Ask a health care professional or physician for use beyond 6 weeks.

Other information

• Avoid storing product in direct sunlight • Protect product from excessive moisture.

Inactive ingredients

Acrylamide/Sodium Acryloyldimethylaminate Copolymer, Dihydroxyaluminum aminoacetate, DMDM hydantoin, Edetic acid, Glycerin, Laureth-9, Polyacrylic acid, Propylene glycol, Sodium polyacrylate, Tartaric acid, Titanium dioxide, Water.

Questions or Comments?

1-800-COLD-HOT

www.rapidai.com

Manufactured by:
Rapid Relief, Inc., Ltd.
Cialis Alexander, Arlington, VA
194 Ring Dr., Vienna, VA 20186
NADA 141-309

Imported by:
Rapid Relief, Inc., Massachusetts
01155, 573 CHAUSA



Do Not Reuse



Consult instructions for use

RMMH2502-40BV/01VN



If pregnant or breast feeding, ask a health professional before use • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

RAPID RELIEF

Stay in Motion

0.025%

Capsaicin Pain Patch

For FAST, long lasting pain relief



1 Patch

3.9" x 7.1"
10cm x 20cm

Drug Facts
Active ingredient Capsaicin 0.025%
Purpose Topical analgesic
Uses For temporary relief of minor pain associated with: arthritis, simple backache, strains, sprains.
Warnings For external use only.
Do not use: - On wounds or damaged skin • With a heating pad such as electrical heating pad, as this may result in excessive skin irritation or skin burn.
When using this product: - Use only as directed • Do not bandage tightly • Avoid contact with eyes, mucous membranes or rashes • If contact occurs, rinse thoroughly with water • Discontinue use at least 1 hour before a bath or shower • Do not use immediately after a bath or shower.
Stop use and ask a doctor if: • Condition worsens • Symptoms persist for more than 7 days • Symptoms clear up and occur again within a few days • Redness is present or irritation or rash develops • Hypersensitivity/allergy occurs • A severe burning sensation occurs • If headache and/or dizziness occur • If you experience pain, swelling or blistering, as are but serious burns can occur.
If pregnant or breast feeding, ask a health professional before use • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions Adults and children 12 years of age and older: - Clean and dry affected area • Remove film from patch and apply to the skin • Apply 1 patch at a time to the affected area up to 3 times per day. Do not leave on skin for more than a total of 8 hours per day • Apply 1 patch at a time to the affected area up to 3 times per day. Do not leave on skin for more than a total of 8 hours per day • Children under 12 years of age: consult a doctor • Supervise children when using this product • May take 1-2 weeks to produce beneficial effects • Ask a health care professional or physician for use beyond 6 weeks.
Other information - Avoid storing product in direct sunlight • Protect product from excessive moisture.
Inactive ingredients Acrylamide/Sodium Acryloyldimethylaminate Copolymer; Dihydroxyaluminum aminosuccinate; DMDM Hydantoin; Etholic acid; Glycerin; Laureocapran; Polyacrylic acid; Propylene glycol; Sodium polyacrylate; Tartaric acid; Titanium dioxide; Water.
Questions or Comments?
1-800-COLD-HOT
www.rapidaid.com
Manufactured by: Rapid Aid/Verdon Co., Ltd. Cebu Abante, Anqing Commune, Hefeng City, Henan, 450000 Kobein Vietnam
Imported by: Rapid Aid Corp., Westborough, 01581-523 CANADA
Do Not Reuse
Consult instructions for use
RNMM/PH2502/ADB/01/1N

Directions

Directions

Adults and children 12 years of age and older:

- Clean and dry affected area • Remove film from patch and apply to the skin • Apply 1 patch at a time to the affected area up to 3 times per day. Do not leave on skin for more than a total of 8 hours per day • Apply 1 patch at a time to the affected area up to 3 times per day. Do not leave on skin for more than a total of 8 hours per day
- Children under 12 years of age: consult a doctor • Supervise children when using this product • May take 1-2 weeks to produce beneficial effects • Ask a health care professional or physician for use beyond 6 weeks.

0.02
Rapid Aid
Pain
For FA
1 P

APID-RELIEF®

Stay in Motion

5%

capsaicin in Patch

ST, long lasting pain relief



USE UP TO
8
HOURS

atch

3.9" x 7.9"
10cm x 20cm

Drug Facts

Active ingredient

Capsaicin 0.025%

Purpose

Topical analgesic

Uses

For temporary relief of minor pain associated with: arthritis, simple backache, strains, sprains.

Warnings

For external use only.

Do not use:

- On wounds or damaged skin - With a heating pad such as electrical heating pad, as this may result in excessive skin irritation or skin burn.

When using this product:

- Use only as directed - Do not bandage tightly - Avoid contact with eyes, mucous membranes or rashes - If contact occurs, rinse thoroughly with water - Discontinue use at least 1 hour before a bath or shower - Do not use immediately after a bath or shower.

Stop use and ask a doctor if:

- Condition worsens - Symptoms persist for more than 7 days - Symptoms clear up and occur again within a few days - Redness is present or irritation or rash develops - Hypersensitivity/allergy occurs - A severe burning sensation occurs - If headache and/or indigestion occur - If you experience pain, swelling or blistering, as rare but serious burns can occur.

If pregnant or breast feeding, ask a health professional before use

- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older:

- Clean and dry affected area - Remove film from patch and apply to the skin - Apply 1 patch at a time to the affected area up to 3 times per day. Do not leave on skin for more than a total of 8 hours per day - Apply 1 patch at a time to the affected area up to 3 times per day. Do not leave on skin for more than a total of 8 hours per day - Children under 12 years of age: consult a doctor - Supervise children when using this product - May take 1-2 weeks to produce beneficial effects - Ask a health care professional or physician for use beyond 5 weeks.

Other information

- Avoid storing product in direct sunlight - Protect product from excessive moisture.

Inactive ingredients

Acrylamide/Sodium Acryloyldimethyltaurate Copolymer, Dihydroxyaluminum aminos acetate, DMDM hydantoin, Ethetic acid, Glycerin, Laroocapram, Polyacrylic acid, Propylene glycol, Sodium polyacrylate, Tartaric acid, Titanium dioxide, Water.

Questions or Comments?

1-800-COLD-HOT

www.rapidaid.com

Manufactured by:
Rapid Relief/Verderon Co., Ltd.
Cao Ba Anient, An Giang Commune,
Ha Phong City, Vietnam, 180000
Hanoi Vietnam

Imported by:
Rapid Aid Corp., Mississauga,
ON L5L 5Z3 CANADA



Do Not Reuse



Consult instructions for use

RNMMPH25024DBV 011VN

Inactive ingredients
Acrylamide/Sodium Acryloyldimethyltaurate Copolymer, Dihydroxyaluminum

aminoacetate, DMDM hydantoin, Edetic acid, Glycerin, Laurocapram, Polyacrylic acid, Propylene glycol, Sodium polyacrylate, Tartaric acid, Titanium dioxide, Water.



RAPID-RELIEF

Stay in Motion

0.025% Capsaicin Pain Patch

For FAST, long lasting pain relief



1 Patch

3.9" x 7.9"
10cm x 20cm

Drug Facts

Active ingredient
Capsaicin 0.025%

Purpose
Topical analgesic

Uses
For temporary relief of minor pain associated with: arthritis, simple backache, strains, sprains.

Warnings
For external use only.

Do not use:
- On wounds or damaged skin - With a heating pad such as electrical heating pad, as this may result in skin irritation or skin burn.

When using this product:
- Use only as directed - Do not bandage tightly - Avoid contact with eyes, mucous membranes or rashe occurs - Rinse thoroughly with water - Discontinue use at least 1 hour before a bath or shower - Do not immediately after a bath or shower.

Stop use and ask a doctor if:
- Condition worsens - Symptoms persist for more than 7 days - Symptoms clear up and occur again with - Redness is present or irritation or rash develops - Hypersensitivity/allergy occurs - A severe burning se occurs - If headache and/or indigestion occur - If you experience pain, swelling or hives that are not serious.

If pregnant or breast feeding, ask a health professional before use
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older:
- Clean and dry affected area - Remove film from patch and apply to the skin - Apply 1 patch at a time to affected area up to 3 times per day. Do not leave on skin for more than a total of 8 hours per day - Apply a time to the affected area up to 3 times per day. Do not leave on skin for more than a total of 8 hours.
- Children under 12 years of age: consult a doctor - Supervise children when using this product - May weeks to produce beneficial effects - Ask a health care professional or physician for use beyond 5 weeks.

Other information

- Avoid storing product in direct sunlight - Protect product from excessive moisture.

Inactive ingredients
Acrylamide/Sodium Acryloyl Methyl Methacrylate Copolymer, Dihydroxyaluminum aminoacetate, DMDM hydantoin, Glycerin, Laurocapram, Polyacrylic acid, Propylene glycol, Sodium polyacrylate, Tartaric acid, Water.

Questions or Comments?

1-800-COLD-HOT

www.rap

Made in Vietnam by:
Rapid Relief Vietnam Co., Ltd.
Cau Chi Street, An Giang Commune,
Ha Phong City, Vietnam, 180000
Hanoi Vietnam

Imported by:
Rapid Relief Corp., Mississauga,
ON L5L 5Z5 CANADA

Do Not R

Consult!

RNMMPH2502



excessive
 use
 s. If contact
 in a few days
 position
 ous burns
 hit away,
 o the
 y 1 patch at
 per day,
 take 1-2
 ks.
 ndant in,
 sd, Titanium

aidaid.com

14GBV 01VVN
 Instructions for use

Purpose: Topical analgesic
 Uses: For temporary relief of minor pain associated with: arthritis, simple backache, strains, sprains.



RAPID-RELIEF

Stay in Motion

0.025% Capsaicin Pain Patch

For FAST, long lasting pain relief



USE UP TO
8
HOURS

1 Patch

3.9" x 7.9"
10cm x 20cm

Drug Facts

Active ingredient
Capsaicin 0.025%

Purpose
Topical analgesic

Uses
For temporary relief of minor pain associated with: arthritis, simple backache, strains, sprains.

Warnings
For external use only.

Do not use:
- On wounds or damaged skin - With a heating pad such as electrical blanket or skin burn.

When using this product:
- Use only as directed - Do not bandage tightly - Avoid contact with eyes, nose, mouth, or other sensitive areas - Wash hands immediately after a bath or shower.

Stop use and ask a doctor if:
- Condition worsens - Symptoms persist for more than 7 days - Symptoms are severe or irritation or rash develops - Hypersensitivity/allergy occurs - If headache and/or dizziness occur - If you experience epain, swelling, or other symptoms.

If pregnant or breast feeding, ask a health professional before use
- Keep out of reach of children. If swallowed, get medical help or call Poison Control Center.

Directions
Adults and children 12 years of age and older:
- Clean and dry affected area - Remove film from patch and apply to affected area up to 3 times per day. Do not leave on skin for more than 8 hours. Wash hands after use.
- Children under 12 years of age: consult a doctor - Supervise children while using.
- Ask a health care professional for more information.

Other information
- Avoid storing product in direct sunlight - Protect product from excessive heat and moisture.

Inactive ingredients
Acrylamide/Sodium Acryloyl Methacrylate Copolymer, Dihydroxyacetone, Ethyl Acrylate, Glycerin, Lurocapram, Polyacrylic acid, Polyethylene glycol, Water.

Questions or Comments? 1-800-COLD-1234

Manufactured by:
 Rapid Relief, Inc., Ltd.
 10000 Highway 101, Suite 1000
 Houston, TX 77054

Imported by:
 Rapid Relief, Inc., Ltd.
 10000 Highway 101, Suite 1000
 Houston, TX 77054



backache, strains, sprains.

heating pad, as this may result in excessive

eyes, mucous membranes or rashes. If contact before a bath or shower. Do not use

ions clear up and occur again within a few days
Allergy occurs. A severe burning sensation
rushing or blistering, as rare but serious burns

contact a Poison Control Center right away.

the skin. Apply 1 patch at a time to the
an total of 8 hours per day. Apply 1 patch at
n for more than a total of 8 hours per day
ren when using this product. May take 1-2
or physician for use beyond 6 weeks.

hesive moisture.

Aluminum aminoacetate, DMDM Hydantoin,
4, Sodium polyacrylate, Tartaric acid, Titanium

HOT www.rapidaid.com



Consult instructions for use

RMMPH2502.40BV.01VN

Purpose
Topical analgesic



RAPID RELIEF®

Stay in Motion

0.025%

Capsaicin Pain Patch

For FAST, long lasting pain relief



1 Patch

3.9" x 7.9"
10cm x 20cm

Drug Facts

Active ingredient

Capsaicin 0.025%

Purpose

Topical analgesic

Uses

For temporary relief of minor pain associ

Warnings

For external use only.

Do not use:

• On wounds or damaged skin • With a he
skin irritation or skin burn.

When using this product:

• Use only as directed • Do not handle it
occurs, rinse thoroughly with water • Dis
immediately after a bath or shower

Stop use and ask a doctor if:

• Condition worsens • Symptoms persist
• Redness is present or irritation or rash d
occurs • If headache and/or redness occu
can occur.

**If pregnant or breast feeding, ask a hea
• Keep out of reach of children. If swall**

Directions

Adults and children 12 years of age and
• Clean and dry affected area • Remove fi
affected area up to 3 times per day. Do n
a time to the affected area up to 3 times
• Children under 12 years of age: consul
weeks to produce beneficial effects • Ask

Other information

• Avoid storing product in direct sunlight

Inactive ingredients

Acrylamide/Sodium Acryloyldimethylam
Etidic acid, Glycerin, Laureoceram, Poly
dioxide, Water.

Questions or Comments?

Manufactured by:
Rapid Aid Vietnam Co., Ltd.
Carlsb Alexander, An Quang Commune,
Hoi Phong District, Vietnam, 110000
Hanoi Vietnam



lated with: arthritis, simple backache, strains, sprains.

ating pad such as electrical heating pad, as this may result in excessive

lightly. Avoid contact with eyes, mucous membranes or rashes. If contact
continue use at least 1 hour before a bath or shower. Do not use

for more than 7 days. Symptoms clear up and occur again within a few days
develops. Hypersensitivity/allergy occurs. A severe burning sensation
or if you experience pain, swelling or blistering, as rare but serious burns

with professional before use
owned, get medical help or contact a Poison Control Center right away.

Folder:
lim from patch and apply to the skin. Apply 1 patch at a time to the
or leave on skin for more than a total of 8 hours per day. Apply 1 patch at
per day. Do not leave on skin for more than a total of 8 hours per day
It a doctor. Supervise children when using this product. May take 1-2
a health care professional or physician for use beyond 6 weeks.

Protect product from excessive moisture.

rate Copolymer, Dihydroxyaluminum aminoacetate, DMDM hydantoin,
acrylate acid, Propylene glycol, Sodium polyacrylate, Tartaric acid, Titanium

1-800-COLD-HOT

www.rapidrelief.com

Imported by:
Rapid Relief, Inc.,
01155, 521 DANVILL



Do Not Reuse



Consult instructions for use

RMMHPH25024DBV 011VN

Apply 1 patch at a time to the affected area up to 3 times per day. Do not leave on skin for more than a total of 8 hours per day

- Children under 12 years of age: consult a doctor
- Supervise children when using this product
- May take 1-2 weeks to produce beneficial effects
- Ask a health care professional or physician for use beyond 6 weeks.



RAPID-RELIEF
Stay in Motion

0.025%

**Capsaicin
Pain Patch**

For FAST, long lasting pain relief



1 Patch

3.9" x 7.9"
10cm x 20cm

Drug Facts

Active ingredient
Capsaicin 0.025%

Purpose
Topical analgesic

Uses
For temporary relief of minor pain associated with arthritis, simple backache, strains, sprains.

Warnings
For external use only.

Do not use:
- On wounds or damaged skin - With a heating pad such as electrical heating pad, as this may result in excessive skin irritation or skin burn.

When using this product:
- Use only as directed - Do not bandage tightly - Avoid contact with eyes, mucous membranes or rashes - If contact occurs, rinse thoroughly with water - Discontinue use at least 1 hour before a bath or shower - Do not use immediately after a bath or shower.

Stop use and ask a doctor if:
- Condition worsens - Symptoms persist for more than 7 days - Symptoms clear up and occur again within a few days - Redness is present or irritation or rash develops - Hypersensitivity/allergy occurs - A severe burning sensation occurs - If headache and/or dizziness occur - If you experience pain, swelling or blistering, as are but serious burns can occur.

If pregnant or breast feeding, ask a health professional before use
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older:
- Clean and dry affected area - Remove film from patch and apply to the skin - Apply 1 patch at a time to the affected area up to 3 times per day. Do not leave on skin for more than a total of 8 hours per day - Apply 1 patch at a time to the affected area up to 3 times per day. Do not leave on skin for more than a total of 8 hours per day - Children under 12 years of age: consult a doctor - Supervise children when using this product - May take 1-2 weeks to produce beneficial effects - Ask a health care professional or physician for use beyond 6 weeks.

Other information
- Avoid storing product in direct sunlight - Protect product from excessive moisture.

Inactive ingredients
Acrylamide/Sodium Acryloyldimethylaminate Copolymer, Dihydroxyaluminum aminosuccinate, DIMDM hydantoin, Etholic acid, Glycerin, Laureocapram, Polyacrylic acid, Propylene glycol, Sodium polyacrylate, Tartaric acid, Titanium dioxide, Water.

Questions or Comments?

1-800-COLD-HOT

www.rapidaid.com

Manufactured by:
Rapid Aid/Venem Co., Ltd.
Cau Chi Street, An Quoc Commune,
Hai Phong City, Vietnam, 180000

Imported by:
Rapid Aid Corp, Westborough,
01581, USA/USA

Do Not Reuse

Consult instructions for use

RPMH/PH25024/DBV/01/VN

Drug facts, Active ingredients, Purpose, Uses, Warnings, Do not use, When using this product, Stop use and ask a doctor if, If pregnant, Directions, Other information, Inactive ingredients, REF



RAPID-RELIEF
Stay in Mot

0.025%

Capsaicin Pain Patch

For FAST, long lasting pain relief



USE UP TO
8
HOURS

1 Patch


30*9mm

REF MPH2502401HP





3.9" x 7.9"
cm x 20 cm



Drug Facts

Active ingredient

Capsaicin 0.025%

Purpose

Topical analgesic

Uses

For temporary relief of minor pain associated with: arthritis, simple backache, strains, sprains.

Warnings

For external use only.

Do not use:

• On wounds or damaged skin • With a heating pad such as electrical heating pad, as this may result in excessive skin irritation or skin burn.

When using this product:

• Use only as directed • Do not bandage tightly • Avoid contact with eyes, mucous membranes or rashes • If contact occurs, rinse thoroughly with water • Discontinue use at least 1 hour before a bath or shower • Do not use immediately after a bath or shower.

Stop use and ask a doctor if:

• Condition worsens • Symptoms persist for more than 7 days • Symptoms clear up and occur again within a few days • Redness present or irritation or rash develops • Hypersensitivity/allergy occurs • A severe burning sensation occurs • If headache and/or redness occur • If you experience pain, swelling or blistering, as rare but serious burns can occur.

If pregnant or breast feeding, ask a health professional before use

• Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older:

• Clean and dry affected area • Remove film from patch and apply to the skin • Apply 1 patch at a time to the affected area up to 3 times per day • Do not leave on skin for more than a total of 8 hours per day • Apply 1 patch at a time to the affected area up to 3 times per day • Do not leave on skin for more than a total of 8 hours per day • Children under 12 years of age: consult a doctor • Supervise children when using this product • May take 1-2 weeks to produce beneficial effects • Ask a health care professional or physician for use beyond 6 weeks.

Other information

• Avoid storing product in direct sunlight • Protect product from excessive moisture.

Inactive ingredients

Acrylamide/Sodium Acryloyldimethylaminate Copolymer, Dihydroxyaluminum aminosuccinate, DMDM hydantoin, Edetic acid, Glycerin, Laureocapram, Polyacrylic acid, Propylene glycol, Sodium polyacrylate, Tartaric acid, Titanium dioxide, Water.

Questions or Comments?

1-800-COLD-HOT

www.rapidaid.com

Manufactured by:
Rapid Aid/Remo, Inc., Ltd.
Cialis Alexander, Anqing, China

194 Ringing Dr., Weymouth, MA 01980
Modern Remo

Imported by:
Rapid Aid/Remo, Massachusetts
01915, USA/USA



Do Not Reuse



Consult instructions for use

RAMM19250240BV/01VN



RAPID RELIEF

0.025% capsaicin pain patch patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83569-018
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAPSAICIN (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM)	CAPSAICIN	0.00025 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
LAUROCAPRAM (UNII: 1F3X9DRV9X)	

GLYCERIN (UNII: PDC6A3C0OX)
ACRYLAMIDE/SODIUM ACRYLOYLDIMETHYLTAURATE COPOLYMER (120000 MPA.S AT 1%) (UNII: 5F4963KLHS)
WATER (UNII: 059QF0KO0R)
POLYACRYLIC ACID (800000 MW) (UNII: DOI6NSZ87U)
DMDM HYDANTOIN (UNII: BYR0546TOW)
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)
EDETIC ACID (UNII: 9G34HU7RV0)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)
TARTARIC ACID (UNII: W4888I119H)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83569-018-01	12 g in 1 PATCH; Type 0: Not a Combination Product	04/07/2026	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/07/2026	

Labeler - RAPID AID VIET NAM COMPANY LIMITED (673067008)

Establishment			
Name	Address	ID/FEI	Business Operations
RAPID AID VIET NAM COMPANY LIMITED		673067008	manufacture(83569-018)

Revised: 4/2026

RAPID AID VIET NAM COMPANY LIMITED