GLYZIGEN GEL INTIMATE- glycerin gel Catalysis, SL

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.


Glyzigen Intimate Gel

Glycerin 0.5%.....Skin Protectant

grafilandia e.i. Etiqueta_GLIZIGEN_Gel_250_Usa_V1

CLIENTE: CATALYSIS	NTE: CATALYSIS CÓDIGO PRODUCTO:			Nº PEDIDO:		evision: 1	FECHA: 24-6-2015
Nº HOJA DE RUTA:	MEDIDAS: 200x45	MEDIDAS: 200x45 mms		MATERIAL: Adhesivo polipropiler blanco		ACABADO:	
	ESTAMP		ACION PELICULA	PELICULA OBSERVACIONES FOTOMECANICA:			
4 	catalysis	catalysis		OBSERVACIONES CLIENTE:		022-49809	9 EU-V.2





- Stop use and ask a doctor if rash occurs
- Children under 6 months: ask a doctor
- Keep out of reach of children
- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep our of the eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children
- Children under 6 months: as a doctor.
- Apply a small amount the intimate parts and gently wash. Rinse with water
- Maybe used as often as necessary

- Apply a small amount the intimate parts and gently wash. Rinse with water
- Maybe used as often as necessary
- Stop use and ask a doctor if rash occurs
- Children under 6 months: ask a doctor

+ 34 913456902 Monday to Friday: 9:00 am to 5:00 pm

- keep the product in a cool and dry place
- Apply a small amount the intimate parts and gently wash. Rinse with water
- Maybe used as often as necessary

Water, Sodium Lauryl Sulfate, Cocamidopropyl Betaine, Disodium Laureth Sulfosuccinate, Lactic Acid, Diazolidinyl Urea, Glycyrrhizinic, Acid, Sodium Benzoate, Potassium Sorbate, Phytosphingosine HCl, Parfum



Product Inform	nation						
Product Type		HUMAN OTC DRUG Item Code (Source)					
Route of Adminis	tration	TOPICAL	()				
Active Ingredie	ent/Active Moi	ety					
	Basis of Streng	th Strength					
GLYCERIN (UNII: P	DC6A3C0OX) (GL	YCERIN - UNII:PDC6A3C0OX)		GLYCERIN	0.5 mg in 1 mL		
Inactive Ingred		Strength					
CO CAMIDO PRO P	1	12 mg in 1 mL					
GLYCYRRHIZIN (U	(0.1 mg in 1 mL					
POTASSIUM SORE	(0.1 mg in 1 mL					
SO DIUM LAURYL		20 mg in 1 mL					
		NATE (UNII: D6 DH1DTN7E)			3 mg in 1 mL		
LACTIC ACID (UNI).36 mg in 1 mL		
DIAZOLIDINYL UF		0.3 mg in 1 mL					
SODIUM BENZOA		0.1 mg in 1 mL					
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q) WATER (UNII: 059QF0KO0R)					0.01 mg in 1 mL 100 mg in 1 mL		
	(, , , ,						
Packaging							
# Item Code		Package Description		Marketing Start Date	Marketing En Date		
1 NDC:64539-003- 02	1 in 1 BOTTLE	0 5/0 7/20 17					
1 NDC:64539-003- 01	250 mL in 1 BLE Product	STER PACK; Type 0: Not a Comb	inatio n				
Marketing I	nformation						
Marketing Categ	ory Applicati	Application Number or Monograph Citation		larketing Start Date	Marketing End Da		
OTC monograph fin							

Labeler - Catalysis, SL (862795119)

Registrant - Catalysis, SL (862795119)

Establishment			
Name	Address	ID/FEI	Business Operations

Catalysis, SL

Revised: 5/2017

Catalysis, SL

862795119

manufacture(64539-003)