GLIZIGEN SKIN PROTECTANT- glycerin spray Catalysis, SL

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.


Glycerin 0.5%.....Skin Protectant


Etiqueta_GLIZIGEN_Spray_60ml_Usa_v.1

Tamaño: 77x52 mms

Colores (Pantones): Cuatricromía,







- Stop use and ask a doctor if rash occurs
- Children under 6 months: ask a doctor
- Do not use on damaged or broken skin.
- Keep out of reach of children

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep our of the eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children
- Children under 6 months: as a doctor
- + 34 913456902 M-F 9:00 am to 5:00 pm
- deodorizes, refreshes and avoids the consequences of the agressive actions of the detergents in the genital areas
- apply pulverizing over the genital zone keeping the container in an upright position
- 3 or 4 applications per day used to be anough, but it can be used as often as necessary
- apply pulverizing over the genital zone keeping the container in an upright position
- 3 or 4 applications per day used to be anough, but it can be used as often as necessary

Propyleneglycol, water, Polysorbate 80, Glycyrrhizinic Acid, Sodium Benzoate, Potassium Sorbate, TEA





Questions or comments : +34 913456902 Monday to Friday: 9:00 am to 5:00 pm

Caution—For external use only.
Spray at least 8 inches from skin. Do not apply to broken, irritated, or itching skin. Persistent, unusual odor or discharge may indicate conditions for which a physician should be consulted.
Discontinue use immediately if rash, irritation, or discomfort develops.





Questions or comments : +34 913456902 Monday to Friday: 9:00 am to 5:00 pm

Temper evident: do not use if plastic in the pump of the bottle is broken or missing

www.catalysis.es



GLIZIGEN SKIN PROTECTANT

glycerin spray

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:64539-004

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	0.5 mg in 1 mL

Inactive Ingredients				
Ingredient Name	Strength			
POLYSORBATE 80 (UNII: 6 OZP39 ZG8 H)	0.8 mg in 1 mL			
SODIUM BENZOATE (UNII: OJ245FE5EU)	0.1 mg in 1 mL			
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	0.1 mg in 1 mL			
WATER (UNII: 059QF0KO0R)	100 mg in 1 mL			
PROPANEDIOL (UNII: 5965N8W85T)	50 mg in 1 mL			
TEA LEAF (UNII: GH42T47V24)	0.1 mg in 1 mL			
GLYCYRRHIZIN (UNII: 6FO62043WK)	0.1 mg in 1 mL			

Packaging

# Item Code	Package Description	Date	Date		
	60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	05/07/2017			
Marketing Information					
Marketing Categor	A l' d' Noud M l- C't- d'	Marketing Start Date	Marketing End Date		
0 0	y Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part347	05/07/2017	Marketing End Date		

Labeler - Catalysis, SL (862795119)

Registrant - Catalysis, SL (862795119)

Establishment			
Name	Address	ID/FEI	Business Operations
Catalysis, SL		862795119	manufacture(64539-004)

Revised: 6/2017 Catalysis, SL