

SINUFRIN PLUS NO DRIP DECONGESTANT- nasal congestion relief solution NeilMed Pharmaceuticals Inc

Sinufrin Plus No Drip Decongestant

Drug Facts

Drug Facts	
Active Ingredients	Purpose
Oxymetazoline hydrochloride 0.05%	Nasal Decongestant
Each full spray releases 0.1 mL of solution	
Uses	
<ul style="list-style-type: none"> ■ Temporarily relieves nasal congestion due to: <ul style="list-style-type: none"> ■ Common cold ■ Hay fever ■ Upper respiratory allergies ■ Temporarily relieves sinus congestion and pressure ■ Shrinks swollen nasal membranes so you can breathe more freely 	
Warnings	
Ask a doctor before use if you have <ul style="list-style-type: none"> ■ Heart disease ■ High blood pressure ■ Diabetes ■ Thyroid disease ■ Trouble urinating due to an enlarged prostate gland 	
When using this product	
<ul style="list-style-type: none"> ■ Do not use more than directed ■ Do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. ■ Temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur ■ Use of this container by more than one person may spread infection 	

Stop use and ask a doctor if symptoms persist if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions
<ul style="list-style-type: none"> ■ Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. ■ Children under 6 years of age: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.
Other Information
<ul style="list-style-type: none"> ■ Store between 68° F (20° C) and 86° F (30° C) ■ Retain carton for future reference on full labeling
Inactive Ingredients
Propylene glycol, glycerin, sodium chloride, hyaluronic acid, aloe vera, allantoin, sodium bicarbonate USP, benzalkonium chloride, edetate disodium, purified water
NDC 13709-232-06 Questions/Concerns 1 877 477 8633 Manufactured By NeilMed® Pharmaceuticals 601 Aviation Blvd, Santa Rosa, CA 95403 USA

©NeilMed® 2000-2024 6082-ENU-US_REV04_GP20240119

- Active Ingredients- Oxymetazoline hydrochloride 0.05%
- Purpose- Nasal Decongestant
- Each full spray releases 0.1 mL of solution

Uses

Drug Facts	
Active Ingredients	Purpose
Oxymetazoline hydrochloride 0.05%	Nasal Decongestant
Each full spray releases 0.1 mL of solution	
Uses	
<ul style="list-style-type: none"> ■ Temporarily relieves nasal congestion due to: <ul style="list-style-type: none"> ■ Common cold ■ Hay fever ■ Upper respiratory allergies ■ Temporarily relieves sinus congestion and pressure ■ Shrinks swollen nasal membranes so you can breathe more freely 	
Warnings	
Ask a doctor before use if you have <ul style="list-style-type: none"> ■ Heart disease ■ High blood pressure ■ Diabetes ■ Thyroid disease ■ Trouble urinating due to an enlarged prostate gland 	
When using this product	
<ul style="list-style-type: none"> ■ Do not use more than directed ■ Do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. ■ Temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur ■ Use of this container by more than one person may spread infection 	

Stop use and ask a doctor if symptoms persist if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions
<ul style="list-style-type: none"> ■ Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. ■ Children under 6 years of age: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.
Other Information
<ul style="list-style-type: none"> ■ Store between 68° F (20° C) and 86° F (30° C) ■ Retain carton for future reference on full labeling
Inactive Ingredients
Propylene glycol, glycerin, sodium chloride, hyaluronic acid, aloe vera, allantoin, sodium bicarbonate USP, benzalkonium chloride, edetate disodium, purified water
NDC 13709-232-06 Questions/Concerns 1 877 477 8633 Manufactured By NeilMed® Pharmaceuticals 601 Aviation Blvd, Santa Rosa, CA 95403 USA

©NeilMed® 2000-2024 6082-ENU-US_REV04_GP20240119

- Common cold
- Hay fever
- Upper respiratory allergies

- Temporarily relieves sinus congestion and pressure
- Shrinks swollen nasal membranes so you can breathe more freely

Warnings

<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active Ingredients</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Oxymetazoline hydrochloride 0.05%</td> <td>Nasal Decongestant</td> </tr> </tbody> </table> <p>Each full spray releases 0.1 mL of solution</p>	Active Ingredients	Purpose	Oxymetazoline hydrochloride 0.05%	Nasal Decongestant	 <p>NeilMed[®] SinuFrin[®] Plus NO DRIP Decongestant Moisturizing Gel Relief for up to 12 Hours With Sodium Hyaluronate & Aloe Vera</p> <p>Oxymetazoline HCl Nasal Solution-Nasal Decongestant plus Sodium Hyaluronate & Aloe Vera</p> <p>QUICK NASAL CONGESTION RELIEF 12 Hour Relief 0.5 fl oz (15 mL)</p>	<p>Stop use and ask a doctor if symptoms persist if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>
Active Ingredients	Purpose					
Oxymetazoline hydrochloride 0.05%	Nasal Decongestant					
<p>Uses</p> <ul style="list-style-type: none"> Temporarily relieves nasal congestion due to: <ul style="list-style-type: none"> Common cold Hay fever Upper respiratory allergies Temporarily relieves sinus congestion and pressure Shrinks swollen nasal membranes so you can breathe more freely 	<p>Directions</p> <ul style="list-style-type: none"> Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. Children under 6 years of age: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use. 	<p>Other Information</p> <ul style="list-style-type: none"> Store between 68° F (20° C) and 86° F (30° C) Retain carton for future reference on full labeling 				
<p>Warnings</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> Heart disease High blood pressure Diabetes Thyroid disease Trouble urinating due to an enlarged prostate gland <p>When using this product</p> <ul style="list-style-type: none"> Do not use more than directed Do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. Temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur Use of this container by more than one person may spread infection 	<p>Inactive Ingredients</p> <p>Propylene glycol, glycerin, sodium chloride, hyaluronic acid, aloe vera, allantoin, sodium bicarbonate USP, benzalkonium chloride, edetate disodium, purified water</p>	<p>NDC 13709-232-06 Questions/Concerns 1 877 477 8633 Manufactured By NeilMed[®] Pharmaceuticals 601 Aviation Blvd, Santa Rosa, CA 95403 USA</p>				

Ask a doctor before use if you have

- Heart disease
- High blood pressure
- Diabetes
- Thyroid disease
- Trouble urinating due to an enlarged prostate gland

Warnings

When using this product

<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active Ingredients</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Oxymetazoline hydrochloride 0.05%</td> <td>Nasal Decongestant</td> </tr> </tbody> </table> <p>Each full spray releases 0.1 mL of solution</p>	Active Ingredients	Purpose	Oxymetazoline hydrochloride 0.05%	Nasal Decongestant	 <p>NeilMed[®] SinuFrin[®] Plus NO DRIP Decongestant Moisturizing Gel Relief for up to 12 Hours With Sodium Hyaluronate & Aloe Vera</p> <p>Oxymetazoline HCl Nasal Solution-Nasal Decongestant plus Sodium Hyaluronate & Aloe Vera</p> <p>QUICK NASAL CONGESTION RELIEF 12 Hour Relief 0.5 fl oz (15 mL)</p>	<p>Stop use and ask a doctor if symptoms persist if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>
Active Ingredients	Purpose					
Oxymetazoline hydrochloride 0.05%	Nasal Decongestant					
<p>Uses</p> <ul style="list-style-type: none"> Temporarily relieves nasal congestion due to: <ul style="list-style-type: none"> Common cold Hay fever Upper respiratory allergies Temporarily relieves sinus congestion and pressure Shrinks swollen nasal membranes so you can breathe more freely 	<p>Directions</p> <ul style="list-style-type: none"> Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. Children under 6 years of age: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use. 	<p>Other Information</p> <ul style="list-style-type: none"> Store between 68° F (20° C) and 86° F (30° C) Retain carton for future reference on full labeling 				
<p>Warnings</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> Heart disease High blood pressure Diabetes Thyroid disease Trouble urinating due to an enlarged prostate gland <p>When using this product</p> <ul style="list-style-type: none"> Do not use more than directed Do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. Temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur Use of this container by more than one person may spread infection 	<p>Inactive Ingredients</p> <p>Propylene glycol, glycerin, sodium chloride, hyaluronic acid, aloe vera, allantoin, sodium bicarbonate USP, benzalkonium chloride, edetate disodium, purified water</p>	<p>NDC 13709-232-06 Questions/Concerns 1 877 477 8633 Manufactured By NeilMed[®] Pharmaceuticals 601 Aviation Blvd, Santa Rosa, CA 95403 USA</p>				

- Do not use more than directed

- Do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- Temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- Use of this container by more than one person may spread infection

Stop use and ask a doctor

<p>Drug Facts</p> <p>Active Ingredients Purpose Oxymetazoline hydrochloride 0.05% Nasal Decongestant</p> <p>Each full spray releases 0.1 mL of solution</p>	 <p>NeilMed® SinuFrin® Plus NO DRIP Decongestant Moisturizing Gel Relief for up to 12 Hours with Sodium Hyaluronate & Aloe Vera</p> <p><i>Oxymetazoline HCl Nasal Solution-Nasal Decongestant plus Sodium Hyaluronate & Aloe Vera</i></p> <p>QUICK NASAL CONGESTION RELIEF 12 Hour Relief 0.5 fl oz (15 mL)</p>	<p>Stop use and ask a doctor if symptoms persist If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>
<p>Uses</p> <ul style="list-style-type: none"> Temporarily relieves nasal congestion due to: Common cold Hay fever Upper respiratory allergies Temporarily relieves sinus congestion and pressure Shrinks swollen nasal membranes so you can breathe more freely 		<p>Directions</p> <ul style="list-style-type: none"> Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. Children under 6 years of age: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.
<p>Warnings</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> Heart disease High blood pressure Diabetes Thyroid disease Trouble urinating due to an enlarged prostate gland 	<p>Other Information</p> <ul style="list-style-type: none"> Store between 68° F (20° C) and 86° F (30° C) Retain carton for future reference on full labeling 	
<p>When using this product</p> <ul style="list-style-type: none"> Do not use more than directed Do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. Temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur Use of this container by more than one person may spread infection 	<p>Inactive Ingredients Propylene glycol, glycerin, sodium chloride, hyaluronic acid, aloe vera, allantoin, sodium bicarbonate USP, benzalkonium chloride, edetate disodium, purified water</p> <p>NDC 13709-232-06 Questions/Concerns 1 877 477 8633 Manufactured By NeilMed® Pharmaceuticals 601 Aviation Blvd, Santa Rosa, CA 95403 USA</p>	

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding

If pregnant or breast-feeding, ask a health professional before use.

<p>Drug Facts</p> <p>Active Ingredients Purpose Oxymetazoline hydrochloride 0.05% Nasal Decongestant</p> <p>Each full spray releases 0.1 mL of solution</p>	 <p>NeilMed® SinuFrin® Plus NO DRIP Decongestant Moisturizing Gel Relief for up to 12 Hours with Sodium Hyaluronate & Aloe Vera</p> <p><i>Oxymetazoline HCl Nasal Solution-Nasal Decongestant plus Sodium Hyaluronate & Aloe Vera</i></p> <p>QUICK NASAL CONGESTION RELIEF 12 Hour Relief 0.5 fl oz (15 mL)</p>	<p>Stop use and ask a doctor if symptoms persist If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>
<p>Uses</p> <ul style="list-style-type: none"> Temporarily relieves nasal congestion due to: Common cold Hay fever Upper respiratory allergies Temporarily relieves sinus congestion and pressure Shrinks swollen nasal membranes so you can breathe more freely 		<p>Directions</p> <ul style="list-style-type: none"> Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. Children under 6 years of age: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.
<p>Warnings</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> Heart disease High blood pressure Diabetes Thyroid disease Trouble urinating due to an enlarged prostate gland 	<p>Other Information</p> <ul style="list-style-type: none"> Store between 68° F (20° C) and 86° F (30° C) Retain carton for future reference on full labeling 	
<p>When using this product</p> <ul style="list-style-type: none"> Do not use more than directed Do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. Temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur Use of this container by more than one person may spread infection 	<p>Inactive Ingredients Propylene glycol, glycerin, sodium chloride, hyaluronic acid, aloe vera, allantoin, sodium bicarbonate USP, benzalkonium chloride, edetate disodium, purified water</p> <p>NDC 13709-232-06 Questions/Concerns 1 877 477 8633 Manufactured By NeilMed® Pharmaceuticals 601 Aviation Blvd, Santa Rosa, CA 95403 USA</p>	

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

<p>Drug Facts</p> <p>Active Ingredients Purpose Oxymetazoline hydrochloride 0.05% Nasal Decongestant</p> <p>Each full spray releases 0.1 mL of solution</p>	 <p>NeilMed[®] SinuFrin[®] Plus NO DRIP Decongestant Moisturizing Gel Relief for up to 12 Hours with Sodium Hyaluronate & Aloe Vera</p> <p><i>Oxymetazoline HCl Nasal Solution-Nasal Decongestant plus Sodium Hyaluronate & Aloe Vera</i></p> <p>QUICK NASAL CONGESTION RELIEF 12 Hour Relief 0.5 fl oz (15 mL)</p>	<p>Stop use and ask a doctor if symptoms persist if pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	
<p>Uses</p> <ul style="list-style-type: none"> ■ Temporarily relieves nasal congestion due to: <ul style="list-style-type: none"> ■ Common cold ■ Hay fever ■ Upper respiratory allergies ■ Temporarily relieves sinus congestion and pressure ■ Shrinks swollen nasal membranes so you can breathe more freely 		<p>Directions</p> <ul style="list-style-type: none"> ■ Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. ■ Children under 6 years of age: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use. 	<p>Other Information</p> <ul style="list-style-type: none"> ■ Store between 68° F (20° C) and 86° F (30° C) ■ Retain carton for future reference on full labeling
<p>Warnings</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ Heart disease ■ High blood pressure ■ Diabetes ■ Thyroid disease ■ Trouble urinating due to an enlarged prostate gland <p>When using this product</p> <ul style="list-style-type: none"> ■ Do not use more than directed ■ Do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. ■ Temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur ■ Use of this container by more than one person may spread infection 		<p>Inactive Ingredients</p> <p>Propylene glycol, glycerin, sodium chloride, hyaluronic acid, aloe vera, allantoin, sodium bicarbonate USP, benzalkonium chloride, edetate disodium, purified water</p>	<p>NDC 13709-232-06 Questions/Concerns 1 877 477 8633 Manufactured By NeilMed[®] Pharmaceuticals 601 Aviation Blvd, Santa Rosa, CA 95403 USA</p>

Directions

- Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period
- Children under 6 years of age: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use

<p>Drug Facts</p> <p>Active Ingredients Purpose Oxymetazoline hydrochloride 0.05% Nasal Decongestant</p> <p>Each full spray releases 0.1 mL of solution</p>	 <p>NeilMed[®] SinuFrin[®] Plus NO DRIP Plus Decongestant Moisturizing Gel Relief for up to 12 Hours with Sodium Hyaluronate & Aloe Vera</p> <p><i>Oxymetazoline HCl Nasal Solution-Nasal Decongestant plus Sodium Hyaluronate & Aloe Vera</i></p> <p>QUICK NASAL CONGESTION RELIEF 12 Hour Relief 0.5 fl oz (15 mL)</p>	<p>Stop use and ask a doctor if symptoms persist if pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	
<p>Uses</p> <ul style="list-style-type: none"> ■ Temporarily relieves nasal congestion due to: <ul style="list-style-type: none"> ■ Common cold ■ Hay fever ■ Upper respiratory allergies ■ Temporarily relieves sinus congestion and pressure ■ Shrinks swollen nasal membranes so you can breathe more freely 		<p>Directions</p> <ul style="list-style-type: none"> ■ Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. ■ Children under 6 years of age: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use. 	<p>Other Information</p> <ul style="list-style-type: none"> ■ Store between 68° F (20° C) and 86° F (30° C) ■ Retain carton for future reference on full labeling
<p>Warnings</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ Heart disease ■ High blood pressure ■ Diabetes ■ Thyroid disease ■ Trouble urinating due to an enlarged prostate gland <p>When using this product</p> <ul style="list-style-type: none"> ■ Do not use more than directed ■ Do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. ■ Temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur ■ Use of this container by more than one person may spread infection 		<p>Inactive Ingredients</p> <p>Propylene glycol, glycerin, sodium chloride, hyaluronic acid, aloe vera, allantoin, sodium bicarbonate USP, benzalkonium chloride, edetate disodium, purified water</p>	<p>NDC 13709-232-06 Questions/Concerns 1 877 477 8633 Manufactured By NeilMed[®] Pharmaceuticals 601 Aviation Blvd, Santa Rosa, CA 95403 USA</p>

Other Information

- Store between 68° F (20° C) and 86° F (30° C)
- Retain carton for future reference on full labeling

Drug Facts	
Active Ingredients	Purpose
Oxymetazoline hydrochloride 0.05%	Nasal Decongestant
Each full spray releases 0.1 mL of solution	
Uses	
<ul style="list-style-type: none"> ■ Temporarily relieves nasal congestion due to: <ul style="list-style-type: none"> ■ Common cold ■ Hay fever ■ Upper respiratory allergies ■ Temporarily relieves sinus congestion and pressure ■ Shrinks swollen nasal membranes so you can breathe more freely 	
Warnings	
<p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ Heart disease ■ High blood pressure ■ Diabetes ■ Thyroid disease ■ Trouble urinating due to an enlarged prostate gland 	
When using this product	
<ul style="list-style-type: none"> ■ Do not use more than directed ■ Do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. ■ Temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur ■ Use of this container by more than one person may spread infection 	



NeilMed[®]
SinuFrin[®]
NO DRIP Plus
Decongestant
Moisturizing Gel
Relief for up to 12 Hours
with Sodium Hyaluronate & Aloe Vera

Oxymetazoline HCl Nasal Solution-Nasal Decongestant plus Sodium Hyaluronate & Aloe Vera

QUICK NASAL CONGESTION RELIEF
12 Hour Relief
0.5 fl oz (15 mL)

<p>Stop use and ask a doctor if symptoms persist if pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>
Directions
<ul style="list-style-type: none"> ■ Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. ■ Children under 6 years of age: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.
Other Information
<ul style="list-style-type: none"> ■ Store between 68° F (20° C) and 86° F (30° C) ■ Retain carton for future reference on full labeling
Inactive Ingredients
Propylene glycol, glycerin, sodium chloride, hyaluronic acid, aloe vera, allantoin, sodium bicarbonate USP, benzalkonium chloride, edetate disodium, purified water
<p>NDC 13709-232-06 Questions/Concerns 1 877 477 8633 Manufactured By NeilMed[®] Pharmaceuticals 601 Aviation Blvd, Santa Rosa, CA 95403 USA</p>

©NeilMed[®] 2000-2024 6082-ENU-US_REVO4_GP20240119

Inactive Ingredients

Propylene glycol, glycerin, sodium chloride, hyaluronic acid, aloe vera, allantoin, sodium bicarbonate USP, benzalkonium chloride, edetate disodium, purified water

Drug Facts	
Active Ingredients	Purpose
Oxymetazoline hydrochloride 0.05%	Nasal Decongestant
Each full spray releases 0.1 mL of solution	
Uses	
<ul style="list-style-type: none"> ■ Temporarily relieves nasal congestion due to: <ul style="list-style-type: none"> ■ Common cold ■ Hay fever ■ Upper respiratory allergies ■ Temporarily relieves sinus congestion and pressure ■ Shrinks swollen nasal membranes so you can breathe more freely 	
Warnings	
<p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ Heart disease ■ High blood pressure ■ Diabetes ■ Thyroid disease ■ Trouble urinating due to an enlarged prostate gland 	
When using this product	
<ul style="list-style-type: none"> ■ Do not use more than directed ■ Do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. ■ Temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur ■ Use of this container by more than one person may spread infection 	



NeilMed[®]
SinuFrin[®]
NO DRIP Plus
Decongestant
Moisturizing Gel
Relief for up to 12 Hours
with Sodium Hyaluronate & Aloe Vera

Oxymetazoline HCl Nasal Solution-Nasal Decongestant plus Sodium Hyaluronate & Aloe Vera

QUICK NASAL CONGESTION RELIEF
12 Hour Relief
0.5 fl oz (15 mL)

<p>Stop use and ask a doctor if symptoms persist if pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>
Directions
<ul style="list-style-type: none"> ■ Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. ■ Children under 6 years of age: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.
Other Information
<ul style="list-style-type: none"> ■ Store between 68° F (20° C) and 86° F (30° C) ■ Retain carton for future reference on full labeling
Inactive Ingredients
Propylene glycol, glycerin, sodium chloride, hyaluronic acid, aloe vera, allantoin, sodium bicarbonate USP, benzalkonium chloride, edetate disodium, purified water
<p>NDC 13709-232-06 Questions/Concerns 1 877 477 8633 Manufactured By NeilMed[®] Pharmaceuticals 601 Aviation Blvd, Santa Rosa, CA 95403 USA</p>

©NeilMed[®] 2000-2024 6082-ENU-US_REVO4_GP20240119

Questions/Concerns

Questions/Concerns 1 877 477 8633

Drug Facts	
Active Ingredients	Purpose
Oxymetazoline hydrochloride 0.05%	Nasal Decongestant
Each full spray releases 0.1 mL of solution	
Uses	
<ul style="list-style-type: none"> ■ Temporarily relieves nasal congestion due to: <ul style="list-style-type: none"> ■ Common cold ■ Hay fever ■ Upper respiratory allergies ■ Temporarily relieves sinus congestion and pressure ■ Shrinks swollen nasal membranes so you can breathe more freely 	
Warnings	
<p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ Heart disease ■ High blood pressure ■ Diabetes ■ Thyroid disease ■ Trouble urinating due to an enlarged prostate gland 	
When using this product	
<ul style="list-style-type: none"> ■ Do not use more than directed ■ Do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. ■ Temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur ■ Use of this container by more than one person may spread infection 	



NeilMed[®]
SinuFrin[®]
NO DRIP Plus
Decongestant
Relief for up to 12 Hours
Moisturizing Gel
with Sodium Hyaluronate & Aloe Vera

Oxymetazoline HCl Nasal Solution-Nasal Decongestant plus Sodium Hyaluronate & Aloe Vera

QUICK NASAL CONGESTION RELIEF
12 Hour Relief
0.5 fl oz (15 mL)

<p>Stop use and ask a doctor if symptoms persist if pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>
Directions
<ul style="list-style-type: none"> ■ Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. ■ Children under 6 years of age: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.
Other Information
<ul style="list-style-type: none"> ■ Store between 68° F (20° C) and 86° F (30° C) ■ Retain carton for future reference on full labeling
Inactive Ingredients
Propylene glycol, glycerin, sodium chloride, hyaluronic acid, aloe vera, allantoin, sodium bicarbonate USP, benzalkonium chloride, edetate disodium, purified water
NDC 13709-232-06
Questions/Concerns 1 877 477 8633
Manufactured By NeilMed [®] Pharmaceuticals 601 Aviation Blvd, Santa Rosa, CA 95403 USA

©NeilMed[®] 2000-2024 6082-ENU-US_REV04_GP20240119

Uses

Temporarily relieves nasal congestion due

Drug Facts	
Active Ingredients	Purpose
Oxymetazoline hydrochloride 0.05%	Nasal Decongestant
Each full spray releases 0.1 mL of solution	
Uses	
<ul style="list-style-type: none"> ■ Temporarily relieves nasal congestion due to: <ul style="list-style-type: none"> ■ Common cold ■ Hay fever ■ Upper respiratory allergies ■ Temporarily relieves sinus congestion and pressure ■ Shrinks swollen nasal membranes so you can breathe more freely 	
Warnings	
<p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ Heart disease ■ High blood pressure ■ Diabetes ■ Thyroid disease ■ Trouble urinating due to an enlarged prostate gland 	
When using this product	
<ul style="list-style-type: none"> ■ Do not use more than directed ■ Do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. ■ Temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur ■ Use of this container by more than one person may spread infection 	



NeilMed[®]
SinuFrin[®]
NO DRIP Plus
Decongestant
Relief for up to 12 Hours
Moisturizing Gel
with Sodium Hyaluronate & Aloe Vera

Oxymetazoline HCl Nasal Solution-Nasal Decongestant plus Sodium Hyaluronate & Aloe Vera

QUICK NASAL CONGESTION RELIEF
12 Hour Relief
0.5 fl oz (15 mL)

<p>Stop use and ask a doctor if symptoms persist if pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>
Directions
<ul style="list-style-type: none"> ■ Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. ■ Children under 6 years of age: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.
Other Information
<ul style="list-style-type: none"> ■ Store between 68° F (20° C) and 86° F (30° C) ■ Retain carton for future reference on full labeling
Inactive Ingredients
Propylene glycol, glycerin, sodium chloride, hyaluronic acid, aloe vera, allantoin, sodium bicarbonate USP, benzalkonium chloride, edetate disodium, purified water
NDC 13709-232-06
Questions/Concerns 1 877 477 8633
Manufactured By NeilMed [®] Pharmaceuticals 601 Aviation Blvd, Santa Rosa, CA 95403 USA

©NeilMed[®] 2000-2024 6082-ENU-US_REV04_GP20240119

Product Name

NeilMed SinuFrin Plus

No Drip Decongestant

Relief for up to 12 hours

Moisturizing Gel with Sodium Hyaluronate and Aloe Vera

Oxymetazoline HCL Nasal Solution - Nasal Decongestant

plus Sodium Hyaluronate Hyaluronate and Aloe Vera

Quick Nasal Congestion Relief

12 Hour Relief

0.5 fl oz (15mL)

Drug Facts	
Active Ingredients	Purpose
Oxymetazoline hydrochloride 0.05%	Nasal Decongestant
Each full spray releases 0.1 mL of solution	
Uses	
<ul style="list-style-type: none"> Temporarily relieves nasal congestion due to: <ul style="list-style-type: none"> Common cold Hay fever Upper respiratory allergies Temporarily relieves sinus congestion and pressure Shrinks swollen nasal membranes so you can breathe more freely 	
Warnings	
Ask a doctor before use if you have <ul style="list-style-type: none"> Heart disease High blood pressure Diabetes Thyroid disease Trouble urinating due to an enlarged prostate gland 	
When using this product	
<ul style="list-style-type: none"> Do not use more than directed Do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. Temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur Use of this container by more than one person may spread infection 	



<p>Stop use and ask a doctor if symptoms persist if pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>
Directions
<ul style="list-style-type: none"> Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. Children under 6 years of age: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.
Other Information
<ul style="list-style-type: none"> Store between 68° F (20° C) and 86° F (30° C) Retain carton for future reference on full labeling
Inactive Ingredients
Propylene glycol, glycerin, sodium chloride, hyaluronic acid, aloe vera, allantoin, sodium bicarbonate USP, benzalkonium chloride, edetate disodium, purified water
<p>NDC 13709-232-06</p> <p>Questions/Concerns 1 877 477 8633</p> <p>Manufactured By NeilMed® Pharmaceuticals</p> <p>601 Aviation Blvd, Santa Rosa, CA 95403 USA</p>

©NeilMed® 2000-2024 6082-ENU-US_REV04_GP20240119

SINUFRIN PLUS NO DRIP DECONGESTANT

nasal congestion relief solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13709-356
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII: 8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	7.5 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
HYALURONIC ACID (UNII: S270N0TRQY)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALOE (UNII: V5VD430YW9)	
ALLANTOIN (UNII: 344S277G0Z)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
WATER (UNII: 059QF0KO0R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13709-356-01	1 in 1 CARTON	04/13/2026	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Drug Facts

Active Ingredients

Oxymetazoline hydrochloride 0.05%	Nasal Decongestant
---	--------------------

Each full spray releases 0.1 mL of solution

Uses

- Temporarily relieves nasal congestion due to:
 - Common cold
 - Hay fever
 - Upper respiratory allergies
- Temporarily relieves sinus congestion and pressure
- Shrinks swollen nasal membranes so you can breathe more freely

Warnings

- Ask a doctor before use if you have
- Heart disease
 - High blood pressure
 - Diabetes
 - Thyroid disease
 - Trouble urinating due to an enlarged prostate gland

When using this product

- Do not use more than directed
- Do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- Temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- Use of this container by more than one person may spread infection



Stop use and ask a doctor if symptoms persist if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- Children under 6 years of age: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.

Other Information

- Store between 68° F (20° C) and 86° F (30° C)
- Retain carton for future reference on full labeling

Inactive Ingredients

Propylene glycol, glycerin, sodium chloride, hyaluronic acid, aloe vera, allantoin, sodium bicarbonate USP, benzalkonium chloride, edetate disodium, purified water

NDC 13709-232-06

Questions/Concerns 1 877 477 8633

Manufactured By NeilMed® Pharmaceuticals
601 Aviation Blvd, Santa Rosa, CA 95403 USA

©NeilMed® 2000-2024 6082-ENU-US_REV04_GP20240119

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/13/2026	

Labeler - NeilMed Pharmaceuticals Inc (799295915)

Establishment

Name	Address	ID/FEI	Business Operations
NeilMed Pharmaceuticals Inc		799295915	manufacture(13709-356)

Revised: 4/2026

NeilMed Pharmaceuticals Inc