

DR. SIMI PAIN RELIEVER PM- acetaminophen, diphenhydramine hcl tablet
Farmacias De Similares TX LLC

Dr. Simi Pain Reliever PM

Drug Facts

Active ingredients (in each caplet)

Acetaminophen 500 mg
Diphenhydramine HCl 25 mg

Purpose

Acetaminophen 500 mg	Pain reliever
Diphenhydramine HCl 25 mg	Nighttime sleep aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.
 - pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - redness or swelling is present
 - new symptoms occur
- These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ do not take more than directed (see overdose warning)

adults and children 12 years and over	■ take 2 caplets at bedtime
	■ do not take more than 2 caplets of this product in 24 hours
children under 12 years	■ do not use

Other information

- store between 20-25°C (68-77°F) in a dry place
- retain carton for complete product information

Inactive ingredients

colloidal silicon dioxide, copovidone, croscarmellose sodium, FD&C blue #1, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

Questions or comments?

855-280-1079

Principal Display Panel

NDC: 85786-108-24

DR. SIMI

Extra strength

Pain Reliever PM

Acetaminophen 500 mg

Diphenhydramine HCl 25 mg

Pain Reliever / Nighttime Sleep Aid

For Adults

24 Caplets

†Compare to the active ingredients in Tylenol® PM Extra Strength Caplets

†This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Tylenol® PM Extra Strength Caplets.

DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING

Distributed by:

FARMACIAS DE SIMILARES TX LLC

800 Brazos St Ste 260, Austin, TX, 78701, USA

customerservice@drsimi.com

www.drsimi.com

Carton labeling

Drug Facts

Active ingredients (in each caplet)

Acetaminophen 500 mg.....Pain reliever
Diphenhydramine HCl 25 mg....Nighttime sleep aid

Uses temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age

Drug Facts (continued)

- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)

Directions ■ do not take more than directed (see overdose warning)

adults and children 12 years and over	■ take 2 caplets at bedtime
children under 12 years	■ do not take more than 2 caplets of this product in 24 hours
	■ do not use

Other information


- store between 20-25°C (68-77°F) in a dry place
- retain carton for complete product information

Inactive ingredients colloidal silicon dioxide, copovidone, croscarmellose sodium, FD&C blue #1, hypromellose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

Questions or comments?
855-280-1079

†This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Tylenol® PM Extra Strength Caplets.

Distributed by: FARMACIAS DE SIMILARES TX LLC
800 Brazos St Ste 260, Austin, TX, 78701, USA
customerservice@drsimi.com
www.drsimi.com



DR. SIMI

Extra Strength
Pain Reliever PM
Acetaminophen 500 mg
Diphenhydramine HCl 25 mg

NDC: 85786-108-24

Pain Reliever / Nighttime Sleep Aid

For Adults

24 Caplets

DR. SIMI PAIN RELIEVER PM

acetaminophen, diphenhydramine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85786-108
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HCL (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HCL	25 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

COPOVIDONE K25-31 (UNII: D9C330MD8B)

POVIDONE (UNII: FZ989GH94E)

Product Characteristics

Color	blue	Score	no score
Shape	CAPSULE	Size	17mm
Flavor		Imprint Code	AAA;1031
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85786-108-24	1 in 1 CARTON	04/10/2026	
1		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/10/2026	

Labeler - Farmacias De Similares TX LLC (119489934)

Establishment

Name	Address	ID/FEI	Business Operations
AAA Pharmaceutical, Inc.		080164679	manufacture(85786-108)

Establishment

Name	Address	ID/FEI	Business Operations
AAA Pharmaceutical, Inc.		181192162	pack(85786-108)

Revised: 4/2026

Farmacias De Similares TX LLC