

CIDUAM WART CORN REMOVER- wart corn remover liquid
Shenzhen TeLaFaErJiaLuo Technology Co., Ltd.

85795-003

Active Ingredient

Salicylic acid 17%

Purpose

Wart and corn remover

Use

For the removal of common warts, plantar warts, corns and calluses.

Warnings

For external use only.
Keep away from fire and flame.
Only use on affected area.
Please keep out of reach of children.

Do not use

- on moles, birthmarks, warts with hair growing from them, genital warts, warts on the face or mucous membranes, or on the facial or eye area.
- on irritated, infected, reddened, damaged, or cut skin, including wounds, grazes, eczema, or sunburn.
- if you are diabetic or have poor blood circulation.
- if you have a known allergy to this product.

When Using

When using, keep out of eyes, ears, mouth and any open hurt skin area. In case of contact with eyes, rinse eyes thoroughly with water.

Stop Use

- irritation or rash occurs.
- you are pregnant or breastfeeding.
- the product will be used on a child under three years old.
- Children over three years old should use it under a dult supervision

Ask Doctor

- irritation or rash occurs.
- you are pregnant or breastfeeding.
- the product will be used on a child under three years old.
- Children over three years old should use it under a dult supervision

Keep Out Of Reach Of Children

If swallowed, get medical help or contact a Poison Control Center(1-800-222-1222) right away

Directions

- 1.Dip the liquid with the brush and apply it on the affected area. Wait for turning to mask.
- 2.For warts, continue daily application for up to 12 weeks.
- 3.For corns and calluses, continue daily application for up to 14 days.

Other information

Keep the bottle sealed and store it at a shady place. Avoid excessive heat(37°C/99°F).Skin discoloration may occur during or after use.

Inactive ingredients

Water, Propylene Glycol, Ethanol, Cnidium Monnieri Fruit,Sophora Flavescens Root, Purslane,Rhizome of Large-headed Atractylodes Macrocephala Root, Angelica Dahurica Root ,Tangerine Peel, Xanthan Gum.

Questions

Call 1 858 905 0218

PRINCIPAL DISPLAY PANEL

CIDUAM

89 mm

| Drug Facts | |
|--|-----------------------|
| Active Ingredient | Purpose |
| Salicylic acid 17% | Wart and corn remover |
| Uses | |
| For the removal of common warts, plantar warts, corns and calluses. | |
| WARNING | |
| For external use only. Keep away from fire and flame. Only use on affected area. Please keep out of reach of children. | |
| Do not use | |
| • on moles, birthmarks, warts with hair growing from them, genital warts, warts on the face or mucous membranes, or on the facial or eye area. • on irritated, infected, reddened, damaged, or cut skin, including wounds, grazes, eczema, or sunburn. • if you are diabetic or have poor blood circulation. • if you have a known allergy to this product. | |
| When using this product | |
| When using, keep out of eyes, ears, mouth and any open hurt skin area. In case of contact with eyes, rinse eyes thoroughly with water. | |
| STOP USING AND ASK A DOCTOR IF | |
| • irritation or rash occurs. • you are pregnant or breastfeeding. • the product will be used on a child under three years old. • Children over three years old should use it under a adult supervision. | |
| KEEP OUT OF REACH OF CHILDREN | |
| If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. | |

CIDUAM Wart & Corn REMOVER

ADVANCED FORMULA
FAST ACTING LIQUID



EFFECTIVE WART REMOVAL
FOR CLEAR SKIN
GENTLE & WART TREATMENT
TARGETED WART & CORN CARE



SOOTHING
GENTLE
EFFECTIVE

Net Contents: 1 fl oz (30 mL)
NDC:

Directions

1. Dip the liquid with the brush and apply it on the affected area. Wait for turning to mask.
2. For warts, continue daily application for up to 12 weeks.
3. For corns and calluses, continue daily application for up to 14 days.

Inactive ingredients

Water, Propylene Glycol, Ethanol, Cnidium Monnieri Fruit, Sophora Flavescens Root, Purslane, Rhizome of Large-headed Atractylodes Macrocephala Root, Angelica Dahurica Root, Tangerine Peel, Xanthan Gum.

OTHER INFORMATION:

Keep the bottle sealed and store it at a shady place. Avoid excessive heat (37°C / 99°F). Skin discoloration may occur during or after use.

Questions? Call 1 858 905 0218

For external use only
Read carton for full Drug Facts

Manufactured by: Shenzhen TeLaFaErJiaLuo Technology Co., Ltd.
Address: 518000 No. 126, Shop Building 7, Zhonghai Yangjing Garden, Kangde Community, Nanwan Street, Longhua District, Shenzhen
Made in China

Distributed by:
Guangzhou Mizu Biotechnology Co., Ltd.,
Address:
53 Shima Taoyuan West Street, Junhe Street, Baiyun District, Guangzhou, China

CIDUAM Wart & Corn REMOVER

ADVANCED FORMULA
FAST ACTING LIQUID



EFFECTIVE WART REMOVAL
FOR CLEAR SKIN
GENTLE & WART TREATMENT
TARGETED WART & CORN CARE



SOOTHING
GENTLE
EFFECTIVE

Net Contents: 1 fl oz (30 mL)
NDC:

Expiration Date: 12/2026
Lot No.: WRT240501



37 mm

45 mm

| | | |
|---|--|--|
| OTHER INFORMATION: | CIDUAM Salicylic acid Wart & Corn REMOVER | Directions |
| Keep the bottle sealed and store it at a shady place. Avoid excessive heat (37°C / 99°F). Skin discoloration may occur during or after use. | ADVANCED FORMULA FAST ACTING LIQUID | 1. Dip the liquid with the brush and apply it on the affected area. Wait for turning to mask. 2. Continue daily application for at least 2 weeks until the skin appears smooth. 3. More severe may require more time |
| Questions? Call 1 858 905 0218 | EFFECTIVE WART REMOVAL FOR CLEAR SKIN GENTLE & WART TREATMENT TARGETED WART & CORN CARE | When using this product |
| For external use only Read carton for full Drug Facts | SOOTHING GENTLE EFFECTIVE | When using, keep out of eyes, ears, mouth and any open hurt skin area. In case of contact with eyes, rinse eyes thoroughly with water. |
| Distributed by: Guangzhou Mizu Biotechnology Co., Ltd., Address: 53 Shima Taoyuan West Street, Junhe Street, Baiyun District, Guangzhou, China | Net Contents: 1 fl oz (30 mL) NDC: | |
| EXP: 12/2026 LOT: WRT240501 | | |

100 mm

CIDUAM WART CORN REMOVER

wart corn remover liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:85795-003 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) | SALICYLIC ACID | 17 g in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| ANGELICA DAHURICA ROOT (UNII: 1V63N2S972) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |
| ATRACTYLODES MACROCEPHALA ROOT (UNII: 08T3N29QJB) | |
| TANGERINE PEEL (UNII: JU3D414057) | |
| WATER (UNII: 059QF0KO0R) | |
| CNIDIUM MONNIERI FRUIT (UNII: V1IA3S3CUS) | |
| PURSLANE (UNII: M6S840WYG5) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:85795-003-01 | 30 mL in 1 BOTTLE; Type 0: Not a Combination Product | 04/11/2026 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M028 | 04/11/2026 | |

Labeler - Shenzhen TeLaFaErJiaLuo Technology Co., Ltd. (450895739)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--|---------|-----------|------------------------|
| Shenzhen TeLaFaErJiaLuo Technology Co., Ltd. | | 450895739 | manufacture(85795-003) |

