

**GOOD NEIGHBOR PHARMACY CLEARLAX- polyethylene glycol 3350 powder,  
for solution**

**Amerisource Bergen**

-----

**Amerisource Bergen ClearLax® Drug Facts**

**Active ingredient (in each dose)**

Polyethylene Glycol 3350, 17 g (cap filled to line)

**Purpose**

Osmotic Laxative

**Use**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

**Warnings**

**Allergy alert:** Do not use if you are allergic to polyethylene glycol

**Do not use**

if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug

**When using this product**

you may have loose, watery, more frequent stools

**Stop use and ask a doctor if**

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
- use once a day
- fill to top of white section in cap which is marked to indicate the correct dose (17 g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- do not combine with starch-based thickeners used for difficulty swallowing
- ensure that the powder is fully dissolved before drinking
- do not drink if there are any clumps
- do not use no more than 7 days
- children 16 years of age or under: ask a doctor

**Other information**

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

**Inactive ingredients**

none

**Questions or comments?**

**1-800-719-9260**

**Principal Display Panel**

GOOD NEIGHBOR PHARMACY®

Compare to MiraLAX® active ingredient

ClearLax®

polyethylene glycol 3350 powder for solution

Osmotic Laxative

- Relieves Occasional Constipation (Irregularity)

- Softens Stool

Unflavored Powder • Grit Free

net wt. 17.9 oz. (510 g)

30 once-daily doses



**GOOD NEIGHBOR PHARMACY®**  
Compare to MiraLAX® active ingredient\*  
NDC 46122-014-71

**ClearLax®**  
polyethylene glycol 3350 powder for solution  
**Osmotic Laxative**

- Relieves Occasional Constipation (Irregularity)
- Softens Stool

Unflavored Powder • Grit Free  
net wt. **17.9 oz.** (510 g)  
30 once-daily doses

306D6 29 FL

Polyethylene Glycol 3350 increases frequency of bowel movements and softens the stool. Dissolves in Any Beverage

<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each dose)</b> Polyethylene Glycol 3350, 17 g (cap filled to line).....Osmotic Laxative</p> <p><b>Purpose</b> Osmotic Laxative</p> <p><b>Use</b> ■ relieves occasional constipation (irregularity) ■ generally produces a bowel movement in 1 to 3 days</p> <p><b>Warnings</b> <b>Allergy alert:</b> Do not use if you are allergic to polyethylene glycol</p> <p><b>Do not use</b> if you have kidney disease, except under the advice and supervision of a doctor</p> <p><b>Ask a doctor before use if you have</b> ■ nausea, vomiting or abdominal pain ■ a sudden change in bowel habits that lasts over 2 weeks ■ irritable bowel syndrome</p> <p><b>Ask a doctor or pharmacist before use if you are taking a prescription drug</b></p> <p><b>When using this product</b> you may have loose, watery, more frequent stools</p> <p><b>Stop use and ask a doctor if</b> ■ you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition. ■ you get diarrhea ■ you need to use a laxative for longer than 1 week</p> <p><b>If pregnant or breast-feeding</b>, ask a health professional before use.</p> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p> <p><b>Directions</b> ■ do not take more than directed unless advised by your doctor ■ the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)</p>	<p><b>Drug Facts (continued)</b></p> <p>■ adults and children 17 years of age and older: ■ use once a day ■ fill to top of white section in cap which is marked to indicate the correct dose (17 g) ■ stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink ■ do not combine with starch-based thickeners used for difficulty swallowing ■ ensure that the powder is fully dissolved before drinking ■ do not drink if there are any clumps ■ do not use more than 7 days ■ children 16 years of age or under: ask a doctor</p> <p><b>Other information</b> ■ store at 20°-25°C (68°-77°F) ■ tamper-evident: do not use if printed foil seal under cap is missing, open or broken</p> <p><b>Inactive ingredients</b> none</p> <p><b>Questions or comments?</b> 1-800-719-9260</p> <p>*Good Neighbor Pharmacy® ClearLax® is not manufactured or distributed by Bayer HealthCare LLC, distributor of MiraLAX®.</p> <p>Distributed By AmerisourceBergen 1 West First Avenue Conshohocken, PA 19428 Questions or Concerns? <a href="http://www.mygnp.com">www.mygnp.com</a></p> <p>• Sugar Free <b>GLUTEN FREE</b></p> <p>SATISFACTION GUARANTEED</p> <p>0 8770140587 7 ABN#: 10046992</p> <p>306D6 29 BS</p>
--	---

## GOOD NEIGHBOR PHARMACY CLEARLAX

polyethylene glycol 3350 powder, for solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:46122-014
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>POLYETHYLENE GLYCOL 3350</b> (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-014-31	119 g in 1 BOTTLE; Type 0: Not a Combination Product	10/19/2009	
2	NDC:46122-014-33	238 g in 1 BOTTLE; Type 0: Not a Combination Product	10/20/2009	
3	NDC:46122-014-71	510 g in 1 BOTTLE; Type 0: Not a Combination Product	10/27/2009	
4	NDC:46122-014-38	289 g in 1 BOTTLE; Type 0: Not a Combination Product	08/15/2013	04/16/2017
5	NDC:46122-014-52	10 in 1 CARTON	09/06/2016	
5		17 g in 1 PACKET; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	10/19/2009	

**Labeler** - Amerisource Bergen (007914906)

Revised: 2/2023

Amerisource Bergen