

ACID REDUCER 75- ranitidine 75mg tablet, coated
Allegiant Health

376 - Health A2Z Acid Reducer 75mg

Active ingredient

Ranitidine 75 mg (as ranitidine hydrochloride, USP 84 mg)

Purpose

Acid reducer

Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by certain foods and beverages

Warnings

Allergy alert: Do not use if you are allergic to ranitidine or other acid reducers

Do not use

- If you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor
- with other acid reducers
- If you have kidney disease, except under the advice supervision of a doctor.

Ask a doctor before use if you have

- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- had heartburn over 3 months. This may be a sign of a more serious condition
- heartburn with **lightheadedness, sweating or dizziness**
- **chest pain** or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

adults and children 12 years and over:

- to relieve symptoms, swallow 1 tablet with a glass of water
- to prevent symptoms, swallow 1 tablet with a glass of water 30 to 60 minutes before eating food or drinking beverages that cause heartburn
- can be used up to twice daily (do not take more than 2 tablets in 24 hours)

children under 12 years: ask a doctor

Other information

- do not use if the individual blister unit is open or torn
- store at 20°C to 25°C (68°F to 77°F)
- avoid excessive heat or humidity
- protect from light
- this product is sugar free

Inactive ingredients

carnauba wax, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, red and yellow ferric oxide, silicon dioxide, titanium dioxide, vanillin

Questions or comments?

1-888-952-0050 Monday through Friday 9AM-5PM EST

Principal Display Panel

Health A2Z®

*Compare to **Zantac 75®** Active Ingredient

ACID REDUCER 75

REGULAR STRENGTH


Ranitidine 75 mg

(as ranitidine hydrochloride, USP 84 mg)

RELIEVES & PREVENTS HEARTBURN associated with acid indigestion and sour stomach

(pill image)

10 Tablets



Ranitidine 75mg 10ct. Tablets

ACID REDUCER 75

ranitidine 75mg tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69 168 -376
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RANITIDINE HYDROCHLORIDE (UNII: BK76465IHM) (RANITIDINE - UNII:884KT10YB7)	RANITIDINE	75 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
HYPROMELLOSES (UNII: 3NXW29V3W0)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

VANILLIN (UNII: CHI530446X)

Product Characteristics

Color	PINK	Score	no score
Shape	DIAMOND	Size	8mm
Flavor		Imprint Code	75
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69168-376-09	2 in 1 CARTON	07/01/2014	
1		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076760	07/01/2014	

Labeler - Allegiant Health (079501930)

Revised: 11/2017

Allegiant Health