

ALLERGY- diphenhydramine hydrochloride tablet, coated
Discount Drug Mart

DDM - 1090 - 2019-1014

Drug Facts

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- **each tablet contains:** calcium 45 mg
- store between 20-25°C (68-77°F)
- retain carton for complete product information

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, D&C red #27 aluminum lake, dibasic calcium phosphate, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

PRINCIPAL DISPLAY PANEL

Discount Drug Mart Food Fair

NDC 53943-090-05

†Compare to the active ingredient in Benadryl® Allergy Ultratabs™

Allergy

Diphenhydramine HCl

Antihistamine

Sneezing

Runny Nose

Itchy, Watery Eyes

Itchy Throat

400 Tablets

25 mg EACH

DISCOUNT **drug mart** FOOD FAIR

NDC 53943-090-05

†COMPARE TO THE ACTIVE INGREDIENT IN BENADRYL™ ALLERGY ULTRATABS™

ALLERGY

Diphenhydramine HCl
Antihistamine

- ✓ Sneezing
- ✓ Runny Nose
- ✓ Itchy, Watery Eyes
- ✓ Itchy Throat

400 TABLETS
25 MG EACH



DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts						
Active ingredient (in each tablet) Diphenhydramine HCl 25 mg.....Antihistamine						
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: <ul style="list-style-type: none"> ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat temporarily relieves these symptoms due to the common cold: <ul style="list-style-type: none"> ■ runny nose ■ sneezing 						
Warnings Do not use <ul style="list-style-type: none"> ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin Ask a doctor before use if you have <ul style="list-style-type: none"> ■ glaucoma ■ a breathing problem such as emphysema or chronic bronchitis ■ trouble urinating due to an enlarged prostate gland Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers						
When using this product <ul style="list-style-type: none"> ■ marked drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).						
Directions <ul style="list-style-type: none"> ■ take every 4 to 6 hours, or as directed by a doctor ■ do not take more than 6 times in 24 hours <table border="1"> <tr> <td>adults and children 12 years and over</td> <td>1 to 2 tablets</td> </tr> <tr> <td>children 6 to under 12 years</td> <td>1 tablet</td> </tr> <tr> <td>children under 6 years</td> <td>do not use</td> </tr> </table>	adults and children 12 years and over	1 to 2 tablets	children 6 to under 12 years	1 tablet	children under 6 years	do not use
adults and children 12 years and over	1 to 2 tablets					
children 6 to under 12 years	1 tablet					
children under 6 years	do not use					
Other information <ul style="list-style-type: none"> ■ each tablet contains: calcium 45 mg ■ store between 20-25°C (68°-77°F) 						
Inactive ingredients colloidal silicon dioxide, croscarmellose sodium, D&C red #27 aluminum lake, dibasic calcium phosphate, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide						

†This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy Ultratabs™.

Distributed by:
Drug Mart - Food Fair
211 Commerce Drive
Medina, OH 44256



ALLERGY			
diphenhydramine hydrochloride tablet, coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53943-090
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg
Inactive Ingredients			
	Ingredient Name		Strength
	SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
	CROSCARMELOSE SODIUM (UNII: M28OL1HH48)		
	D&C RED NO. 27 (UNII: 2LRS185U6K)		
	CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)		
	FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
	HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
	MAGNESIUM STEARATE (UNII: 70097M6130)		
	CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)		
	POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
	TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		
Product Characteristics			
Color	pink	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	25;052
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-090-05	400 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/30/2016	
2	NDC:53943-090-01	2 in 1 CARTON	11/30/2007	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:53943-090-03	1 in 1 CARTON	11/30/2007	
3		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/30/2007	

Labeler - Discount Drug Mart (047741335)

Revised: 10/2024

Discount Drug Mart