

**TAKE COVER ANTI-AGING FOUNDATION MEDIUM- octinoxate cream
LAURA GELLER MAKE UP INC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Octinoxate 7.0%
Titanium Dioxide 3.50%
Zinc Oxide 1.95%

Purpose

Sunscreen

Use

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product

Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generously 15 minutes before sun exposure.
- Reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.- 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months of age: Ask a doctor.

Other Information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, Water (Aqua), Trimethylolpropan, Triisostearate, Dimethicone, Isododecane, PEG/PPG-18/18 Dimethicone, Butylene Glycol, Hexyl Laurate, Distearidimonium Hectorite, C12-C15 Alkyl Benzoate, Polyglyceryl-4 Isostearate, Dimethiconol, Dipalmitoyl Hydroxyproline, Dimethicone/Divinyldimethicone/Silses-quioxane Crosspolymer, Polysilicone-11, Phenoxyethanol, Sodium Chloride, Magnesium Aluminium Silicate, PEG-10 Dimethicone, Coco-Caprylate/Caprates, Lecithin, Theobroma Grandiflorum Seed Butter, Cetyl PEG/PPG-10 Dimethicone, Tribehenin, Stearic Acid, Propylene Carbonate, Alumina, Methylparaben, Tocopheryl Acetate, Ceramide 2, PEG-10 Rapeseed Sterol, Triethoxycaprylylsilane, Butylparaben, Ethylparaben, Dimethylacrylamide/Acrylic Acid/Polystyrene Ethyl Methacrylate Copolymer, Propylparaben, Decyl Glucoside, Isobutylparaben, Retinyl Palmitate, Tetrahexyldecyl Ascorbate, Caprylyl Glycol, Hexylene Glycol, Laureth-12, Plamitoyl Oligopeptide **May Contain:** Titanium Dioxide (CI 77891), Mica (CI 77019), Iron Oxides (CI 77492, CI 77491, CI 77499)

Questions or comments?

Call Laura Geller Make-up, Inc., 1(800) MAKE UP4

Principal Display Panel

LAURA GELLER

BEAUTY INGENUITY

take cover

anti-aging

foundation

broad spectrum

SPF 20

with

Skin Self-Defense

Complex™

MEDIUM

Net Wt.

1 fl. oz./30 ml

**Take Cover Anti-Aging
Foundation SPF 20 in Medium**

<i>Drug Facts</i>	<i>Purpose</i>
Active Ingredients	
Octinoxate 7.0%	Sunscreen
Titanium Dioxide 3.50%	Sunscreen
Zinc Oxide 1.95%	Sunscreen

Use

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generously 15 minutes before sun exposure.
- Reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: Ask a doctor.

Inactive Ingredients
Cyclopentasiloxane, Water (Aqua), Trimethylolpropane Trisostearate, Dimethicone, Isododecane, PEG/PPG-18/18 Dimethicone, Butylene Glycol, Hexyl Laurate, Distearidimonium Hectorite, C12-15 Alkyl Benzoate, Polyglyceryl-4 Isostearate, Dimethiconol, Dipalmitoyl Hydroxyproline, Dimethicone/Divinyldimethicone/Silsesquioxane Crosspolymer, Polysilicone-11, Phenoxyethanol, Sodium Chloride, Magnesium Aluminum Silicate, PEG-10 Dimethicone, Coco-Caprylate/Caprate, Lecithin, Theobroma Grandiflorum Seed Butter, Cetyl PEG/PPG-10 Dimethicone, Tribehenin, Stearic Acid, Propylene Carbonate, Alumina, Methylparaben, Tocopheryl Acetate, Ceramide 2, PEG-10 Rapeseed Sterol, Triethoxycaprylylsilane, Butylparaben, Ethylparaben, Dimethylacrylamide/Acrylic Acid/Polystyrene Ethyl Methacrylate Copolymer, Propylparaben, Decyl Glucoside, Isobutylparaben, Retinyl Palmistate, Tetrahexyldecyl Ascorbate, Caprylyl Glycol, Hexylene Glycol, Laureth-12, Palmitoyl Oligopeptide. **May Contain:** Titanium Dioxide (CI 77891), Mica (CI 77019), Iron Oxides (CI 77492, CI 77491, CI 77499)

Drug Facts (continued)

Other Information

- Protect the product in this container from excessive heat and direct sun.

Questions or comments? Call Laura Geller Make-up, Inc., 1 (800) MAKE UP 4

EU Ingredients:
Cyclopentasiloxane, Aqua, Ethylhexyl Methoxycinnamate, Trimethylolpropane Trisostearate, Dimethicone, Isododecane, PEG/PPG-18/18 Dimethicone, Butylene Glycol, Hexyl Laurate, Distearidimonium Hectorite, C12-15 Alkyl Benzoate, Polyglyceryl-4 Isostearate, Dimethiconol, Dipalmitoyl Hydroxyproline, Mica, Dimethicone/Divinyldimethicone/Silsesquioxane Crosspolymer, Polysilicone-11, Phenoxyethanol, Sodium Chloride, Magnesium Aluminum Silicate, PEG-10 Dimethicone, Coco-Caprylate/Caprate, Lecithin, Theobroma Grandiflorum Seed Butter, Cetyl PEG/PPG-10 Dimethicone, Tribehenin, Stearic Acid, Propylene Carbonate, Alumina, Methylparaben, Tocopheryl Acetate, Ceramide 2, PEG-10 Rapeseed Sterol, Triethoxycaprylylsilane, Butylparaben, Ethylparaben, Dimethylacrylamide/Acrylic Acid/Polystyrene Ethyl Methacrylate Copolymer, Propylparaben, Decyl Glucoside, Isobutylparaben, Retinyl Palmistate, Tetrahexyldecyl Ascorbate, Caprylyl Glycol, Hexylene Glycol, Laureth-12, Palmitoyl Oligopeptide. **May Contain:** CI 77891, CI 77492, CI 77947, CI 77491, CI 77499

Net Wt. 1 fl. oz./30 ml

Made in USA

DISTRIBUTED BY
LAURA GELLER MAKE-UP, INC.
NEW YORK, NY 10022

EU Distribution – Naritaweg 165,
1043 B W Amsterdam,
The Netherlands

www.laurageller.com



MEDIUM

LAURA GELLER

BEAUTY INGENUITY

take cover
anti-aging
foundation
broad spectrum
SPF 20
with
Skin Self-Defense
Complex™
MEDIUM

Net Wt.
1 fl. oz./30 ml

10151-03
LDC/EDC

UPC/FPC
843095018068

TAKE COVER ANTI-AGING FOUNDATION MEDIUM

octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51389-115
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.5 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.95 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
WATER (UNII: 059QF0KO0R)	
TRIMETHYLOLPROPANE (UNII: 090GDF4HBD)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
DIMETHICONOL (250000 MW) (UNII: RKI3S914RT)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
THEOBROMA GRANDIFLORUM SEED BUTTER (UNII: I711F13FXM)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 1.5) (UNII: V2W71V8T0X)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	

ALUMINUM OXIDE (UNII: LM26O6933)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CERAMIDE 2 (UNII: C04977SRJ5)	
PEG-10 RAPESEED STEROL (UNII: 258O76T85M)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
BUTYL PARABEN (UNII: 3QPII3FV8)	
ETHYL PARABEN (UNII: 14255EXE39)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)	
ISOBUTYL PARABEN (UNII: 0QQJ25X58G)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
LAURETH-12 (UNII: OAH19558U1)	
PALMITOYL OLIGOPEPTIDE (UNII: HO4ZT5S86C)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MICA (UNII: V8A1AW0880)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51389-115-03	29.57 g in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/08/2012	

Labeler - LAURA GELLER MAKE UP INC. (199474524)

Revised: 6/2012

LAURA GELLER MAKE UP INC.