

KINGLY 4% LIDOCAINE PATCHES- 4% lidocaine patch
Shenzhen Huayuan Hengsheng Technology Co., Ltd.

87394-002 KINGLY 4% LIDOCAINE PATCHES

Lidocaine 4%

Topical analgesic

For temporary relief of pain

For external use only

more than 1 patch at a time

on wounds or damaged skin with a heating pad

if you have ever had an allergic reaction to this product or any of its ingredients

use only as directed

avoid contact with the eyes, mucous membranes or rashes

do not bandage tightly

localized skin reactions occur, such as rash, itching, redness, irritation, pain swelling and blistering

conditions worsen

symptoms persist for more than 7 days

symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Adults and children 12 years of age and over

clean and dry affected area

remove film from patch and apply to the skin (see illustration)

apply 1 patch at a time to affected area, not more than 3 to 4 times daily

remove patch from the skin after at most 8 hours of application

Children under 12 years of age: consult a doctor

Aluminum Glycinate

Disodium EDTA

Ethylhexylglycerin

Glycerin

Phenoxyethanol

Polyvinyl pyrrolidone

Polysorbate 80

Sodium carboxymethyl cellulose

Sodium polyacrylate

Sorbitol


Tartaric Acid

Titanium Dioxide
Water

KINGLY®

4% LIDOCAINE PATCHES

MAXIMUM STRENGTH




SHOULDER NECK BACK JOINTS

- ODOR-FREE
- EASY TO APPLY AND REMOVE
- FAST ACTING RELIEF
- SINGLE-USE APPLICATION

40 PATCHES

TOPICAL ANALGESIC
5.5"x3.9"(14cmx10cm)



Pain Relief Patch

Drug Facts	
Active ingredient Lidocaine 4%	Purpose Topical analgesic
Uses For temporary relief of pain	
Warnings For external use only	
<p>Do not use</p> <ul style="list-style-type: none"> more than 1 patch at a time on wounds or damaged skin with a heating pad if you have ever had an allergic reaction to this product or any of its ingredients 	
<p>When using this product</p> <ul style="list-style-type: none"> use only as directed avoid contact with the eyes, mucous membranes or rashes do not bandage tightly 	
<p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> localized skin reactions occur, such as rash, itching, redness, irritation, pain swelling and blistering conditions worsen symptoms persist for more than 7 days symptoms clear up and occur again within a few days 	
If pregnant or breast-feeding ask a health professional before use	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<p>Adults and children 12 years of age and over</p> <ul style="list-style-type: none"> clean and dry affected area remove film from patch and apply to the skin (see illustration) apply 1 patch at a time to affected area, not more than 3 to 4 times daily remove patch from the skin after at most 8 hours of application <p>Children under 12 years of age: consult a doctor</p>	
Other information	
<ul style="list-style-type: none"> avoid storing product in direct sunlight protect product from excessive moisture store at 20-25°C (68-77°F) 	
Inactive ingredients	
Aluminum Glycinate, Disodium EDTA, Ethylhexylglycerin, Glycerin, Phenoxyethanol, Polyvinyl pyrrolidone, Polysorbate 80, Sodium carboxymethyl cellulose, Sodium polyacrylate, Sorbitol, Styrene acrylic copolymer emulsion, Tartaric Acid, Titanium Dioxide, Water	
<p>Produced By: Shenzhen Huayuan Hengsheng Technology Co., Ltd. Unit 505, No. 81, Kukeng Xinwei New Village, Kukeng Community, Guanlan Subdistrict, Longhua District, Shenzhen, Guangdong, China</p> <p>LOT: MFG: EXP:</p>	

KINGLY 4% LIDOCAINE PATCHES

4% lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87394-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg

Inactive Ingredients

Ingredient Name	Strength
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
WATER (UNII: 059QF0KO0R)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PVP (UNII: FZ989GH94E)	
TARTARIC ACID (UNII: W4888119H)	
GLYCERIN (UNII: PDC6A3C0OX)	

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ALUMINUM GLYCINATE (UNII: 1K713C615K)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
SORBITOL (UNII: 506T60A25R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87394-002-01	40 in 1 BOX	04/13/2026	
1		1 in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/13/2026	

Labeler - Shenzhen Huayuan Hengsheng Technology Co., Ltd. (570254468)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Huayuan Hengsheng Technology Co., Ltd.		570254468	manufacture(87394-002)

Revised: 4/2026

Shenzhen Huayuan Hengsheng Technology Co., Ltd.