

TUIWARO NUMBING CREAM- numbing cream cream
Guangzhou Jingliang Cosmetics Co., Ltd.

Active Ingredient

5% Menthol

Ask a doctore before use

If pregnant or breast-feeding ask a health professional before use.

Keep Out Of Reach Of Children

If swallowed, get medical help.

Purpose

Topical Analgesic

Stop Use

Do not get into eyes

Do not exceed recommended dosage

When Using

Avoid contact with eyes.

Inactive ingredients

Tocopheryl Acetate

Emu Oil

Propylene Glycol

Arnica

Glycerin

Aesculus Hippocastanum (Horse Chestnut) Extract

Lecithin (Soybean)

Curcuma Longa Extract (Turmeric Extract)

Aqua (Water)

Directions

- When practical, clean the area with mild soap and warm water and rinse thoroughly.
- Gently dry by patting or blotting with toilet tissue or a soft cloth before applying.
- Adults and children 12 years and older: apply externally to the affected area up to 4 times a day.
- Children under 12 years of age: consult a doctor.
- To use finger cots: roll one finger cot over the finger. Gently squeeze cream onto the finger cot. Smooth a layer of the cream.

Warnings

For external use only.

Uses

For the temporary relief of localized pain, itching, or discomfort from minor skin irritations.

Do Not Use

Do not use on wounds or damaged skin

Brand: tuiwaro

Name: Analgesic Cream

Size: 1.75 OZ / 50 g

<table border="1"><tr><td colspan="2">Drug Facts</td></tr><tr><td>Active Ingredients 5% Menthol</td><td>Purpose Topical Analgesic</td></tr><tr><td colspan="2">Uses For the temporary relief of localized pain, itching, or discomfort from minor skin irritations.</td></tr><tr><td colspan="2">Warnings For external use only.</td></tr><tr><td colspan="2">When using this product ■ Do not get into the eyes. ■ Do not exceed recommended dosage unless directed by a doctor. ■ Do not put this product into the rectum by using fingers or any mechanical device or applicator.</td></tr><tr><td colspan="2">Stop using and ask a doctor if ■ Condition worsens or does not improve within 7 days. ■ Allergic reaction occurs to ingredients in this product. ■ Symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase. ■ Symptoms clear up and return within a few days.</td></tr></table>	Drug Facts		Active Ingredients 5% Menthol	Purpose Topical Analgesic	Uses For the temporary relief of localized pain, itching, or discomfort from minor skin irritations.		Warnings For external use only.		When using this product ■ Do not get into the eyes. ■ Do not exceed recommended dosage unless directed by a doctor. ■ Do not put this product into the rectum by using fingers or any mechanical device or applicator.		Stop using and ask a doctor if ■ Condition worsens or does not improve within 7 days. ■ Allergic reaction occurs to ingredients in this product. ■ Symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase. ■ Symptoms clear up and return within a few days.			<table border="1"><tr><td>Drug Facts (Continued)</td></tr><tr><td>Keep out of reach of children. ■ If swallowed, get medical help. ■ Do not use if allergic to any ingredients. ■ If pregnant or breastfeeding, ask a health professional before use.</td></tr><tr><td>Directions ■ When practical, clean the area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before applying. ■ Adults and children 12 years and older: apply externally to the affected area up to 4 times a day. ■ Children under 12 years of age: consult a doctor. ■ To use finger cots: roll one finger cot over the finger. Gently squeeze cream on to the finger cot. Smooth a layer of the cream.</td></tr><tr><td>Other Information Store at room temperature 59°-86°F (15°-30°C). Avoid direct sunlight. Do not use if tamper-evident packaging has been breached or is missing.</td></tr><tr><td>Inactive ingredients Tocopheryl Acetate, Emu Oil, Propylene Glycol, Arnica, Glycerin, Menthol, Aescinus Hippocastanum (Horse Chestnut) Extract, Lecithin(Soybean), Curcuma Longa Extract, Aqua</td></tr></table>	Drug Facts (Continued)	Keep out of reach of children. ■ If swallowed, get medical help. ■ Do not use if allergic to any ingredients. ■ If pregnant or breastfeeding, ask a health professional before use.	Directions ■ When practical, clean the area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before applying. ■ Adults and children 12 years and older: apply externally to the affected area up to 4 times a day. ■ Children under 12 years of age: consult a doctor. ■ To use finger cots: roll one finger cot over the finger. Gently squeeze cream on to the finger cot. Smooth a layer of the cream.	Other Information Store at room temperature 59°-86°F (15°-30°C). Avoid direct sunlight. Do not use if tamper-evident packaging has been breached or is missing.	Inactive ingredients Tocopheryl Acetate, Emu Oil, Propylene Glycol, Arnica, Glycerin, Menthol, Aescinus Hippocastanum (Horse Chestnut) Extract, Lecithin(Soybean), Curcuma Longa Extract, Aqua	<h3>HOW TO USE THIS PRODUCT?</h3> <p>Key points for use</p> <ul style="list-style-type: none">► Point 1: Apply a thick layer of numbing cream to the desired area and tightly wrap the treated area with plastic wrap. Wait for 40 to 50 minutes.► Point 2: Remove the plastic wrap and wipe off any remaining cream. Wait an additional 10 to 20 minutes for the numbing effect to reach its peak before beginning the tattoo procedure. <p>Distributed by tuiwaro Buk-gu, Gwangju 61087, South Korea</p> 
Drug Facts																				
Active Ingredients 5% Menthol	Purpose Topical Analgesic																			
Uses For the temporary relief of localized pain, itching, or discomfort from minor skin irritations.																				
Warnings For external use only.																				
When using this product ■ Do not get into the eyes. ■ Do not exceed recommended dosage unless directed by a doctor. ■ Do not put this product into the rectum by using fingers or any mechanical device or applicator.																				
Stop using and ask a doctor if ■ Condition worsens or does not improve within 7 days. ■ Allergic reaction occurs to ingredients in this product. ■ Symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase. ■ Symptoms clear up and return within a few days.																				
Drug Facts (Continued)																				
Keep out of reach of children. ■ If swallowed, get medical help. ■ Do not use if allergic to any ingredients. ■ If pregnant or breastfeeding, ask a health professional before use.																				
Directions ■ When practical, clean the area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before applying. ■ Adults and children 12 years and older: apply externally to the affected area up to 4 times a day. ■ Children under 12 years of age: consult a doctor. ■ To use finger cots: roll one finger cot over the finger. Gently squeeze cream on to the finger cot. Smooth a layer of the cream.																				
Other Information Store at room temperature 59°-86°F (15°-30°C). Avoid direct sunlight. Do not use if tamper-evident packaging has been breached or is missing.																				
Inactive ingredients Tocopheryl Acetate, Emu Oil, Propylene Glycol, Arnica, Glycerin, Menthol, Aescinus Hippocastanum (Horse Chestnut) Extract, Lecithin(Soybean), Curcuma Longa Extract, Aqua																				

TUIWARO NUMBING CREAM

numbing cream cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87408-012
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
EMU OIL (UNII: 344821WD61)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ARNICA MONTANA (UNII: O80TY208ZW)	
GLYCERIN (UNII: PDC6A3C0OX)	
HORSE CHESTNUT (UNII: 3C18L6RJAZ)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
CURCUMA LONGA (TURMERIC) ROOT POWDER (UNII: 856YO1Z64F)	
AQUA (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87408-012-01	1 in 1 CARTON	04/15/2026	
1		50 g in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/15/2026	

Labeler - Guangzhou Jingliang Cosmetics Co., Ltd. (515462936)**Establishment**

Name	Address	ID/FEI	Business Operations
Guangzhou Jingliang Cosmetics Co., Ltd.		515462936	manufacture(87408-012)

Revised: 4/2026

Guangzhou Jingliang Cosmetics Co., Ltd.