

**LIDOCAINE PAIN RELIEF ROLL-ON- lidocaine 4% liquid**  
**Pharma Nobis, LLC**

-----  
**Freskaro Lidocaine 4% Roll-On**

Lidocaine HCl 4%

Topical analgesic

For temporarily relief of pain and itching.

**For External Use Only.**

**When using this product:**

use only as directed

do not bandage tightly

avoid contact with eyes

do not apply to wounds or damaged skin

do not use in large quantities particularly over raw surfaces or blistered areas

**Stop use and ask a doctor if**

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center immediately.

**Adults and children 2 years of age and older:** apply to the affected area no more than 3 to 4 times daily.

**Children under 2 years of age:** do not use, consult a doctor.

acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf extract, aminomethyl propanol, caprylyl methicone, cetearyl alcohol, ceteth-20 phosphate, cyclopentasiloxane (and) C30-45 alkyl cetearyl dimethicone crosspolymer, dicetyl phosphate, dimethicone, disodium EDTA, ethylhexylglycerin, glyceryl stearate, methylparaben, SD alcohol 40, steareth-21, purified water

1-833-551-0932

**2026 Label**

### Drug Facts

Active ingredient	Purpose
Lidocaine HCl 4%.....	Topical analgesic

**Uses** For temporary relief of pain and itching.

### Warnings

For external use only.

When using this product use only as directed. Do not bandage tightly. Avoid contact with eyes. Do not apply to wounds or damaged skin. Do not use in large quantities, particularly over raw surfaces or blistered areas.

Stop use and ask a doctor if

condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

### Directions

Adults and children 2 yrs of age and older: apply to the affected area no more than 3 to 4 times daily.

Children under 2 years of age: do not use, consult a doctor.

### Inactive ingredients

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Aloe Barbodensis Leaf Extract, Aminomethyl Propanol, Caprylyl Methicone, Cetearyl Alcohol, Ceteth-20 Phosphate, Cyclopentasiloxane (and) C30-45 Alkyl Cetearyl Dimethicone Crosspolymer, Dicapryl Phosphate, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Glycerol Stearate, Methylparaben, SD Alcohol 40, Steareth-21, Purified Water.

### Questions & comments?

1-833-551-0932

\* This product is not manufactured or distributed by Chatterm, Inc., owner of the registered trademark Aspercreme®-Odor Free with 4% Lidocaine.

Freskáro®  
refresh & revitalize

## Pain Relief Cream

lidocaine 4% HCl/  
topical analgesic

NDC 82645-013-97

Freskáro®  
refresh & revitalize

Compare to Aspercreme®-  
Odor Free with 4% Lidocaine  
active ingredient\*

## Pain Relief Cream

lidocaine 4% HCl/  
topical analgesic

odor free  
no mess applicator

- temporary relief of pain
- helps pain-affected areas without irritation

Manufactured by Pharma Nova  
7400 Alameda Dr, Texasone, TX 75501  
87925

NDC 82645-013-97

Freskáro®  
refresh & revitalize

Compare to Aspercreme®-  
Odor Free with 4% Lidocaine  
active ingredient\*

## Pain Relief Cream

lidocaine 4% HCl/  
topical analgesic

odor free  
no mess applicator

- temporary relief of pain
- helps pain-affected areas without irritation

2.5 fl oz (74mL)



Actual Size



3 82645 01397 4

NDC 82645-013-97



Compare to Aspercreme®  
Odor Free with 4% Lidocaine  
active ingredient\*

# Pain Relief Cream

lidocaine 4% HCl/  
topical analgesic

odor free  
no mess applicator

- temporary relief of pain
- helps pain-affected areas without irritation



2.5 fl oz (74mL)

<b>Drug Facts</b>	<b>Purpose</b> Topical analgesic
<b>Active ingredient</b> Lidocaine HCl 4%.....	
<b>Uses</b> For temporary relief of pain and itching.	
<b>Warnings</b> <b>For external use only.</b> <b>When using this product</b> ■ use only as directed ■ do not bandage tightly ■ avoid contact with eyes ■ do not apply to wounds or damaged skin ■ do not use in large quantities, particularly over raw surfaces or blistered areas <b>Stop use and ask a doctor if</b> ■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center immediately.	
<b>Directions</b> <b>Adults and children 2 yrs of age and older:</b> apply to the affected area no more than 3 to 4 times daily. <b>Children under 2 years of age:</b> do not use, consult a doctor.	
<b>Inactive ingredients</b> Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Aloe Barbardensis Leaf Extract, Aminomethyl Propanol, Caprylyl Methicone, Cetearyl Alcohol, Ceteeth-20 Phosphate, Cyclopentasiloxane (and) C30-45 Alkyl Cetearyl Dimethicone Crosspolymer, Dicyetyl Phosphate, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Glyceryl Stearate, Methylparaben, SD Alcohol 40, Steareth-21, Purified Water.	
<b>Questions &amp; comments?</b> 1-833-551-0932	

Not For Individual Retail Sale.

Manufactured by: Pharma Nobis  
7400 Alurmax Dr., Texarkana, TX 75501  
\*This product is not manufactured or distributed by Chatterm, Inc., owner of the registered trademark Aspercreme® Odor Free with 4% Lidocaine.  
R7305

## LIDOCAINE PAIN RELIEF ROLL-ON

lidocaine 4% liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82645-013
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
STEARETH-21 (UNII: 53J3F32P58)	
ALCOHOL (UNII: 3K9958V90M)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
CARBOMER INTERPOLYMER TYPE A (55000 CPS) (UNII: 59TL3WG5CO)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	

<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>DIHEXADECYL PHOSPHATE</b> (UNII: 2V6E5VN99N)	
<b>CETETH-20 PHOSPHATE</b> (UNII: 921FTA1500)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%)</b> (UNII: 86FQE96TZ4)	
<b>AMINOMETHYLPROPANOL</b> (UNII: LU49E6626Q)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82645-013-97	1 in 1 CARTON	04/14/2026	
1		74 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/14/2026	

**Labeler** - Pharma Nobis, LLC (118564114)

**Registrant** - Pharma Nobis, LLC (118564114)

### Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(82645-013) , analysis(82645-013) , label(82645-013) , pack(82645-013)

Revised: 4/2026

Pharma Nobis, LLC