

FRESKARO POVIDONE IODINE- povidone iodine 10% liquid
Pharma Nobis, LLC

Freskaro Povidone Iodine

Drug Facts

Active Ingredient

Povidone-Iodine 10%

(Equivalent to 1% titrable iodine)

Purpose

First Aid Antiseptic

Uses

First aid antiseptic to help prevent infection in minor cuts, scrapes and burns.

Warnings

For External Use Only

Ask a doctor before use if you have

- deep puncture wounds
- animal bites
- serious burns

Stop use and consult a doctor if

- the condition persists or gets worse
- irritation and redness develop and persists for more than 72 hours

When using this product do not

- use in eyes
- use on individuals who are allergic or sensitive to iodine or use for longer than 1 week unless directed by a doctor
- apply over large areas of the body

Keep out of reach of children.

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately (1-800-222-1222).

Directions

Clean the affected area. Apply a small amount on the area 1 to 3 times daily. May be covered with sterile bandage. If bandaged, let it dry first.

Other information

store at room temperature, 20-25C (68-77F)

Inactive Ingredients

Citric Acid, Disodium Phosphate, Glycerin, nonoxynol-9. Sodium Hydroxide and Purified Water.

Questions & comments?

1-833-551-0932

8 oz 2026 Label

| | |
|---|--|
| Drug Facts | |
| Active ingredient Povidone-Iodine 10%.....First Aid Antiseptic (*Equivalent to 1% titratable iodine) | Purpose First Aid Antiseptic |
| Uses First aid antiseptic to help prevent infection in minor cuts, scrapes and burns | |
| Warnings <i>For external use only.</i> Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns Stop use and consult a doctor if ■ the condition persists or gets worse ■ irritation and redness develop and persists for more than 72 hours When using this product do not ■ use in the eyes ■ use on individuals who are allergic or sensitive to iodine or use for longer than 1 week unless directed by a doctor ■ apply over large areas of the body Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately (1-800-222-1222). | |
| Directions ■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged let dry first | |



**Compare to Active Ingredient in Betadine®

NDC 82645-325-98

Povidone Iodine

**10% Topical Solution USP
First Aid Antiseptic**

Helps prevent infection in minor

- Cuts
- Scrapes
- Burns



8 fl oz (237 mL)

| |
|--|
| Drug Facts (continued) |
| Other information ■ store at room temperature, 20-25°C (68-77° F) |
| Inactive ingredients Citric Acid, Disodium Phosphate, Glycerin, Nonoxynol-9, Sodium Hydroxide and Purified Water |
| Questions & comments? 1-833-551-0932 |

**This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Betadine®.

R73025



Manufactured by: Pharma Nobis
7400 Alumax Dr, Texarkana, TX 75501

16 oz 2026 Label

| Drug Facts | |
|---|----------------|
| Active ingredient | Purpose |
| Povidone-Iodine 10%.....First Aid Antiseptic (*Equivalent to 1% titratable iodine) | |
| Uses | |
| First aid antiseptic to help prevent infection in minor cuts, scrapes and burns | |
| Warnings | |
| For external use only. | |
| Ask a doctor before use if you have | |
| <ul style="list-style-type: none"> ■ deep or puncture wounds ■ animal bites ■ serious burns | |
| Stop use and consult a doctor if | |
| <ul style="list-style-type: none"> ■ the condition persists or gets worse ■ irritation and redness develop and persists for more than 72 hours | |
| When using this product do not | |
| <ul style="list-style-type: none"> ■ use in the eyes ■ use on individuals who are allergic or sensitive to iodine or use for longer than 1 week unless directed by a doctor ■ apply over large areas of the body | |
| Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately (1-800-222-1222). | |



****Compare to Active Ingredient in Betadine®**

NDC 82645-325-16

Povidone Iodine

10% Topical Solution USP

First Aid Antiseptic

Helps prevent infection in minor

- Cuts
- Scrapes
- Burns



16 fl oz (1 Pt) 473 mL

| Drug Facts (continued) |
|--|
| Directions |
| <ul style="list-style-type: none"> ■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged let dry first |
| Other information |
| <ul style="list-style-type: none"> ■ store at room temperature, 20-25°C (68-77° F) |
| Inactive ingredients |
| Citric Acid, Disodium Phosphate, Glycerin, Nonoxynol-9, Sodium Hydroxide and Purified Water |
| Questions & comments? |
| 1-833-551-0932 |

**This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Betadine®.

R73025



Manufactured by: Pharma Nobis
7400 Alumax Dr, Texarkana, TX 75501

FRESKARO POVIDONE IODINE

povidone iodine 10% liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:82645-325 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|-----------------|
| POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4) | IODINE | 100 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| NONOXYNOL-9 (UNII: 48Q180SH9T) | |
| SODIUM HYDROXIDE (UNII: 55X04QC32I) | |
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-----------|---------------------|----------------------|--------------------|
| | | | | |

| | | | | |
|----------|------------------|--|------------|--|
| 1 | NDC:82645-325-98 | 237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 04/14/2026 | |
| 2 | NDC:82645-325-16 | 473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 04/14/2026 | |

| Marketing Information | | | |
|------------------------------|---|-----------------------------|---------------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M003 | 04/14/2026 | |

Labeler - Pharma Nobis, LLC (118564114)

Registrant - Pharma Nobis, LLC (118564114)

| Establishment | | | |
|----------------------|----------------|---------------|---|
| Name | Address | ID/FEI | Business Operations |
| Pharma Nobis, LLC | | 118564114 | manufacture(82645-325) , analysis(82645-325) , pack(82645-325) , label(82645-325) |

Revised: 4/2026

Pharma Nobis, LLC