

**OSIMOON FUNGAL NAIL TREATMENT- fungal nail treatment liquid**  
**Guangzhou Jingliang Cosmetics Co., Ltd.**

-----

**Active Ingredient**

Active ingredient: Undecylenic Acid 25%

**Ask Doctor**

if irritation or symptoms worsen or last for more than 4 weeks.

**Do not use**

- If you are pregnant or breastfeeding
- your skin is injured or cracked.
- you are under 18 years of age.
- irritation or discomfort occurs.
- you are using other medicines on your nails.

**Keep Out Of Reach Of Children**

If swallowed, get medical help or contact a poison control center right away.

**Purpose**

Antifungal

**Stop Use**

if irritation or symptoms worsen or last for more than 4 weeks.

**When Using**

- Do not apply to other parts of the body.
- Avoid making eye contact. In case of accidental eye contact, flush eyes with copious amounts of cold tap water.
- This product may not work for everyone.

**Inactive ingredients**

Mineral Oil, Caprylic/Capric Triglyceride, Isononyl Isononanoate, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Bisabolol, Zingiber Officinale (Ginger) Root Extract

**Directions**

- Soak your feet and hands in warm water to soften your ill toenails or fingernails.
- Use the nail file to polish the nails, make them thin visibly, then scrap the dirt on the nails.
- Brush liquid on infected nails and allow to absorb and dry. Apply two more layers of liquid, ensuring liquid is fully absorbed before each new stroke.
- For best results, use Toenail Fungus Treatment two or three times a day.
- Continue to use daily until fungus infection has been completely healed.

## Warnings

- For external use only.

## Uses

To treat damaged, cracked, or discolored nails.

Product Name: Tuymec OSIMOON NAIL TREATMENT

Net Contents: 2x15ml (0.5 fl.oz.) Bottles

<p><b>Drug Facts / Info médicament</b></p> <table border="1"> <tr> <td><b>Active ingredient</b> Undecylenic Acid 25% w/w</td> <td><b>Purpose</b> Antifungal</td> <td><b>Ingrédient actif</b> Acide undécylénique à 25% p/p</td> <td><b>Utilité</b> Antifongique</td> </tr> </table> <p><b>Use</b> To treat damaged, cracked, or discolored nails. <b>Utiliser</b> Pour traiter les ongles abîmés, fissurés ou décolorés.</p> <p><b>Warnings</b> For external use only. <b>Mises en garde</b> Pour usage externe uniquement.</p> <p><b>Do not use if</b></p> <ul style="list-style-type: none"> <li>• If you are pregnant or breastfeeding.</li> <li>• Your skin is injured or cracked.</li> <li>• You are under 18 years of age.</li> <li>• Irritation or discomfort occurs.</li> <li>• You are using other medicines on your nails.</li> </ul> <p><b>Precautions for use</b></p> <ul style="list-style-type: none"> <li>• Do not apply to other parts of the body.</li> <li>• Avoid making eye contact. In case of accidental eye contact, flush eyes with copious amounts of cold tap water.</li> <li>• This product may not work for everyone.</li> </ul> <p><b>Discontinue use if necessary and ask a doctor</b></p> <ul style="list-style-type: none"> <li>• Chest pain, rapid heart rate, fainting, and dizziness may occur.</li> <li>• Swollen, unexplained weight gain.</li> <li>• Your hands or feet swell.</li> </ul> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>• Soak your feet and hands in warm water to soften your ill toenails or fingernails.</li> <li>• Use the nail file to polish the nails, make them thin visibly, then scrap the dirt on the nails.</li> <li>• Brush liquid on infected nails and allow to absorb and dry.</li> <li>• Apply two more layers of liquid, ensuring liquid is fully absorbed before each new stroke.</li> <li>• For best results, use Toenail Fungus Treatment two or three times a day.</li> <li>• Continue to use daily until fungus infection has been completely healed.</li> </ul> <p><b>Mode d'emploi</b></p> <ul style="list-style-type: none"> <li>• Faites tremper vos pieds et vos mains dans de l'eau tiède pour ramollir vos ongles de pieds ou de mains infectés.</li> <li>• Utilisez le lime à ongles pour polir les ongles, les rendre visiblement plus minces, puis gratter la saleté sur les ongles.</li> <li>• Brossez le liquide sur les ongles infectés et laissez absorber et sécher. Appliquez deux autres couches de liquide, en vous assurant que le liquide est complètement absorbé avant chaque nouveau coup.</li> <li>• Pour de meilleurs résultats, utilisez le traitement de la moisissure des ongles de pied/deux ou trois fois par jour.</li> <li>• Continuez à utiliser quotidiennement jusqu'à ce que l'infection par le champignon ait été complètement guérie.</li> </ul>	<b>Active ingredient</b> Undecylenic Acid 25% w/w	<b>Purpose</b> Antifungal	<b>Ingrédient actif</b> Acide undécylénique à 25% p/p	<b>Utilité</b> Antifongique	<p><b>Fast Acting &amp; Extra Strength for</b> <b>FUNGAL NAIL TREATMENT</b> <b>MAXIMUM STRENGTH</b> 25% Undecylenic Acid</p> <p><b>FOR BEST RESULTS use twice daily</b></p> <p><b>MAXIMUM FORMULA</b></p>	<p>OSIMOON®</p> <p><b>FUNGAL NAIL TREATMENT</b> Traitement des Ongles Fongiques <b>MAXIMUM STRENGTH</b> 25% Undecylenic Acid</p> <p><b>ALL IN ONE REPAIR SOLUTION FOR TOENAILS &amp; FINGERNAILS</b></p> <p><b>Fast Acting &amp; Extra Strength for</b></p> <ul style="list-style-type: none"> <li>• Fungal Nails</li> <li>• Discolored Nails</li> <li>• Thickened Nails</li> <li>• Damaged Nails</li> </ul> <p><b>2X15ML (0.5 FL OZ) BOTTLES</b></p>	<p><b>Drug Facts (continued)</b></p> <p><b>Other Information</b> Store in a cool, dry place away from direct sunlight. <b>Autres informations</b> Conserver dans un endroit frais et sec, à l'abri de la lumière directe du soleil.</p> <p><b>Keep out of reach of children</b> If swallowed, get medical help or contact a poison control center right away. <b>Tenir hors de portée des enfants</b> En cas d'ingestion, consulter immédiatement un médecin ou contacter un centre antipoison.</p> <p><b>Inactive ingredients</b> Mineral Oil, Caprylic/Capric Triglyceride, Undecylenic Acid 25%, Isobonyl/Isobonanoate, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Bisabolol, Zingiber Officinale (Ginger) Root Extract</p> <p><b>Ingédients</b> Huile Minérale, Triglycéride Caprylique/Caprique, Acide Undécylénique 25 %, Isobonyl/Isobonanoate, Huile de Feuille de Melaleuca Alternifolia (arbre à thé), Bisabolol, Extrait de Racine de Zingiber Officinale (Gingembre)</p> <p><b>Validity: 3 years</b> <b>Store in a cool, dry place away from direct sunlight</b></p> <p><b>Distributed by/Distribué par:</b> OSIMOON Chuo-ku, Tokyo, Japan 104-0061 MADE IN PRC Made in China</p>
<b>Active ingredient</b> Undecylenic Acid 25% w/w	<b>Purpose</b> Antifungal	<b>Ingrédient actif</b> Acide undécylénique à 25% p/p	<b>Utilité</b> Antifongique				

## OSIMOON FUNGAL NAIL TREATMENT

fungual nail treatment liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:87408-014
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>UNDECYLENIC ACID</b> (UNII: K3D86KJ24N) (UNDECYLENIC ACID - UNII:K3D86KJ24N)	UNDECYLENIC ACID	25 g in 100 mL
---	------------------	-------------------

### Inactive Ingredients

Ingredient Name	Strength
<b>CAPRYLIC/CAPRIC TRIGLYCERIDE</b> (UNII: C9H2L21V7U)	
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>BISABOLOL</b> (UNII: 24WE03BX2T)	
<b>ZINGIBER OFFICINALE (GINGER) ROOT OIL</b> (UNII: SAS9Z1SVUK)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>TEA TREE OIL</b> (UNII: VIF565UC2G)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87408-014-01	2 in 1 CARTON	04/15/2026	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	04/15/2026	

**Labeler** - Guangzhou Jingliang Cosmetics Co., Ltd. (515462936)

### Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Jingliang Cosmetics Co., Ltd.		515462936	manufacture(87408-014)

Revised: 4/2026

Guangzhou Jingliang Cosmetics Co., Ltd.