PEDIACARE SIMETHICONE ANTIGAS- simethicone emulsion Strides Pharma Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Pediacare Gas RELIEF DROPS

Drug Facts

Active ingredient

(in each 0.3 mL)

Simethicone 20 mg

(provided as simethicone emulsion 66.7 mg)

Purpose

Antigas

Uses

relieves the symptoms of gas frequently caused by air swallowing or certain formulas or foods

Warnings

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before using
- find right dose on chart below. If possible, use weight to determine dose; otherwise, use age.
- measure only with the enclosed syringe
- remove cap and insert syringe into the bottle. Fill syringe to recommended dosage level.
- dispense liquid slowly into child's mouth, toward inner cheek
- may be mixed with 1 oz. of cool water, infant formula or other suitable liquids
- all dosages may be repeated as needed, after meals and at bedtime or as directed by a physician
- do not exceed 12 doses per day
- clean syringe and replace cap tightly on bottle
- mL = millilitre

Age(yrs)	weight(lbs)	dose
infants under 2	under 24	0.3mL
children 2 and over	24 and over	0.6mL

Other information

- do not freeze
- store at 20°-25°C (68°-77°F)

Inactive ingredients

carboxymethylcellulose sodium, citric acid, flavor, microcrystalline cellulose, propylene glycol, purified water, sodium benzoate, sucralose, xanthan gum

Questions

1-888-474-3099

Monday – Friday 8 am to 5 pm

Eastern standard time.

PediaCare.com

Principal Display Panel

INFANTS 0-36 months
PediaCare®
Gas Relief DROPS

SIMETHICONE-ANTIGAS

DYE-FREE Berry Flavor

1 FL OZ (30 mL)



Carton

 do not exceed 12 doses per day clean syringe and replace cap tightly on bottle
 mL = milliliter

age (yrs)	weight (lbs)	dese
infants under 2	under 24	0,3 mL
children 2 and over	24 and over	0.6 mL

Other information *Tamper-Evident if foil seal under cap is broken or missing then do not use. * do not freeze * store at 20-25°C (68-77°F)

Inactive ingredients carboxymethylcellulose sodium, citric acid, flavor, microcrystalline cellulose, propylene glycol, purified water, sodium benzoate, sucralose, xanthan gum

Questions?1-888-474-3099 Monday-Friday 8am-5pm eastern standard time.

PediaCare.com

Manufactured for Strides Pharma Inc. East Brunswick, NJ 08816 © 2017 Made in the USA. 011-5601L-R01 Pedia

Active ingredient (in each 0.3 mL) Purpose
Simethicone 20 mg

(provided as simethicone emulsion 66.7 mg).....Antiga:

Uses relieves the symptoms of gas frequently caused by air swallowing or certain formulas or foods

Warnings Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions - shake well before using

■ find right dose on chart below. If possible, use weight to determine dose; otherwise, use age. ■ measure only with the enclosed syringe ■ remove cap and insert syringe into the bottle. Fill syringe to recommended dosage level. ■ dispense liquid slowly into child's mouth, toward inner cheek ■ may be mixed with 1 oz. of cool water, infant formula or other suitable liquids ■ all dosages may be repeated as needed, after meals and at bedtime or as directed by a physician

Label

simethicone emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59556-853
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4) (SILICON DIO XIDE - UNII: ETJ7Z6 XBU4)	SILICON DIOXIDE	0.011 g in 1 mL	
DIMETHICO NE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	0.211 g in 1 mL	

Inactive Ingredients		
Ingredient Name	Strength	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679 OBS 311)		
CITRIC ACID MO NO HYDRATE (UNII: 2968 PHW8 QP)		
MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		
WATER (UNII: 059QF0KO0R)		
XANTHAN GUM (UNII: TTV12P4NEE)		

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

l	Packaging			
l	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:59556-853-59	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2011	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	08/01/2011	

Labeler - Strides Pharma Inc (078868278)

Establishment			
Name	Address	ID/FEI	Business Operations

Denison Pharmaceuticals, LLC	001207208	MANUFACTURE(59556-853)	
------------------------------	-----------	------------------------	--

Revised: 9/2017 Strides Pharma Inc