

**MOTION SICKNESS RELIEF- meclizine hcl tablet, chewable
CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED**

CVS 44-404A-Motion Sickness Relief

Active ingredient (in each chewable tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- dosage should be taken one hour before travel starts
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

Inactive ingredients

colloidal silicon dioxide, dextrose, FD&C red #40 aluminum lake, flavor, lactose monohydrate, magnesium stearate, pregelatinized starch, propylene glycol, saccharin sodium, silicon dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

♥CVS™

NDC 51316-404-02

**UP TO
24
HR**

actual size

Raspberry
Flavor

MOTION SICKNESS RELIEF

Meclizine Hydrochloride, **25 mg** Chewable Tablets, Antiemetic

Compare to Bonine® Chewable Tablets active ingredient*

Prevents Nausea, Vomiting & Dizziness

12 CHEWABLE TABLETS

Ages 12 Years
& Older

Chew or crush tablets

**completely before swallowing.
Do not swallow tablets whole.**

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING**

*This product is not manufactured
or distributed by WellSpring
Pharmaceutical Corporation,
owner of the registered
trademark Bonine®
Chewable Tablets.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2026 CVS/pharmacy CVS.com®
1-800-SHOP CVS V-14236

100% money back
guaranteed.
[CVS.com/returnpolicy](https://www.cvs.com/returnpolicy)


50844 ORG082340402



MOTION SICKNESS RELIEF

12 CHEWABLE TABLETS

NDC 51316-404-02



actual size

UP TO
24
HR

Raspberry
Flavor



E1042

MOTION SICKNESS RELIEF

Meclizine Hydrochloride, 25 mg Chewable Tablets, Antiemetic

Compare to Bonine® Chewable Tablets active ingredient*

Prevents Nausea, Vomiting & Dizziness

12 CHEWABLE TABLETS

Ages 12 Years
& Older

Chew or crush tablets
completely before swallowing.
Do not swallow tablets whole.

B-0231-404A-02-J
OR082340402

Questions or comments? 1-800-426-9391

Inactive ingredients colloidal silicon dioxide, dextrose, FD&C red #40 aluminum lake, flavor, lactose monohydrate, magnesium stearate, pregelatinized starch, propylene glycol, saccharin sodium, silicon dioxide

Drug Facts (continued)

*This product is not manufactured or distributed by WellSpring Pharmaceutical Corporation, owner of the registered trademark Bonine® Chewable Tablets.

#452260

FPO 80%

UPC# 050428031889

X XXXXXX XXXXXX X

Drug Facts (continued)
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
do not take more than directed
dosage should be taken one hour before travel starts
chew or crush tablets completely before swallowing;
do not swallow tablets whole
adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

Other information
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
protect from heat and humidity
see end flap for expiration date and lot number

Drug Facts
Active ingredient (in each chewable tablet) Meclizine HCl 25 mg
Purpose Antiemetic

Uses for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings
Do not use for children under 12 years of age unless directed by a doctor.
Ask a doctor before use if you have difficulty in urination due to enlargement of the prostate gland
a breathing problem such as emphysema or chronic bronchitis
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product ■ drowsiness may occur
alcohol, sedatives, and tranquilizers may increase drowsiness
■ avoid alcoholic beverages
■ use caution when driving a motor vehicle or operating machinery

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2026 CVS/pharmacy CVS.com®
1-800-SHOP CVS V-14236
50844 ORG082340402
100% money back guaranteed.
CVS.com/returnpolicy

No Print/No Varnish Lot & EXP

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING

KEEP OUTER PACKAGE FOR
COMPLETE PRODUCT INFORMATION

CVS 44-404A

MOTION SICKNESS RELIEF

meclizine hcl tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51316-404
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: 008PUV3986) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	9mm
Flavor	RASPBERRY	Imprint Code	44;404
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-404-02	2 in 1 CARTON	12/27/2023	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:51316-404-21	2 in 1 CARTON	12/27/2023	

2

8 in 1 BLISTER PACK; Type 0: Not a Combination Product

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	12/27/2023	

Labeler - CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(51316-404) , pack(51316-404)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(51316-404)

Revised: 1/2026

CVS WOONSOCKET PRESCRIPTION CENTER, INCORPORATED