

**FRESKARO CALAMINE PLUS- zinc oxide lotion lotion**  
**Pharma Nobis, LLC**

-----  
**Freskaro Calamine Plus**

Calamine 8%

Pramoxine HCl 1%

- Skin Protectant
- External Analgesic

Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.

**For external use only.** Use only as directed.

- **Avoid contact** with eyes and mucous membranes,

**Stop use and ask a doctor if**

- condition worsens
- symptoms last more than 7 days, or clear up and occur again within a few days

**Keep out of reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center (1-800-222-1222) right away.

**Adults and children 2 years of age and older:** Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.

**Children under 2 years of age:** do not use, consult a doctor.

**Other information**

Store at room temperature 15 - 30C (59 - 86F)

SH Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hypromellose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparabaren and Purified water

**Questions or Comments?**

1-833-551-0932



Compare to Caladryl® Lotion active ingredients\*

# Calamine Plus



- Itch Relief
- Topical Analgesic
- Skin Protectant

6 fl. oz (177mL)

WARNING: DO NOT USE IF TAMPER EVIDENT SEAL UNDER CAP IS BROKEN OR MISSING.

## Drug Facts

### Active ingredient

Calamine 8% ..... Skin protectant  
 Pramoxine HCl 1% ..... External analgesic

### Purpose

Uses Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.

### Warnings

For external use only. Use only as directed.  
 ■ Avoid contact with eyes and mucous membranes.  
 Stop use and ask a doctor if ■ condition worsens ■ symptoms last more than 7 days, or clear up and occur again within a few days.  
 Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center (1-800-222-1222) right away.

### Directions

■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.  
 ■ Children under 2 years of age: do not use, consult a doctor.

### Other information

Store at room temperature 15° - 30°C (59° - 86°F)  
**Inactive ingredients** SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hypromellose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben and Purified Water

### Questions or Comments? 1-833-551-0932

\*This product is not manufactured or distributed by Bausch Health US, R72825 distributor of Caladryl® Lotion  
 Manufactured by: Pharma Nobis  
 7400 Alumax Dr, Texarkana, TX 75501



## FRESKARO CALAMINE PLUS

zinc oxide lotion lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82645-420
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	80 mg in 1 mL
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>CAMPHOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLPARABEN</b> (UNII: Z8IX25C1OH)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82645-420-96	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/15/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	04/15/2026	

**Labeler** - Pharma Nobis, LLC (118564114)

**Registrant** - Pharma Nobis, LLC (118564114)

## Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	analysis(82645-420) , manufacture(82645-420) , pack(82645-420) , label(82645-420)

Revised: 4/2026

Pharma Nobis, LLC