

Stop use and ask doctor if condition worsens; or if symptoms persist for more than 7 days, clear up and occur again within a few days. Do not use longer than one week unless directed by doctor.

- When using this product**
- Do not get in eyes.
 - Do not apply over large areas of the body or bandage.
 - In case of deep or puncture wounds, animal bites or serious burns, consult a doctor.
-

Warnings:

For external use only

- When using this product**
- Do not get in eyes.
 - Do not apply over large areas of the body or bandage.
 - In case of deep or puncture wounds, animal bites or serious burns, consult a doctor.
-

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If in eyes, flush with water for 15 minutes and call a physician.

- Directions***
- Clean area.
 - Apply to the bite area by pressing straight down repeatedly until liquid flows, then dab sparingly.
 - If itching persists, apply again in 10 to 15 minutes.
 - For ticks and bees, remove tick or stinger before treatment.
-

Other Information

- Store at room temperature.
-

**Adult and children
2 years and over**

Apply to affected area 1 to 3 times daily

Children under 2 years

Consult a doctor

Inactive Ingredients

Propylene Glycol

Questions or Comments?

Call 1-800-767-9927.

Uses: First aid for temporary relief of: ■ Pain ■ Itching ■ Infection

Warnings:

For external use only

■ Do not get in eyes.

**When using
this product**

■ Do not apply over large areas of the body or bandage.

■ In case of deep or puncture wounds, animal bites or serious burns, consult a doctor.

**External Analgesic
First Aid Antiseptic**



from the makers of

Cutter
BRAND

BiteMD, when applied soon after an insect bite, begins to work immediately to counteract the effects of bites and stings from bees, wasps, mosquitoes, ticks, hornets, ants, fire ants, deerflies, chiggers, sand fleas and horseflies.

Active Ingredients:

Benzocaine 5%

Camphor 3%

Phenol 1.35%.....

Purpose:

Analgesic, Anesthetic, Antipruritic


Topical Analgesic

First Aid Antiseptic

BiteMD
 External Analgesic First Aid Antiseptic

from the makers of **Cutter** BRAND

BiteMD, when applied soon after an insect bite, begins to work immediately to counteract the effects of bites and stings from bees, wasps, mosquitoes, ticks, hornets, ants, fire ants, deerflies, chiggers, sand fleas and horseflies.



DRUG FACTS

Active Ingredients:	Purpose:
Benzocaine 5%.....	Analgesic, Anesthetic, Antipruritic
Camphor 3%.....	Topical Analgesic
Phenol 1.35%.....	First Aid Antiseptic

Uses: First aid for temporary relief of: ■ Pain ■ Itching ■ Infection

Warnings:
For external use only

- Do not get in eyes.

When using this product

- Do not apply over large areas of the body or bandage.
- In case of deep or puncture wounds, animal bites or serious burns, consult a doctor.

Stop use and ask doctor if condition worsens; or if symptoms persist for more than 7 days, clear up and occur again within a few days. Do not use longer than one week unless directed by doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If in eyes, flush with water for 15 minutes and call a physician.

Directions

- Clean area.
- Apply to the bite area by pressing straight down repeatedly until liquid flows, then dab sparingly.
- If itching persists, apply again in 10 to 15 minutes.
- For ticks and bees, remove tick or stinger before treatment.

Other Information

- Store at room temperature.

Adult and children 2 years and over Apply to affected area 1 to 3 times daily

Children under 2 years Consult a doctor


Inactive Ingredients Propylene Glycol

Questions or Comments? Call 1-800-767-9927.

IMPORTANT: Read all information on this packaging and keep for future reference. This contains information not included on the stick label.

Manufactured by Wisconsin Pharmaceutical Company, LLC
 Jackson, WI 53037 USA
 Distributed by Spectrum
 A Division of United Industries Corporation
 PO Box 142642, St. Louis, MO 63114-0642
 16-13338 © 2021 United Industries Corporation.
 All Rights Reserved. 132561L9C

PROOF OF PURCHASE



0 71121 95614 9

BiteMD
 External Analgesic First Aid Antiseptic

from the makers of **Cutter** BRAND

INSECT BITE RELIEF



**STOPS PAIN
 RELIEVES ITCHING
 REDUCES INFECTION**



Chiggers Wasps Mosquitoes Ticks

SOFT TIP FOR CONTROLLED APPLICATION

Net Contents 0.5 fl oz (14.7 mL)

For complete warnings and directions, see blister card packaging.
 Manufactured by Wisconsin Pharmaceutical Company, LLC, Jackson, WI 53037 USA
 Distributed by Spectrum, a Division of United Industries Corporation
 PO Box 142642, St. Louis, MO 63114-0642
 Questions or Comments? Call 1-800-767-9927. 17-17870 © 2021 UIC. All Rights Reserved.



Net Contents 0.5 fl oz (14.7 mL) Active Ingredients: Benzocaine 5%, Camphor 3%, Phenol 1.35%
DIRECTIONS: Adults and children 2 years and over – apply to bite area by pressing stick straight down repeatedly until liquid flows, then dab sparingly. If itching persists, apply again in 15 minutes. Apply to affected area 1 to 3 times daily. For ticks and bees, remove tick or stinger before treatment.
WARNING: FOR EXTERNAL USE ONLY. • Do not get in eyes. C95614D

BITEMD
 insect bite relief liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68093-9561	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
PHENOL (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)		PHENOL	0.21 g in 14.7 mL	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)		CAMPHOR (SYNTHETIC)	0.46 g in 14.7 mL	
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)		BENZOCAINE	0.77 g in 14.7 mL	
Inactive Ingredients				
Ingredient Name			Strength	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
Product Characteristics				
Color	white (Clear, colorless to pale amber)		Score	
Shape			Size	
Flavor			Imprint Code	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68093-9561-2	1 in 1 BLISTER PACK	04/15/2026	
1	NDC:68093-9561-1	14.7 mL in 1 VIAL, PLASTIC; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017		04/15/2026	

Labeler - Wisconsin Pharmacal Company (800873986)

Revised: 4/2026

Wisconsin Pharmacal Company