

ARLUN NUMBING CREAM- numbing cream cream
Guangzhou Jingliang Cosmetics Co., Ltd.

Active Ingredient

5% Menthol

Ask a doctore before use

If pregnant or breast-feeding ask a health professional before use.

Keep Out Of Reach Of Children

If swallowed, get medical help.

Purpose

Topical Analgesic

Stop Use

Do not get into eyes

Do not exceed recommended dosage

When Using

Avoid contact with eyes.

Inactive ingredients

Tocopheryl Acetate

Emu Oil

Propylene Glycol

Arnica

Glycerin

Aesculus Hippocastanum (Horse Chestnut) Extract

Lecithin (Soybean)

Curcuma Longa Extract (Turmeric Extract)

Aqua (Water)

Directions

- When practical, clean the area with mild soap and warm water and rinse thoroughly.
- Gently dry by patting or blotting with toilet tissue or a soft cloth before applying.
- Adults and children 12 years and older: apply externally to the affected area up to 4 times a day.
- Children under 12 years of age: consult a doctor.
- To use finger cots: roll one finger cot over the finger. Gently squeeze cream onto the finger cot. Smooth a layer of the cream.

Warnings

For external use only.

Uses

For the temporary relief of localized pain, itching, or discomfort from minor skin irritations.



Do Not Use

Do not use on wounds or damaged skin

Brand: Arlun

Name: Numbing Cream

Size: 1.75 OZ / 50 g

<p>How To Use It Correctly?</p> <ol style="list-style-type: none">1. Wash your hands and the treatment area with mild soap and warm water, then rinse well and pat dry gently.2. Apply a thick layer of cream to the desired area, then cover it tightly with plastic wrap. Leave it on for 40 to 50 minutes.3. Remove the wrap and wipe off any remaining cream. Wait an additional 10 to 20 minutes for full numbing to take effect before the tattoo procedure. <p>Notice: The duration of the numbing effect may vary depending on temperature and skin type. It is recommended to test on a small area first for best results.</p> <p>Distributed by Arlun Mapo-gu, Seoul, South Korea(04031) Questions or comments? support@arlun.us</p> 	 <p>Maximum Strength Topical Anesthetic</p> <p>Fast-Acting • Long-Lasting Relief • Non-Greasy Formula</p> <p>Arlun NET WT 1.7oz (50g)</p>	<table border="1"><tr><th colspan="2">Drug Facts</th></tr><tr><td>Active ingredient Lidocaine 4%</td><td>Purpose Topical anesthetic</td></tr><tr><td colspan="2">Uses Temporarily relieves localized pain, itching, and discomfort associated with minor skin irritations.</td></tr><tr><td colspan="2">Warnings For external use only</td></tr><tr><td colspan="2">Do not use<ul style="list-style-type: none">• in large quantities• over large areas of the body• with a heating pad• on puncture wounds, animal bites, or serious burns• if you are allergic to any of the ingredients in this product</td></tr><tr><td colspan="2">Stop use and ask a doctor if<ul style="list-style-type: none">• condition worsens or does not improve within 7 days• symptoms clear up and return within a few days• redness, irritation, swelling, pain, or other symptom develop or increase• an allergic reaction occurs</td></tr></table>	Drug Facts		Active ingredient Lidocaine 4%	Purpose Topical anesthetic	Uses Temporarily relieves localized pain, itching, and discomfort associated with minor skin irritations.		Warnings For external use only		Do not use <ul style="list-style-type: none">• in large quantities• over large areas of the body• with a heating pad• on puncture wounds, animal bites, or serious burns• if you are allergic to any of the ingredients in this product		Stop use and ask a doctor if <ul style="list-style-type: none">• condition worsens or does not improve within 7 days• symptoms clear up and return within a few days• redness, irritation, swelling, pain, or other symptom develop or increase• an allergic reaction occurs		<table border="1"><tr><th colspan="2">Drug Facts(Continued)</th></tr><tr><td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td></tr><tr><td colspan="2">Directions<ul style="list-style-type: none">• Clean and dry the affected area before application.• Adults and children 12 years and older: apply a thin layer to the affected area not more than 3 to 4 times daily.• Children under 12 years of age: ask a doctor.</td></tr><tr><td colspan="2">Other information<ul style="list-style-type: none">• Store at 20° to 25°C (68° to 77°F)• Avoid excessive heat and direct sunlight• Do not use if tamper-evident packaging is broken or missing</td></tr><tr><td colspan="2">Inactive ingredients Tocopheryl Acetate, Emu Oil, Propylene Glycol, Arnica, Glycerin, Menthol, Aesculus Hippocastanum (Horse Chestnut) Extract, Lecithin (Soybean), Curcuma Longa Extract, Aqua</td></tr></table>	Drug Facts(Continued)		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Directions <ul style="list-style-type: none">• Clean and dry the affected area before application.• Adults and children 12 years and older: apply a thin layer to the affected area not more than 3 to 4 times daily.• Children under 12 years of age: ask a doctor.		Other information <ul style="list-style-type: none">• Store at 20° to 25°C (68° to 77°F)• Avoid excessive heat and direct sunlight• Do not use if tamper-evident packaging is broken or missing		Inactive ingredients Tocopheryl Acetate, Emu Oil, Propylene Glycol, Arnica, Glycerin, Menthol, Aesculus Hippocastanum (Horse Chestnut) Extract, Lecithin (Soybean), Curcuma Longa Extract, Aqua	
Drug Facts																									
Active ingredient Lidocaine 4%	Purpose Topical anesthetic																								
Uses Temporarily relieves localized pain, itching, and discomfort associated with minor skin irritations.																									
Warnings For external use only																									
Do not use <ul style="list-style-type: none">• in large quantities• over large areas of the body• with a heating pad• on puncture wounds, animal bites, or serious burns• if you are allergic to any of the ingredients in this product																									
Stop use and ask a doctor if <ul style="list-style-type: none">• condition worsens or does not improve within 7 days• symptoms clear up and return within a few days• redness, irritation, swelling, pain, or other symptom develop or increase• an allergic reaction occurs																									
Drug Facts(Continued)																									
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																									
Directions <ul style="list-style-type: none">• Clean and dry the affected area before application.• Adults and children 12 years and older: apply a thin layer to the affected area not more than 3 to 4 times daily.• Children under 12 years of age: ask a doctor.																									
Other information <ul style="list-style-type: none">• Store at 20° to 25°C (68° to 77°F)• Avoid excessive heat and direct sunlight• Do not use if tamper-evident packaging is broken or missing																									
Inactive ingredients Tocopheryl Acetate, Emu Oil, Propylene Glycol, Arnica, Glycerin, Menthol, Aesculus Hippocastanum (Horse Chestnut) Extract, Lecithin (Soybean), Curcuma Longa Extract, Aqua																									

ARLUN NUMBING CREAM

numbing cream cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87408-013
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
EMU OIL (UNII: 344821WD61)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ARNICA MONTANA (UNII: O80TY208ZW)	
GLYCERIN (UNII: PDC6A3C0OX)	
HORSE CHESTNUT (UNII: 3C18L6RJAZ)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
CURCUMA LONGA (TURMERIC) ROOT POWDER (UNII: 856YO1Z64F)	
AQUA (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87408-013-01	1 in 1 CARTON	04/15/2026	
1		50 g in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/15/2026	

Labeler - Guangzhou Jingliang Cosmetics Co., Ltd. (515462936)**Establishment**

Name	Address	ID/FEI	Business Operations
Guangzhou Jingliang Cosmetics Co., Ltd.		515462936	manufacture(87408-013)

Revised: 4/2026

Guangzhou Jingliang Cosmetics Co., Ltd.