

COLEMAN STING AND BITE RELIEF- external analgesic and first aid antiseptic liquid
Wisconsin Pharmacal Company

Uses First aid to help prevent infection in minor cuts, scrapes, and burns.

Warnings

For external use only.

When using this product

- Do not get in eyes ■ Do not apply over large areas of the body
- In case of deep or puncture wounds, animal bites or serious burns consult a doctor. ■ Do not bandage.

Stop use and ask doctor if condition worsens, or symptoms persist for more than 7 days or clear up and occur again within a few days. Do not use longer than one week unless directed by doctor.

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away. If in eyes, flush with water for 15 minutes and call a physician.

Protect from freezing.

Stop use and ask doctor if condition worsens, or symptoms persist for more than 7 days or clear up and occur again within a few days. Do not use longer than one week unless directed by doctor.

Directions

- Clean area ■ Apply a small amount to the bite area while massaging with sponge tip applicator. If itching persists, apply again in 10-15 minutes ■ For ticks and bees, remove tick or stinger before treatment ■ Adults and children 2 years and over: Apply to affected area 1 to 3 times daily ■ Children under 2 years: Consult a doctor.

Inactive ingredients

Menthyl lactate, Propylene glycol, SD alcohol 40B 20%, Water

Questions or comments? 1-800-558-6614

Drug Facts

Active ingredients

Benzocaine 10%.....	Analgesic, Anesthetic, Antipruritic
Phenol 1.35%.....	First Aid Antiseptic
Camphor 3%	External Analgesic

Purpose

When using this product

- Do not get in eyes
 - Do not apply over large areas of the body
 - In case of deep or puncture wounds, animal bites or serious burns consult a doctor.
 - Do not bandage.
-

Directions

- Clean area
- Apply a small amount to the bite area while massaging with sponge tip applicator. If itching persists, apply again in 10-15 minutes
- For ticks and bees, remove tick or stinger before treatment
- Adults and children 2 years and over: Apply to affected area 1 to 3 times daily
- Children under 2 years: Consult a doctor.

Stops Pain • Reduces Infection • Relieves Itching • Ammonia-Free Begins to work immediately when applied soon after an insect bite. Our formula counteracts the effects of bites and stings from bees, wasps, mosquitoes, ticks, hornets, ants, fire ants, deerflies, sand fleas, horseflies and chiggers. **IMPORTANT:** Read all information on this carton and keep for future reference, contains information not included on the dauber pen.



STING & BITE RELIEF

INSTANT RELIEF FROM MOSQUITO BITES,
BEE STINGS, TICKS, CHIGGERS, FIRE ANTS

ACTIVE INGREDIENTS: Benzocaine 10%, Phenol 1.35%, Camphor 3% Net Contents 0.5 FL OZ (15mL)

COLEMAN® STING & BITE RELIEF PEN, when applied soon after an insect bite, begins to work immediately to counteract the effects of bites and stings from bees, wasps, mosquitoes, ticks, hornets, ants, fire ants, deerflies, sand fleas, horseflies and chiggers.

IMPORTANT: SEE CARTON BACK FOR COMPLETE WARNINGS AND DIRECTIONS.

©2023 The Coleman Company, Inc. Coleman® is a registered trademark of The Coleman Company, Inc., used under license. Distributed by: Pharmacal | 1 Pharmacal Way, Jackson, WI 53037 U.S.A.

QUESTIONS OR COMMENTS? 1-800-558-6614 MADE IN U.S.A. OF U.S. AND IMPORTED MATERIALS.

#C7426A

LOT# EXP.



Drug Facts

Active ingredients	Purpose
Benzocaine 10%.....	Analgesic, Anesthetic, Antipruritic
Phenol 1.35%.....	First Aid Antiseptic
Camphor 3%.....	External Analgesic

Uses
First aid to help prevent infection in minor cuts, scrapes, and burns.

Warnings
For external use only.

When using this product

- Do not get in eyes
- Do not apply over large areas of the body
- In case of deep or puncture wounds, animal bites or serious burns consult a doctor.
- Do not bandage.

Stop use and ask doctor if condition worsens, or symptoms persist for more than 7 days or clear up and occur again within a few days. Do not use longer than one week unless directed by doctor.

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away. If in eyes, flush with water for 15 minutes and call a physician.

Protect from freezing.

Directions

- Clean area
- Apply a small amount to the bite area while massaging with sponge tip applicator. If itching persists, apply again in 10-15 minutes
- For ticks and bees, remove tick or stinger before treatment
- Adults and children 2 years and over: Apply to affected area 1 to 3 times daily
- Children under 2 years: Consult a doctor.

Inactive ingredients
Menthyl lactate, Propylene glycol, SD alcohol 40B 20%, Water

Questions or comments? 1-800-558-6614

©2023 The Coleman Company, Inc. Coleman® is a registered trademark of The Coleman Company, Inc., used under license.

Distributed by: Pharmaceutical 11 Pharmaceutical Way, Jackson, WI 53037 U.S.A.
Questions or comments? 1-800-558-6614 MADE IN U.S.A.
MADE IN U.S.A. OF U.S. AND IMPORTED MATERIALS.

#D7426A



3 68093 07426 2



Coleman

STING & BITE RELIEF PEN

INSTANT RELIEF FROM
MOSQUITO BITES, BEE STINGS,
TICKS, CHIGGERS, FIRE ANTS

AMMONIA FREE
GENTLE ON SKIN

STOPS PAIN, RELIEVES ITCHING,
REDUCES INFECTION

EXTERNAL ANALGESIC
FIRST AID ANTISEPTIC

1

FOAM TIP
DAUBER

NET CONTENTS
0.5 FL OZ (15ML)

COLEMAN STING AND BITE RELIEF

external analgesic and first aid antiseptic liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68093-7426
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENOL (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)	PHENOL	0.2 g in 15 mL
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	1.482 g in 15 mL
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	0.45 g in 15 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Product Characteristics

Color	white (clear, colorless to pale amber)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68093-7426-1	15 mL in 1 VIAL, PLASTIC; Type 0: Not a Combination Product	04/16/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/16/2026	

Labeler - Wisconsin Pharmacal Company (800873986)

Revised: 4/2026

Wisconsin Pharmacal Company