

**BOTASUN QUIT SMOKING NICOTINE- nicotine18% menthol 0.3% quit smoking
nicotine patch**

Jiangxi Yudexi Pharmaceutical Co., LTD

85248-189

Active Ingredient

Nicotine 18%.menthol 0.3%

Purpose

stop smoking aid

Use

reduces withdrawal symptoms,including nicotine craving,associated with quitting smoking

Warnings

If you are pregnant or breast-feeding, only use this medicine on the advice of your health care provider.Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine,This medicine is believed to be safer than smoking.However, the risks to your child from this medicine are not fully known

Do not use

Do not wear more than one patch at a time.Do not cut patch in half or into smaller pieces.Do not leave patch on for more than 24 hours.because it may irritate your skin and loses strength after 24 hours.To avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging)procedures.It is important to complete treatment,if you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider.

When Using

if you have vivid dreams or other sleep disturbances remove this patch at bedtime

Stop Use

Stop use and ask a doctor if Feeling uncomfortable or experiencing or other sensitive dizziness symptoms

Ask Doctor

Ask a doctor before use if you have Heart disease, recent heart attack, or irregular heartbeat. Nicotine can increase your heart rate. High blood pressure not controlled with medication. Nicotine can increase your blood pressure.

An allergy to adhesive tape or have skin problems because you are more likely to get rashes. Stomach ulcer or diabetes, History of seizures.

Ask a doctor or pharmacist before use if you are: Using a non-nicotine stop smoking drug.

Taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.

Keep Out Of Reach Of Children

Keep out of reach of children and pets.

Directions

If you are under 18 years of age, ask a doctor before use.

Before using this product, read the enclosed self-help guide for complete directions and other information. Begin using the patch on your quit day.

If you smoke more than 10 cigarettes per day, use the following schedule below.

The used patch should be removed and a new one applied to a different skin site at the same time each day.

If you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning.

Do not wear more than one patch at a time. Do not cut patch in half or into smaller pieces.

Do not leave patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours. To avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures.

It is important to complete treatment, if you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider.

Signs of excessive use may include nausea, vomiting, dizziness, weakness, or rapid heartbeat. If these symptoms occur, remove the patch immediately and contact a doctor or poison control center.

Other information

store at 20-25°C

Inactive ingredients

acrylate adhesive □ cellulose paper □ methacrylic acid .

PRINCIPAL DISPLAY PANEL

BOTASUN™

35*75*110mm

Weeks 1-4
Step 1

Use one 21 mg
patch/day

BOTASUN™
QUIT SMOKING
Nicotine Patches

STOP SMOKING AID

**CONTROL
CRAVINGS**

ALL-DAY!

- ✔ Helps You Quit Smoking
- ✔ Controls Cravings
- ✔ Fights Withdrawal Symptoms
- ✔ 100% Natural Plant Based



21
Patches

QUIT SMOKING
Nicotine Patches

Weeks 1-4
Step 1

Use one 21 mg
patch/day

QUIT SMOKING
Nicotine Patches

Drug Facts

Active ingredient(in each patch) Purpose
Nicotine18%.....stop smoking aid
menthol 0.3%.....stop smoking aid

Use reduces withdrawal symptoms,including
nicotine craving, associated with quitting smoking

Warnings

If you are pregnant or breast-feeding, only
use this medicine on the advice of your
health care provider.Smoking can seriously
harm your child. Try to stop smoking without
using any nicotine replacement medicine.
This medicine is believed to be safer than
smoking.However, the risks to your child
from this medicine are not fully known

Ask a doctor before use if you have
Heart disease, recent heart attack, or irregular
heartbeat. Nicotine can increase your heart
rate High blood pressure not controlled with
medication, Nicotine can increase your
blood pressure.

An allergy to adhesive tape or have skin
problemsbecause you are more likely to get
rashes.Stomach ulcer or diabetes,History
of seizures.

Ask a doctor or pharmacist before use if
you are:Using a non-nicotine stop smoking
drug.Taking a prescription medicine for depression
or asthma. Your prescription dose may need
to be adjusted.

When using this product
if you have vivid dreams or other sleep
disturbances remove this patch at bedtime

Stop use and ask a doctor if Feeling
uncomfortable or experiencing or
other sensitive dizziness symptoms

Keep out of reach of children and pets.

Directions

If you are under 18 years of age, ask a
doctor before use.

Before using this
product, need the enclosed self-help guide
for complete directions and other
information.

Begin using the patch on your quit day.
If you smoke more than 10 cigarettes
per day, use the following schedule below.

The used patch should be removed and a
new one applied to a different skin site at
the same time each day.
If you have vivid dreams, you may remove
the patch at bedtime and apply a new one
in the morning.

Do not wear more than one patch at a time.
Do not cut patch in half or into smaller
pieces.Do not leave patch on for more than
24 hours.because it may irritate your skin
and loses strength after 24 hours.

To avoid possible burns, remove patch
before undergoing any MRI (magnetic
resonance imaging) procedures.

It is important to complete treatment, if
you feel you need to use the patch for a
longer period to keep from smoking, talk
to your health care provider.

Signs of excessive use may include nausea,
vomiting, dizziness, weakness, or rapid
heartbeat. If these symptoms occur,
remove the patch immediately and contact
a doctor or poison control center

Other information: store at 20-25°C
Inactive Ingredients: acrylate adhesive,
cellulose paper, methacrylic acid.



Distributor: Jiangxi Yudexi
Pharmaceutical Co., LTD
Address: No.1998, Jingkai
West 5th Road, Chengbei
Jingkai District, Zhangshu
City, Yichun City, Jiangxi
Province 331200, China (CN)



BOTASUN QUIT SMOKING NICOTINE

nicotine18% menthol 0.3% quit smoking nicotine patch

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:85248-189 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|--------------|
| MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) | MENTHOL | 0.3 g in 100 |
| NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R) | NICOTINE | 18 g in 100 |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| METHACRYLIC ACID (UNII: 1CS02G8656) | |
| 2-HYDROXYETHYL ACRYLATE (UNII: 25GT92NY0C) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:85248-189-01 | 21 in 1 BOX; Type 0: Not a Combination Product | 04/17/2026 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M017 | 04/17/2026 | |

Labeler - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--|---------|-----------|------------------------|
| Jiangxi Zhongletang Pharmaceuticals Co.,Ltd. | | 411295811 | manufacture(85248-189) |

Revised: 4/2026

Jiangxi Yudexi Pharmaceutical Co., LTD