

EQUATE LIDOCAINE AND MENTHOL PARABEN FREE- lidocaine 4% plus menthol 1% patch

Walmart Stores Inc

Equate Lidocaine + Menthol Paraben Free

Lidocaine 4.0%

Menthol 1.0%

External Analgesic

Uses

For the temporary relief of pain

- Warnings

For external use only.

avoid contact with the eyes

Do not use more than one patch on your body at a time

More than one patch on your body at a time.

On cut, irritated or swollen skin

On puncture wounds

For more than one week without consulting a doctor

If you are allergic to any active or inactive ingredients

If pouch is damaged or opened

Stop and ask a doctor

■ skin irritation develops

■ condition worsens

■ symptoms persist for more than 7 days or clear up and occur again within a few days

If pregnant or breastfeeding

Ask a health professional before use

Keep out of reach of children and pets

If swallowed, get medical help or contact a Poison Control Center (1800-222-1222) right away

Directions

■ Adults and children 2 years of age and over: Clean and dry affected area, free of lotions, ointments and creams. Carefully remove backing from patch starting at a

corner. Apply sticky side of patch to affected area. Do not use more than one patch in a 12 hour period. Maximum 2 patches per day. Discard patch after single use.

■ Children under 2 years of age: Do not use, ask a doctor

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture. Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

carboxymethylcellulose sodium, dihydroxyaluminum aminoacetate, ethylhexylglycerin, glycerin, iodopropynyl butylcarbamate, kaolin, petrolatum, phenoxyethanol, polyacrylic acid, polysorbate 80, povidone, propylene glycol, sodium polyacrylate, tartaric acid, titanium dioxide, water

Questions or comments? Call toll-free 1-888-287-1915


Equate Lidocaine + Menthol Pain Relief Patch



Drug Facts	
Active Ingredient	Purpose
Lidocaine 4.0%	External anesthetic
Menthol 1.0%	External anesthetic
Uses For the temporary relief of pain.	
Warnings	
For external use only.	
Do not use on raw, red, swollen or irritated areas.	
When using this product, avoid contact with the eyes. If it does not use more than one patch on your body at a time.	
Stop use and ask a doctor if an irritation develops or irritation worsens or symptoms persist for more than 7 days or after use and occur again within a few days.	
If pregnant or breastfeeding, ask a health professional before use.	
Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
Directions	
In Adults and children 3 years of age and over: Clean and dry affected area, tear of lotion, creams and ointments. Carefully remove banding from patch starting at a corner. Apply sticky side of patch to affected area. Do not use more than one patch in a 12 hour period. Maximum 2 patches per day. Discard patch after single use.	
In Children under 3 years of age: Do not use, ask a doctor.	
Other Information	
Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture. Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.	
Inactive Ingredients carboxymethylcellulose sodium, dihydroxyaluminum aminoacetate, ethylhexylglycerin, glycerin, iodopropynyl butylcarbamate, kaolin, petrolatum, phenoxyethanol, polyacrylic acid, polysorbate 80, povidone, propylene glycol, sodium polyacrylate, tartaric acid, titanium dioxide, water.	
Questions or comments? Call toll-free 1-888-287-1915	



DISTRIBUTED BY: Watson Inc., Bessemer, AL 35209
 PRODUCT OF CHINA
 *Having OTC listed ingredients for individual uses.
 **This product is not manufactured or distributed by Chubb, Inc., owner of the registered trademark by H&M.



EQUATE LIDOCAINE AND MENTHOL PARABEN FREE

lidocaine 4% plus menthol 1% patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79903-030
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 g in 100 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB)	
PETROLATUM (UNII: 4T6H12BN9U)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
KAOLIN (UNII: 24H4NWX5CO)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-030-05	5 in 1 BOX	04/01/2026	
1		6 g in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/01/2026	

Labeler - Walmart Stores Inc (051957769)