

## **ANTIFUNGAL BODY- miconazole nitrate cream McKesson**

-----  
**McKesson Antifungal Body Cream**

### ***Drug Facts***

#### ***Active ingredient***

Miconazole Nitrate 2%

#### ***Purpose***

Antifungal

#### ***Uses***

- for treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis)
- relieves itching, scaling, cracking, burning, redness, soreness, irritation, discomfort and chafing associated with jock itch
- for treatment of superficial skin infections caused by yeast (Candida albicans)

#### ***Warnings***

- **For External use only.**

#### **When using this product**

- Do not get into eyes

#### **Stop use and ask a doctor if**

- irritation occurs or if there is no improvement within 4 weeks for athlete's foot or ringworm, or within 2 weeks for jock itch.

#### **Do not use on**

- children under 2 years of age unless directed by a doctor
- diaper rash

#### ***Keep out of reach of children.***

If swallowed, get medical help or contact a poison control center right away.

#### ***Directions***

- Clean the affected area and dry thoroughly
- Apply a thin layer of product over affected area twice daily (morning and night), or as directed by a physician
- Supervise children in the use of this product

#### **Athlete's foot**

- Pay special attention to the spaces between toes
- Wear well-fitting, ventilated shoes and change shoes and socks at least once daily

#### **Athlete's foot and ringworm**

- Use daily for 4 weeks

## **Jock itch**

- Use daily for 2 weeks. If condition persists longer, consult a doctor.

This product is not effective on scalp or nails.

### ***Inactive ingredients***

Isopropyl Palmitate, Glyceryl Stearate, PEG 100 Stearate, Cyclopentasiloxane, Cetearyl Alcohol, Propylene Glycol, Polyquaternium-37, Propylene Glycol Dicaprylate/Dicaprate, PPG-1 Trideceth-6, Aloe Barbadensis Leaf Juice, Calcium Pantothenate (Vitamin B5), Maltodextrin, Niacinamide (Vitamin B3), Pyridoxine HCL (Vitamin B6), Silica, Sodium Ascorbyl Phosphate (Vitamin C), Sodium Starch Octenylsuccinate, Tocopherol Acetate (Vitamin E), Lysine, Histidine, Arginine, Aspartic Acid, Threonine, Serine, Glutamic Acid, Proline, Glycine, Alanine, Valine, Methionine, Isoleucine, Leucine, Tyrosine, Phenylalanine, Cysteine, Triethanolamine, DMDM Hydantoin, Iodopropynyl Butylcarbamate

McKesson Thera Antifungal Body Cream

Helps treat the most common fungal infections including athlete's foot, jock itch and ringworm.

Single Patient Use

Therapy [for the skin]

Net Contents 4 fl oz (118ml)

MFR# 53-AFC4

NDC 68599-0206-4



# Thera<sup>®</sup>

## ANTIFUNGAL BODY CREAM



HELPS TREAT

Helps treat the most common fungal infections including athlete's foot, jock itch and ringworm.

Single Patient Use

**THERAPY**  
for your skin

**McKesson**

NET CONTENTS 4 fl oz (118 mL)  
MFR # 53-AFC4

|  |                |
|--|----------------|
| <b>Drug Facts</b>  |                |
| <b>Active ingredient</b>   | <b>Purpose</b> |
| Miconazole Nitrate 2%  | Antifungal     |
| <b>Uses</b> ■ for treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis) ■ relieves itching, scaling, cracking, burning, redness, soreness, irritation, discomfort and chafing associated with jock itch ■ for treatment of superficial skin infections caused by yeast (Candida albicans)  |                |
| <b>Warnings</b> ■ For external use only.   |                |
| <b>When using this product</b> ■ do not get into eyes  |                |
| <b>Stop use and ask a doctor if</b> ■ irritation occurs or if there is no improvement within 4 weeks for athlete's foot or ringworm, or within 2 weeks for jock itch   |                |
| <b>Do not use on</b> ■ children under 2 years of age unless directed by a doctor ■ diaper rash   |                |
| <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a poison control center right away.  |                |
| <b>Directions</b> ■ Clean the affected area and dry thoroughly ■ Apply a thin layer of product over affected area twice daily (morning and night), or as directed by a physician ■ Supervise children in the use of this product   |                |
| <b>Athlete's foot</b> ■ Pay special attention to the spaces between toes ■ Wear well-fitting, ventilated shoes and change shoes and socks at least once daily  |                |
| <b>Athlete's foot and ringworm</b> ■ Use daily for 4 weeks   |                |
| <b>Jock itch</b> ■ Use daily for 2 weeks. If condition persists longer, consult a doctor.  |                |
| This product is not effective on scalp or nails.   |                |
| <b>Inactive ingredients</b>  |                |
| Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Alanine, Aloe Barbadensis Leaf Juice, Arginine, Aspartic Acid, BHT, Butylene Glycol, Calcium Pantothenate (Vitamin B5), Cetyl Alcohol, Dimethicone, DMDM Hydantoin, Glutamic Acid, Glycerin, Glyceryl Stearate, Glycine, Histidine, Iodopropynyl Butylcarbamate, Isoleucine, Isopropyl Palmitate, Leucine, Lysine, Maltodextrin, Niacinamide (Vitamin B3), PEG-100 Stearate, Phenylalanine, Proline, Propylene Glycol, Pyridoxine HCL (Vitamin B6), Serine, Silica, Sodium Ascorbyl Phosphate (Vitamin C), Sodium Starch Octenylsuccinate, Stearic Acid, Threonine, Tocopheryl Acetate (Vitamin E), Triethanolamine, Tyrosine, Valine, Water (may contain Citric Acid) |                |

ROOM NO.

NAME

Store at 40-90°F (4-32°C).  
Questions? Call 1-800-777-4908  
Distributed by McKesson Medical-Surgical Inc.  
Richmond, VA 23233 PVN E0624 Made in USA

## ANTIFUNGAL BODY

miconazole nitrate cream

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:68599-0206 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength  | Strength       |
|--|--------------------|----------------|
| <b>MICONAZOLE NITRATE</b> (UNII: VW4H1CYW1K) (MICONAZOLE - UNII: 7NNO0D7S5M) | MICONAZOLE NITRATE | 2 mg in 100 mL |

### Inactive Ingredients

| Ingredient Name                    | Strength |
|------------------------------------|----------|
| <b>1-BUTENE</b> (UNII: LY001N554L) |          |

|  |
|--|
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)   |
| <b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)   |
| <b>ALANINE</b> (UNII: OF5P57N2ZX)  |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |
| <b>WATER</b> (UNII: 059QF0KO0R)  |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)                                   |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |
| <b>ALOE</b> (UNII: V5VD430YW9)   |
| <b>CALCIUM PANTOTHENATE</b> (UNII: 568ET80C3D)                                       |
| <b>NIACINAMIDE</b> (UNII: 25X5118RD4)  |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)  |
| <b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJG51DR)                                  |
| <b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)                           |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)                                 |
| <b>LYSINE</b> (UNII: K3Z4F929H6)   |
| <b>ARGININE</b> (UNII: 94ZLA3W45F)   |
| <b>THREONINE</b> (UNII: 2ZD004190S)  |
| <b>PROLINE</b> (UNII: 9DLQ4CIU6V)  |
| <b>GLYCINE</b> (UNII: TE7660XO1C)  |
| <b>VALINE</b> (UNII: HG18B9YRS7)   |
| <b>PHENYLALANINE</b> (UNII: 47E5O17Y3R)  |
| <b>DMDM HYDANTOIN</b> (UNII: BYR0546TOW)   |
| <b>LEUCINE</b> (UNII: GMW67QNF9C)  |
| <b>TYROSINE</b> (UNII: 42HK56048U)   |
| <b>TROLAMINE</b> (UNII: 9O3K93S3TK)  |
| <b>IODOPROPYNYL BUTYLCARBAMATE</b> (UNII: 603P14DHEB)                                |
| <b>ASPARTIC ACID</b> (UNII: 30KYC7MIAI)  |
| <b>SERINE</b> (UNII: 452VLY9402)   |
| <b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)   |
| <b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV)                                   |
| <b>HISTIDINE</b> (UNII: 4QD397987E)  |
| <b>GLUTAMIC ACID</b> (UNII: 3KX376GY7L)  |
| <b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)                                      |
| <b>ISOPROPYL PALMITATE</b> (UNII: 8CRQ2TH63M)  |
| <b>PEG-100 STEARATE</b> (UNII: YD01N1999R)   |
| <b>ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S)</b> (UNII: 8Z5ZAL5H3V) |
| <b>ETHYLENE GLYCOL</b> (UNII: FC72KVT52F)  |
| <b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)  |

### Packaging

| # | Item Code        | Package Description                                 | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:68599-0206-4 | 118 mL in 1 TUBE; Type 0: Not a Combination Product | 06/01/2017           |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
|                    |  |                      |                    |

|                    |      |            |  |
|--------------------|------|------------|--|
| OTC Monograph Drug | M005 | 06/01/2017 |  |
|--------------------|------|------------|--|

**Labeler** - McKesson (023904428)

### Establishment

| Name              | Address | ID/FEI    | Business Operations     |
|-------------------|---------|-----------|-------------------------|
| Central Solutions |         | 007118524 | manufacture(68599-0206) |

Revised: 6/2024

McKesson