

**ESIKA PERFECT MATCH SPF 20 COFFEE SWEET- octinoxate and oxybenzone lipstick**  
**ESIKA PERFECT MATCH SPF 20 ROSA BELLE- octinoxate and oxybenzone lipstick**  
**ESIKA PERFECT MATCH SPF 20 DURAZNO GLAM- octinoxate and oxybenzone lipstick**  
**ESIKA PERFECT MATCH SPF 20 ROSA CANDY- octinoxate and oxybenzone lipstick**  
**ESIKA PERFECT MATCH SPF 20 CORAL SEDUCTION- octinoxate and oxybenzone lipstick**  
**ESIKA PERFECT MATCH SPF 20 CHERRY CLASS- octinoxate and oxybenzone lipstick**  
**ESIKA PERFECT MATCH SPF 20 RED SUPREME- octinoxate and oxybenzone lipstick**  
**ESIKA PERFECT MATCH SPF 20 VINO MIDNIGHT- octinoxate and oxybenzone lipstick**  
**ESIKA PERFECT MATCH SPF 20 FUCSIA FEMME- octinoxate and oxybenzone lipstick**  
**ESIKA PERFECT MATCH SPF 20 CEREZA DEEP- octinoxate and oxybenzone lipstick**  
**Ventura Corporation LTD.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**ESIKA Perfect Match Lipstick SPF 20 + Liquid Lipliner**

***Drug Facts***

**Active Ingredients**

OCTINOXATE 7.0 %,  
OXYBENZONE 2.5 %

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn

**Warnings**

- Skin Cancer / Skin Aging Alert; Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- For external use only.
- Do not use on damage or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- Reapply at least every 2 hours.

- Use a water resistant sunscreen if swimming or sweating.

### **Other information**

Step 1: Use the liquid lipliner to line your lips: for thin lips line the inner border of lips and for thicker lips line the outer border of lips.

Step 2: wait 1 minute until the liner is dry.

Step 3: after, apply the lipstick until you achieve the desired finish.

- Protect the product in this container from excessive heat and direct sun.

### **Inactive Ingredients**

ricinus communis (castor) seed oil, caprylic/capric triglyceride, polyethylene, beeswax, euphorbia cerifera (candelilla) wax, hydrogenated vegetable oil, butyrospermum parkii (shea) butter, cetearyl ethylhexanoate, silica dimethyl silylate, glycerin, octyldodecanol, glyceryl isostearate, isostearyl alcohol, fragrance, propylparaben, sodium saccharin, microcrystalline wax, beta-sitosterol, bht, sorbitan isostearate, petrolatum, phospholipids, cholesterol, portulaca pilosa extract, cetearyl alcohol, aryl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, sucrose cocoate, palmitoyl tripeptide-38. **may contain:** manganese violet, titanium dioxide, red 7 lake, iron oxides, yellow 5 lake, red 27 lake, talc, red 6 lake, red 21 lake, c9-15 fluoroalcohol phosphate.

Dist. by Ventura Corporation, Ltd., San Juan, Puerto Rico 00926.

### **PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - COFFEE SWEET**

**ēsika**

**COFFEE SWEET**

**PERFECT**

**MATCH**

**Lipstick SPF 20 +**

**Liquid Lipliner**

**Lipstick:**

**2,2 g e**

**(.077 oz.)**

**Liquid Lipliner:**

**3 ml e**

**(.010 fl.oz.)**

**Drug Facts**

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating.

**Other information:** Step 1: Use the liquid lipliner to line your lips: for thin lips line the inner border of lips and for thicker lips line the outer border of lips. Step 2: wait 1 minute until ▶

**Drug Facts**

the liner is dry. Step 3: after, apply the lipstick until you achieve the desired finish. ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** ricinus communis (castor) seed oil, caprylic/capric triglyceride, polyethylene, beeswax, euphorbia cerifera (candelilla) wax, hydrogenated vegetable oil, butyrospermum parkii (shea) butter, cetearyl ethylhexanoate, silica dimethyl silylate, glycerin, ▼

**Drug Facts (continued)**

octyldodecanol, glyceryl isostearate, isostearyl alcohol, fragrance, propylparaben, sodium saccharin, microcrystalline wax, beta-sitosterol, bht, sorbitan isostearate, petrolatum, phospholipids, cholesterol, portulaca pilosa extract, cetearyl alcohol, aryl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, sucrose cocoate, palmitoyl tripeptide-38, **may contain:** manganese violet, titanium dioxide, red 7 lake, iron oxides, yellow 5 lake, red 27 lake, talc, red 6 lake, red 21 lake, c9-15 fluoroalcohol phosphate.

**Liquid Lipliner**

**INGREDIENTS:** ISODODECANE, DIMETHICONE, TRIMETHYLSILOXYSILICATE, CYCLOPENTASILOXANE, DISTEARDIMONIUM HECTORITE, PROPYLENE CARBONATE, OCTYLDODECANOL, PHENOXYETHANOL, FRAGRANCE, MICROCRYSTALLINE WAX, METHYLPARABEN, PETROLATUM, PHOSPHOLIPIDS, CHOLESTEROL, BUTYLPARABEN, ETHYLPARABEN, EUPHORBIA CERIFERA (CANDELILLA) WAX, BEESWAX, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, COPERNICIA CERIFERA (CARNAUBA) WAX, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, ISOBUTYLPARABEN, PROPYLPARABEN, GLYCOSPHINGOLIPIDS, **MAY CONTAIN:** IRON OXIDES, RED 7 LAKE, RED 30 LAKE, MANGANESE VIOLET, TITANIUM DIOXIDE, RED 40 LAKE, RED 27 LAKE, RED 6 LAKE, YELLOW 5 LAKE, C9-15 FLUOROALCOHOL PHOSPHATE.

PURE  
MATCH  
Lipstick SPF 20+  
Liquid Lipliner  
Lipstick:  
2.2g e  
(.077 oz.)  
Liquid Lipliner:  
3 ml e  
(.101 fl.oz.)

ESIKA

COFFEE SWEET

**Drug Facts**

**Active Ingredients**

Octinoxate 7.0%  
Oxybenzone 2.5%.....Sunscreen


**Purpose**

Sunscreen


**Uses** ■ Helps prevent sunburn. ▶

**Drug Facts (continued)**

**Warnings** ■ Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damage or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.



PUERTO RICO:  
Distributed by Ventura  
Corporation, Ltd., San  
Juan, Puerto Rico 00926.



**PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - ROSA BELLE**

**ēsika**

**ROSA BELLE**

**PERFECT**

**MATCH**

**Lipstick SPF 20 +**

**Liquid Lipliner**

**Lipstick:**

**2,2 g e**

**(.077 oz.)**

**Liquid Lipliner:**

**3 ml e**

**(.010 fl.oz.)**

**Drug Facts**

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating.

**Other information:** Step 1: Use the liquid lipliner to line your lips; for thin lips line the inner border of lips and for thicker lips line the outer border of lips. Step 2: wait 1 minute until ▶

**Drug Facts**

the liner is dry. Step 3: after, apply the lipstick until you achieve the desired finish. ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** ricinus communis (castor) seed oil, caprylic/capric triglyceride, polyethylene, beeswax, euphorbia cerifera (candelilla) wax, hydrogenated vegetable oil, butyrospermum parkii (shea) butter, cetearyl ethylhexanoate, silica dimethyl silylate, glycerin, ▼

**Drug Facts (continued)**

octyldodecanol, glyceryl isostearate, isostearyl alcohol, fragrance, propylparaben, sodium saccharin, microcrystalline wax, beta-sitosterol, bht, sorbitan isostearate, petrolatum, phospholipids, cholesterol, portulaca pilosa extract, cetearyl alcohol, aryl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, sucrose coccoate, palmitoyl tripeptide-38. **may contain:** manganese violet, titanium dioxide, red 7 lake, iron oxides, yellow 5 lake, red 27 lake, talc, red 6 lake, red 21 lake, c9-15 fluoroalcohol phosphate.

**Liquid Lipliner**

**INGREDIENTS:** ISODODECANE, DIMETHICONE, TRIMETHYLSILOXYSILICATE, CYCLOPENTASILOXANE, DISTEARDIMONIUM HECTORITE, PROPYLENE CARBONATE, OCTYLDODECANOL, PHENOXYETHANOL, FRAGRANCE, MICROCRYSTALLINE WAX, METHYLPARABEN, PETROLATUM, PHOSPHOLIPIDS, CHOLESTEROL, BUTYLPARABEN, ETHYLPARABEN, EUPHORBIA CERIFERA (CANDELLILLA) WAX, BEESWAX, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, COPERNICIA CERIFERA (CARNAUBA) WAX, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, ISOBUTYLPARABEN, PROPYLPARABEN, GLYCOSPHINGOLIPIDS, **MAY CONTAIN:** IRON OXIDES, RED 7 LAKE, RED 30 LAKE, MANGANESE VIOLET, TITANIUM DIOXIDE, RED 40 LAKE, RED 27 LAKE, RED 6 LAKE, YELLOW 5 LAKE, C9-15 FLUOROALCOHOL PHOSPHATE.

PERFECT  
MATCH  
Lipstick SPF 20+  
Liquid Lipliner  
Lipstick:  
2.2g e  
(.077 oz.)  
Liquid Lipliner:  
3 ml e  
(.101 fl.oz.)

ESIKA

ROSA BFIIF

**Drug Facts**

**Active Ingredients**


Octinoxate 7.0 %  
Oxybenzone 2.5%.....Sunscreen

**Purpose**


**Uses** ■ Helps prevent sunburn. ▶

**Drug Facts (continued)**

**Warnings** ■ Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damage or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.



PUERTO RICO:  
Distributed by Ventura  
Corporation, Ltd., San  
Juan, Puerto Rico 00980.



**PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - DURAZNO GLAM**

**ērika**

**DURAZNO GLAM**

**PERFECT  
MATCH**

**Lipstick SPF 20 +  
Liquid Lipliner**

**Lipstick:**

**2,2 g e  
(.077 oz.)**

**Liquid Lipliner:**

**3 ml e  
(.010 fl.oz.)**

### Drug Facts

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating.

**Other information:** Step 1: Use the liquid lipliner to line your lips: for thin lips line the inner border of lips and for thicker lips line the outer border of lips. Step 2: wait 1 minute until ▶

### Drug Facts

the liner is dry. Step 3: after, apply the lipstick until you achieve the desired finish. ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** ricinus communis (castor) seed oil, caprylic/capric triglyceride, polyethylene, beeswax, euphorbia cerifera (candelilla) wax, hydrogenated vegetable oil, butyrospermum parkii (shea) butter, cetearyl ethylhexanoate, silica dimethyl silylate, glycerin, ▼

### Drug Facts (continued)

octyldodecanol, glyceryl isostearate, isostearyl alcohol, fragrance, propylparaben, sodium saccharin, microcrystalline wax, beta-sitosterol, bht, sorbitan isostearate, petrolatum, phospholipids, cholesterol, portulaca pilosa extract, cetearyl alcohol, aryl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, sucrose coccoate, palmitoyl tripeptide-38. **may contain:** manganese violet, titanium dioxide, red 7 lake, iron oxides, yellow 5 lake, red 27 lake, talc, red 6 lake, red 21 lake, c9-15 fluoroalcohol phosphate.

### Liquid Lipliner

**INGREDIENTS:** ISODODECANE, DIMETHICONE, TRIMETHYLSILOXYSILICATE, CYCLOPENTASILOXANE, DISTEARDIMONIUM HECTORITE, PROPYLENE CARBONATE, OCTYLDODECANOL, PHENOXYETHANOL, FRAGRANCE, MICROCRYSTALLINE WAX, METHYLPARABEN, PETROLATUM, PHOSPHOLIPIDS, CHOLESTEROL, BUTYLPARABEN, ETHYLPARABEN, EUPHORBIA CERIFERA (CANDELLILLA) WAX, BEESWAX, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, COPERNICIA CERIFERA (CARNAUBA) WAX, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, ISOBUTYLPARABEN, PROPYLPARABEN, GLYCOSPHINGOLIPIDS. **MAY CONTAIN:** IRON OXIDES, RED 7 LAKE, RED 30 LAKE, MANGANESE VIOLET, TITANIUM DIOXIDE, RED 40 LAKE, RED 27 LAKE, RED 6 LAKE, YELLOW 5 LAKE, C9-15 FLUOROALCOHOL PHOSPHATE.

PERFECT  
MATCH  
Lipstick SPF 20+  
Liquid Lipliner  
Lipstick:  
2.2g e  
(.077 oz.)  
Liquid Lipliner:  
3 ml e  
(.101 fl.oz.)

# ESIQ

DURA7NO GI AM

### Drug Facts

#### Active Ingredients

Octinoxate 7.0 %

Oxybenzone 2.5%

#### Purpose


Sunscreen

**Uses** ■ Helps prevent sunburn. ▶

### Drug Facts (continued)

**Warnings** ■ Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damage or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

PUERTO RICO:  
Distributed by Ventura  
Corporation, Ltd., San  
Juan, Puerto Rico 00926.



**PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - ROSA CANDY**

**ēsika**

ROSA CANDY

**PERFECT  
MATCH**

**Lipstick SPF 20 +  
Liquid Lipliner**

**Lipstick:**

**2,2 g e  
(.077 oz.)**

**Liquid Lipliner:**

**3 ml e  
(.010 fl.oz.)**



**Drug Facts**

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating.

**Other information:** Step 1: Use the liquid lipliner to line your lips: for thin lips line the inner border of lips and for thicker lips line the outer border of lips. Step 2: wait 1 minute until ▶

**Drug Facts**

the liner is dry. Step 3: after, apply the lipstick until you achieve the desired finish. ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** ricinus communis (castor) seed oil, caprylic/capric triglyceride, polyethylene, beeswax, euphorbia cerifera (candelilla) wax, hydrogenated vegetable oil, butyrospermum parkii (shea) butter, cetearyl ethylhexanoate, silica dimethyl silylate, glycerin, ▼

**Drug Facts (continued)**

octyldodecanol, glyceryl isostearate, isostearyl alcohol, fragrance, propylparaben, sodium saccharin, microcrystalline wax, beta-sitosterol, bht, sorbitan isostearate, petrolatum, phospholipids, cholesterol, portulaca pilosa extract, cetearyl alcohol, aryl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, sucrose cocoate, palmitoyl tripeptide-38, **may contain:** manganese violet, titanium dioxide, red 7 lake, iron oxides, yellow 5 lake, red 27 lake, talc, red 6 lake, red 21 lake, c9-15 fluoroalcohol phosphate.

**Liquid Lipliner**

**INGREDIENTS:** ISODODECANE, DIMETHICONE, TRIMETHYLSILOXYSILICATE, CYCLOPENTASILOXANE, DISTEARDIMONIUM HECTORITE, PROPYLENE CARBONATE, OCTYLDODECANOL, PHENOXYETHANOL, FRAGRANCE, MICROCRYSTALLINE WAX, METHYLPARABEN, PETROLATUM, PHOSPHOLIPIDS, CHOLESTEROL, BUTYLPARABEN, ETHYLPARABEN, EUPHORBIA CERIFERA (CANDELLILLA) WAX, BEESWAX, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, COPERNICIA CERIFERA (CARNAUBA) WAX, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, ISOBUTYLPARABEN, PROPYLPARABEN, GLYCOSPHINGOLIPIDS, **MAY CONTAIN:** IRON OXIDES, RED 7 LAKE, RED 30 LAKE, MANGANESE VIOLET, TITANIUM DIOXIDE, RED 40 LAKE, RED 27 LAKE, RED 6 LAKE, YELLOW 5 LAKE, C9-15 FLUOROALCOHOL PHOSPHATE.

PERFECT  
MATCH  
Lipstick SPF 20+  
Liquid Lipliner  
Lipstick:  
2.2 g e  
(.077 oz.)  
Liquid Lipliner:  
3 ml e  
(.101 fl.oz.)

ESIQ

ROSA CANDY

**Drug Facts**

**Active Ingredients**

Octinoxate 7.0%  
Oxybenzone 2.5%.....Sunscreen


**Purpose**

**Uses** ■ Helps prevent sunburn. ▶

**Drug Facts (continued)**

**Warnings** ■ Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damage or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

PUERTO RICO:  
Distributed by Ventura  
Corporation, Ltd., San  
Juan, Puerto Rico 00926.



**PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - CORAL SEDUCTION**

**ērika**

**CORAL SEDUCTION**

**PERFECT**

**MATCH**

**Lipstick SPF 20 +**

**Liquid Lipliner**

**Lipstick:**

**2,2 g e**

**(.077 oz.)**

**Liquid Lipliner:**

**3 ml e**

**(.010 fl.oz.)**

**Drug Facts**

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating.

**Other information:** Step 1: Use the liquid lipliner to line your lips: for thin lips line the inner border of lips and for thicker lips line the outer border of lips. Step 2: wait 1 minute until ▶

**Drug Facts**

the liner is dry. Step 3: after, apply the lipstick until you achieve the desired finish. ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** ricinus communis (castor) seed oil, caprylic/capric triglyceride, polyethylene, beeswax, euphorbia cerifera (candelilla) wax, hydrogenated vegetable oil, butyrospermum parkii (shea) butter, cetearyl ethylhexanoate, silica dimethyl silylate, glycerin, ▼

**Drug Facts (continued)**

octyldodecanol, glyceryl isostearate, isostearyl alcohol, fragrance, propylparaben, sodium saccharin, microcrystalline wax, beta-sitosterol, bht, sorbitan isostearate, petrolatum, phospholipids, cholesterol, portulaca pilosa extract, cetearyl alcohol, aryl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, sucrose coccoate, palmitoyl tripeptide-38. **may contain:** manganese violet, titanium dioxide, red 7 lake, iron oxides, yellow 5 lake, red 27 lake, talc, red 6 lake, red 21 lake, c9-15 fluoroalcohol phosphate.

**Liquid Lipliner**

**INGREDIENTS:** ISODODECANE, DIMETHICONE, TRIMETHYLSILOXYSILICATE, CYCLOPENTASILOXANE, DISTEARDIMONIUM HECTORITE, PROPYLENE CARBONATE, OCTYLDODECANOL, PHENOXYETHANOL, FRAGRANCE, MICROCRYSTALLINE WAX, METHYLPARABEN, PETROLATUM, PHOSPHOLIPIDS, CHOLESTEROL, BUTYLPARABEN, ETHYLPARABEN, EUPHORBIA CERIFERA (CANDELILLA) WAX, BEESWAX, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, COPERNICIA CERIFERA (CARNAUBA) WAX, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, ISOBUTYLPARABEN, PROPYLPARABEN, GLYCOSPHINGOLIPIDS. **MAY CONTAIN:** IRON OXIDES, RED 7 LAKE, RED 30 LAKE, MANGANESE VIOLET, TITANIUM DIOXIDE, RED 40 LAKE, RED 27 LAKE, RED 6 LAKE, YELLOW 5 LAKE, C9-15 FLUOROALCOHOL PHOSPHATE.

PERFECT  
MATCH  
Lipstick SPF 20+  
Liquid Lipliner  
Lipstick:  
2.2g e  
(.077 oz.)  
Liquid Lipliner:  
3 ml e  
(.101 fl.oz.)

ESIKA

CORAI SEDUCTION

**Drug Facts**

**Active Ingredients**


Ocinoxate 7.0 %,  
Oxybenzone 2.5%.....Sunscreen

**Purpose**

**Uses** ■ Helps prevent sunburn. ▶

**Drug Facts (continued)**

**Warnings** ■ Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damage or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.



PUERTO RICO:  
Distributed by Ventura  
Corporation, Ltd., San  
Juan, Puerto Rico 00926.



**PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - CHERRY CLASS**

**ērika**

**CHERRY CLASS**

**PERFECT**

**MATCH**

**Lipstick SPF 20 +**

**Liquid Lipliner**

**Lipstick:**

**2,2 g e**

**(.077 oz.)**

**Liquid Lipliner:**

**3 ml e**

**(.010 fl.oz.)**

**Drug Facts**

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating.

**Other information:** Step 1: Use the liquid lipliner to line your lips: for thin lips line the inner border of lips and for thicker lips line the outer border of lips. Step 2: wait 1 minute until ▶

**Drug Facts**

the liner is dry. Step 3: after, apply the lipstick until you achieve the desired finish. ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** ricinus communis (castor) seed oil, caprylic/capric triglyceride, polyethylene, beeswax, euphorbia cerifera (candelilla) wax, hydrogenated vegetable oil, butyrospermum parkii (shea) butter, cetearyl ethylhexanoate, silica dimethyl silylate, glycerin, ▼

**Drug Facts (continued)**

octyldodecanol, glyceryl isostearate, isostearyl alcohol, fragrance, propylparaben, sodium saccharin, microcrystalline wax, beta-sitosterol, bht, sorbitan isostearate, petrolatum, phospholipids, cholesterol, portulaca pilosa extract, cetearyl alcohol, aryl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, sucrose cococate, palmitoyl tripeptide-38, **may contain:** manganese violet, titanium dioxide, red 7 lake, iron oxides, yellow 5 lake, red 27 lake, talc, red 6 lake, red 21 lake, c9-15 fluoroalcohol phosphate.

**Liquid Lipliner**

**INGREDIENTS:** ISODODECANE, DIMETHICONE, TRIMETHYLSILOXYSILICATE, CYCLOPENTASILOXANE, DISTEARDIMONIUM HECTORITE, PROPYLENE CARBONATE, OCTYLDODECANOL, PHENOXYETHANOL, FRAGRANCE, MICROCRYSTALLINE WAX, METHYLPARABEN, PETROLATUM, PHOSPHOLIPIDS, CHOLESTEROL, BUTYLPARABEN, ETHYLPARABEN, EUPHORBIA CERIFERA (CANDELLILLA) WAX, BEESWAX, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, COPERNICIA CERIFERA (CARNAUBA) WAX, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, ISOBUTYLPARABEN, PROPYLPARABEN, GLYCOSPHINGOLIPIDS. **MAY CONTAIN:** IRON OXIDES, RED 7 LAKE, RED 30 LAKE, MANGANESE VIOLET, TITANIUM DIOXIDE, RED 40 LAKE, RED 27 LAKE, RED 6 LAKE, YELLOW 5 LAKE, C9-15 FLUOROALCOHOL PHOSPHATE.

PERFECT  
MATCH  
Lipstick SPF 20 +  
Liquid Lipliner  
Lipstick:  
2.2 g e  
(.077 oz.)  
Liquid Lipliner:  
3 ml e  
(.101 fl.oz.)

ESIKA

CHERRY CLASS

**Drug Facts**

**Active Ingredients**


Octinoxate 7.0 %  
Oxybenzone 2.5%.....Sunscreen


**Purpose**

**Uses** ■ Helps prevent sunburn. ▶

**Drug Facts (continued)**

**Warnings** ■ Skin Cancer / Skin Aging Alert; Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damage or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.





**PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - RED SUPREME**

**ēsika**

**RED SUPREME**

**PERFECT**

**MATCH**

**Lipstick SPF 20 +**

**Liquid Lipliner**

**Lipstick:**

**2,2 g e**

**(.077 oz.)**

**Liquid Lipliner:**

**3 ml e**

**(.010 fl.oz.)**



**Drug Facts**

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating.

**Other information:** Step 1: Use the liquid lipliner to line your lips; for thin lips line the inner border of lips and for thicker lips line the outer border of lips. Step 2: wait 1 minute until ▶

**Drug Facts**

the liner is dry. Step 3: after, apply the lipstick until you achieve the desired finish. ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** ricinus communis (castor) seed oil, caprylic/capric triglyceride, polyethylene, beeswax, euphorbia cerifera (candelilla) wax, hydrogenated vegetable oil, butyrospermum parkii (shea) butter, cetearyl ethylhexanoate, silica dimethyl silylate, glycerin, ▼

**Drug Facts (continued)**

octyldodecanol, glyceryl isostearate, isostearyl alcohol, fragrance, propylparaben, sodium saccharin, microcrystalline wax, beta-sitosterol, bht, sorbitan isostearate, petrolatum, phospholipids, cholesterol, portulaca pilosa extract, cetearyl alcohol, aryl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, sucrose cococate, palmitoyl tripeptide-38, **may contain:** manganese violet, titanium dioxide, red 7 lake, iron oxides, yellow 5 lake, red 27 lake, talc, red 6 lake, red 21 lake, c9-15 fluoroalcohol phosphate.

**Liquid Lipliner**

**INGREDIENTS:** ISODODECANE, DIMETHICONE, TRIMETHYLSILOXYSILICATE, CYCLOPENTASILOXANE, DISTEARDIMONIUM HECTORITE, PROPYLENE CARBONATE, OCTYLDODECANOL, PHENOXYETHANOL, FRAGRANCE, MICROCRYSTALLINE WAX, METHYLPARABEN, PETROLATUM, PHOSPHOLIPIDS, CHOLESTEROL, BUTYLPARABEN, ETHYLPARABEN, EUPHORBIA CERIFERA (CANDELLILLA) WAX, BEESWAX, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, COPERNICIA CERIFERA (CARNAUBA) WAX, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, ISOBUTYLPARABEN, PROPYLPARABEN, GLYCOSPHINGOLIPIDS. **MAY CONTAIN:** IRON OXIDES, RED 7 LAKE, RED 30 LAKE, MANGANESE VIOLET, TITANIUM DIOXIDE, RED 40 LAKE, RED 27 LAKE, RED 6 LAKE, YELLOW 5 LAKE, C9-15 FLUOROALCOHOL PHOSPHATE.

PERFECT  
MATCH  
Lipstick SPF 20 +  
Liquid Lipliner  
Lipstick:  
2.2 g e  
(.077 oz.)  
Liquid Lipliner:  
3 ml e  
(.101 fl.oz.)

ESIKA

RFD SUPRFMF

**Drug Facts**

**Active Ingredients**

Octinoxate 7.0 %,  
Oxybenzone 2.5%.....Sunscreen


**Uses** ■ Helps prevent sunburn. ▶

**Purpose**

**Drug Facts (continued)**

**Warnings** ■ Skin Cancer / Skin Aging Alert; Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damage or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

PUERTO RICO:  
Distributed by Ventura  
Corporation, Ltd., San  
Juan, Puerto Rico 00926.



**PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - VINO MIDNIGHT**

**ēsika**

VINO MIDNIGHT

**PERFECT  
MATCH**

**Lipstick SPF 20 +  
Liquid Lipliner**

**Lipstick:**

**2,2 g e  
(.077 oz.)**

**Liquid Lipliner:**

**3 ml e  
(.010 fl.oz.)**



**Drug Facts**

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating.

**Other information:** Step 1: Use the liquid lipliner to line your lips; for thin lips line the inner border of lips and for thicker lips line the outer border of lips. Step 2: wait 1 minute until ▶

**Drug Facts**

the liner is dry. Step 3: after, apply the lipstick until you achieve the desired finish. ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** ricinus communis (castor) seed oil, caprylic/capric triglyceride, polyethylene, beeswax, euphorbia cerifera (candelilla) wax, hydrogenated vegetable oil, butyrospermum parkii (shea) butter, cetearyl ethylhexanoate, silica dimethyl silylate, glycerin, ▼

**Drug Facts (continued)**

octyldodecanol, glyceryl isostearate, isostearyl alcohol, fragrance, propylparaben, sodium saccharin, microcrystalline wax, beta-sitosterol, bht, sorbitan isostearate, petrolatum, phospholipids, cholesterol, portulaca pilosa extract, cetearyl alcohol, aryl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, sucrose cocoate, palmitoyl tripeptide-38. **may contain:** manganese violet, titanium dioxide, red 7 lake, iron oxides, yellow 5 lake, red 27 lake, talc, red 6 lake, red 21 lake, c9-15 fluoroalcohol phosphate.

**Liquid Lipliner**

**INGREDIENTS:** ISODODECANE, DIMETHICONE, TRIMETHYLSILOXYSILICATE, CYCLOPENTASILOXANE, DISTEARDIMONIUM HECTORITE, PROPYLENE CARBONATE, OCTYLDODECANOL, PHENOXYETHANOL, FRAGRANCE, MICROCRYSTALLINE WAX, METHYLPARABEN, PETROLATUM, PHOSPHOLIPIDS, CHOLESTEROL, BUTYLPARABEN, ETHYLPARABEN, EUPHORBIA CERIFERA (CANDELLA) WAX, BEESWAX, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, COPERNICIA CERIFERA (CARNAUBA) WAX, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, ISOBUTYLPARABEN, PROPYLPARABEN, GLYCOSPHINGOLIPIDS. **MAY CONTAIN:** IRON OXIDES, RED 7 LAKE, RED 30 LAKE, MANGANESE VIOLET, TITANIUM DIOXIDE, RED 40 LAKE, RED 27 LAKE, RED 6 LAKE, YELLOW 5 LAKE, C9-15 FLUOROALCOHOL PHOSPHATE.

**PERFECT MATCH**  
Lipstick SPF 20 +  
Liquid Lipliner  
Lipstick: 2.2g e (0.077 oz.)  
Liquid Lipliner: 3 ml e (0.101 fl.oz.)

**ESIKA**

VINO MIDNIGHT

**Drug Facts**

**Active Ingredients**

Octinoxate 7.0 %  
Oxybenzone 2.5%.....Sunscreen


**Purpose**

**Uses** ■ Helps prevent sunburn. ▶

**Drug Facts (continued)**

**Warnings** ■ Skin Cancer / Skin Aging Alert; Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damage or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**PUERTO RICO:**  
Distributed by Ventura  
Corporation, Ltd., San  
Juan, Puerto Rico 00926.



**PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - FUCSIA FEMME**

**ērika**

**FUCSIA FEMME**

**PERFECT**

**MATCH**

**Lipstick SPF 20 +**

**Liquid Lipliner**

**Lipstick:**

**2,2 g e**

**(.077 oz.)**

**Liquid Lipliner:**

**3 ml e**

**(.010 fl.oz.)**

**Drug Facts**

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating.

**Other information:** Step 1: Use the liquid lipliner to line your lips: for thin lips line the inner border of lips and for thicker lips line the outer border of lips. Step 2: wait 1 minute until ▶

**Drug Facts**

the liner is dry. Step 3: after, apply the lipstick until you achieve the desired finish. ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** ricinus communis (castor) seed oil, caprylic/capric triglyceride, polyethylene, beeswax, euphorbia cerifera (candelilla) wax, hydrogenated vegetable oil, butyrospermum parkii (shea) butter, cetearyl ethylhexanoate, silica dimethyl silylate, glycerin, ▼

**Drug Facts (continued)**

octyldodecanol, glyceryl isostearate, isostearyl alcohol, fragrance, propylparaben, sodium saccharin, microcrystalline wax, beta-sitosterol, bht, sorbitan isostearate, petrolatum, phospholipids, cholesterol, portulaca pilosa extract, cetearyl alcohol, aryl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, sucrose cocoate, palmitoyl tripeptide-38, **may contain:** manganese violet, titanium dioxide, red 7 lake, iron oxides, yellow 5 lake, red 27 lake, talc, red 6 lake, red 21 lake, c9-15 fluoroalcohol phosphate.

**Liquid Lipliner**

**INGREDIENTS:** ISODODECANE, DIMETHICONE, TRIMETHYLSILOXYSILICATE, CYCLOPENTASILOXANE, DISTEARDIMONIUM HECTORITE, PROPYLENE CARBONATE, OCTYLDODECANOL, PHENOXYETHANOL, FRAGRANCE, MICROCRYSTALLINE WAX, METHYLPARABEN, PETROLATUM, PHOSPHOLIPIDS, CHOLESTEROL, BUTYLPARABEN, ETHYLPARABEN, EUPHORBIA CERIFERA (CANDELLA) WAX, BEESWAX, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, COPERNICIA CERIFERA (CARNAUBA) WAX, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, ISOBUTYLPARABEN, PROPYLPARABEN, GLYCOSPHINGOLIPIDS. **MAY CONTAIN:** IRON OXIDES, RED 7 LAKE, RED 30 LAKE, MANGANESE VIOLET, TITANIUM DIOXIDE, RED 40 LAKE, RED 27 LAKE, RED 6 LAKE, YELLOW 5 LAKE, C9-15 FLUOROALCOHOL PHOSPHATE.

PERFECT  
MATCH  
Lipstick SPF 20 +  
Liquid Lipliner  
Lipstick:  
2.2 g e  
(.077 oz.)  
Liquid Lipliner:  
3 ml e  
(.101 fl.oz.)

ESIKA

FUCSIA FFMF

**Drug Facts**

**Active Ingredients**


Octinoxate 7.0 %, Oxybenzone 2.5%.....Sunscreen

**Purpose**


**Uses** ■ Helps prevent sunburn. ▶

**Drug Facts (continued)**

**Warnings** ■ Skin Cancer / Skin Aging Alert; Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damage or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.



PUERTO RICO:  
Distributed by Ventura  
Corporation, Ltd., San  
Juan, Puerto Rico, 00926.



**PRINCIPAL DISPLAY PANEL - 50 g Tube Carton - CEREZA DEEP**

**ēsika**

**CEREZA DEEP**

**PERFECT  
MATCH**

**Lipstick SPF 20 +  
Liquid Lipliner**

**Lipstick:**

**2,2 g e  
(.077 oz.)**

**Liquid Lipliner:**

**3 ml e  
(.010 fl.oz.)**

**Drug Facts**

**Directions** ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours. • Use a water resistant sunscreen if swimming or sweating.

**Other information:** Step 1: Use the liquid lipliner to line your lips; for thin lips line the inner border of lips and for thicker lips line the outer border of lips. Step 2: wait 1 minute until ▶

**Drug Facts**

the liner is dry. Step 3: after, apply the lipstick until you achieve the desired finish. ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** ricinus communis (castor) seed oil, caprylic/capric triglyceride, polyethylene, beeswax, euphorbia cerifera (candelilla) wax, hydrogenated vegetable oil, butyrospermum parkii (shea) butter, cetearyl ethylhexanoate, silica dimethyl silylate, glycerin, ▼

**Drug Facts (continued)**

octyldodecanol, glyceryl isostearate, isostearyl alcohol, fragrance, propylparaben, sodium saccharin, microcrystalline wax, beta-sitosterol, bht, sorbitan isostearate, petrolatum, phospholipids, cholesterol, portulaca pilosa extract, cetearyl alcohol, aryl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, sucrose cocoate, palmitoyl tripeptide-38. **may contain:** manganese violet, titanium dioxide, red 7 lake, iron oxides, yellow 5 lake, red 27 lake, talc, red 6 lake, red 21 lake, c9-15 fluoroalcohol phosphate.

**Liquid Lipliner**

**INGREDIENTS:** ISODODECANE, DIMETHICONE, TRIMETHYLSILOXYLICATE, CYCLOPENTASILOXANE, DISTEARDIMONIUM HECTORITE, PROPYLENE CARBONATE, OCTYLDODECANOL, PHENOXYETHANOL, FRAGRANCE, MICROCRYSTALLINE WAX, METHYLPARABEN, PETROLATUM, PHOSPHOLIPIDS, CHOLESTEROL, BUTYLPARABEN, ETHYLPARABEN, EUPHORBIA CERIFERA (CANDELLILLA) WAX, BEESWAX, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, COPERNICIA CERIFERA (CARNAUBA) WAX, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, ISOBUTYLPARABEN, PROPYLPARABEN, GLYCOSPHINGOLIPIDS. **MAY CONTAIN:** IRON OXIDES, RED 7 LAKE, RED 30 LAKE, MANGANESE VIOLET, TITANIUM DIOXIDE, RED 40 LAKE, RED 27 LAKE, RED 6 LAKE, YELLOW 5 LAKE, C9-15 FLUOROALCOHOL PHOSPHATE.

PERFECT  
MATCH  
Lipstick SPF 20 +  
Liquid Lipliner  
Lipstick:  
2.2g e  
(.077 oz.)  
Liquid Lipliner:  
3 ml e  
(.101 fl.oz.)

ESIKA

CFRF7A DFFP

**Drug Facts**

**Active Ingredients**


Ocinoxate 7.0 %  
Oxybenzone 2.5%.....Sunscreen

**Purpose**


**Uses** ■ Helps prevent sunburn. ▶

**Drug Facts (continued)**

**Warnings** ■ Skin Cancer / Skin Aging Alert; Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damage or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.



PUERTO RICO:  
Distributed by Ventura  
Corporation, Ltd., San  
Juan, Puerto Rico 00926.



## ESIKA PERFECT MATCH SPF 20 COFFEE SWEET

octinoxate and oxybenzone lipstick

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-450
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.025 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>castor oil</b> (UNII: D5340Y2I9G)	
<b>medium-chain triglycerides</b> (UNII: C9H2L21V7U)	
<b>high density polyethylene</b> (UNII: UG00KM4WR7)	
<b>yellow wax</b> (UNII: 2ZA36H0S2V)	
<b>candelilla wax</b> (UNII: WL0328HX19)	
<b>shea butter</b> (UNII: K49155WL9Y)	
<b>cetearyl ethylhexanoate</b> (UNII: 9M64UO4C25)	
<b>silica dimethyl silylate</b> (UNII: EU2PSP0G0W)	
<b>glycerin</b> (UNII: PDC6A3C0OX)	
<b>octyldodecanol</b> (UNII: 461N1O614Y)	
<b>glyceryl isostearate</b> (UNII: HYE7O27HAO)	
<b>isostearyl alcohol</b> (UNII: Q613OCQ44Y)	
<b>propylparaben</b> (UNII: Z8IX2SC1OH)	
<b>saccharin sodium</b> (UNII: SB8ZUX40TY)	
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)	
<b>.beta.-sitosterol</b> (UNII: S347WMO6M4)	
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)	
<b>sorbitan isostearate</b> (UNII: 01S2G2C1E4)	
<b>petrolatum</b> (UNII: 4T6H12BN9U)	
<b>cholesterol</b> (UNII: 97C5T2UQ7J)	
<b>cetostearyl alcohol</b> (UNII: 2DMT128M1S)	
<b>carnauba wax</b> (UNII: R12CBM0EIZ)	
<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229XJ4V12)	
<b>sucrose cocoate</b> (UNII: 3H18P0UK73)	
<b>manganese violet</b> (UNII: 72M48QV8Q)	

titanium dioxide (UNII: 15FIX9V2JP)	
aluminum oxide (UNII: LMI26O6933)	
d&c red no. 7 (UNII: ECW0LZ41X8)	
fd&c yellow no. 5 (UNII: I753WB2F1M)	
d&c red no. 27 (UNII: 2LRS185U6K)	
talc (UNII: 7SEV7J4RIU)	
d&c red no. 6 (UNII: 481744AI4O)	
d&c red no. 21 (UNII: 08744Z6JNY)	

Product Characteristics			
Color	BROWN	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-450-02	1 in 1 CARTON		
1	NDC:13537-450-01	50 g in 1 TUBE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	02/01/2013	

**ESIKA PERFECT MATCH SPF 20 ROSA BELLE**  
 octinoxate and oxybenzone lipstick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-451
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.025 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
castor oil (UNII: D5340Y2I9G)	
medium-chain triglycerides (UNII: C9H2L21V7U)	

high density polyethylene (UNII: UG00KM4WR7)	
yellow wax (UNII: 2ZA36H0S2V)	
candelilla wax (UNII: WL0328HX19)	
shea butter (UNII: K49155WL9Y)	
cetearyl ethylhexanoate (UNII: 9M64UO4C25)	
silica dimethyl silylate (UNII: EU2PSP0G0W)	
glycerin (UNII: PDC6A3C0OX)	
octyldodecanol (UNII: 461N1O614Y)	
glyceryl isostearate (UNII: HYE7O27HAO)	
isostearyl alcohol (UNII: Q613OCQ44Y)	
propylparaben (UNII: Z8IX2SC1OH)	
saccharin sodium (UNII: SB8ZUX40TY)	
microcrystalline wax (UNII: XOF597Q3KY)	
.beta.-sitosterol (UNII: S347WMO6M4)	
butylated hydroxytoluene (UNII: 1P9D0Z171K)	
sorbitan isostearate (UNII: 01S2G2C1E4)	
petrolatum (UNII: 4T6H12BN9U)	
cholesterol (UNII: 97C5T2UQ7J)	
cetostearyl alcohol (UNII: 2DMT128M1S)	
carnauba wax (UNII: R12CBM0EIZ)	
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)	
sucrose cocoate (UNII: 3H18P0UK73)	
manganese violet (UNII: 72M48QQV8Q)	
titanium dioxide (UNII: 15FIX9V2JP)	
aluminum oxide (UNII: LM26O6933)	
d&c red no. 7 (UNII: ECW0LZ41X8)	
fd&c yellow no. 5 (UNII: I753WB2F1M)	
d&c red no. 27 (UNII: 2LRS185U6K)	
talc (UNII: 7SEV7J4RIU)	
d&c red no. 6 (UNII: 481744AI4O)	
d&c red no. 21 (UNII: 08744Z6JNY)	

### Product Characteristics

Color	PINK	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-451-02	1 in 1 CARTON		
1	NDC:13537-451-01	50 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	02/01/2013	



# ESIKA PERFECT MATCH SPF 20 DURAZNO GLAM

octinoxate and oxybenzone lipstick

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-452
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.025 g in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
castor oil (UNII: D5340Y2I9G)	
medium-chain triglycerides (UNII: C9H2L21V7U)	
high density polyethylene (UNII: UG00KM4WR7)	
yellow wax (UNII: 2ZA36H0S2V)	
candelilla wax (UNII: WL0328HX19)	
shea butter (UNII: K49155WL9Y)	
cetearyl ethylhexanoate (UNII: 9M64UO4C25)	
silica dimethyl silylate (UNII: EU2PSP0G0W)	
glycerin (UNII: PDC6A3C0OX)	
octyldodecanol (UNII: 461N1O614Y)	
glyceryl isostearate (UNII: HYE7O27HAO)	
isostearyl alcohol (UNII: Q613OCQ44Y)	
propylparaben (UNII: Z8IX2SC1OH)	
saccharin sodium (UNII: SB8ZUX40TY)	
microcrystalline wax (UNII: XOF597Q3KY)	
.beta.-sitosterol (UNII: S347WMO6M4)	
butylated hydroxytoluene (UNII: 1P9D0Z171K)	
sorbitan isostearate (UNII: 01S2G2C1E4)	
petrolatum (UNII: 4T6H12BN9U)	
cholesterol (UNII: 97C5T2UQ7J)	
cetostearyl alcohol (UNII: 2DMT128M1S)	
carnauba wax (UNII: R12CBM0EIZ)	
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)	
sucrose cocoate (UNII: 3H18P0UK73)	
manganese violet (UNII: 72M48QQV8Q)	
titanium dioxide (UNII: 15FIX9V2JP)	
aluminum oxide (UNII: LM26O6933)	
d&c red no. 7 (UNII: ECW0LZ41X8)	
fd&c yellow no. 5 (UNII: I753WB2F1M)	
d&c red no. 27 (UNII: 2LRS185U6K)	

talc (UNII: 7SEV7J4RIU)	
d&c red no. 6 (UNII: 481744AI4O)	
d&c red no. 21 (UNII: 08744Z6JNY)	

### Product Characteristics

Color	WHITE (Beige)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-452-02	1 in 1 CARTON		
1	NDC:13537-452-01	50 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	02/01/2013	

## ESIKA PERFECT MATCH SPF 20 ROSA CANDY

octinoxate and oxybenzone lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-453
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.025 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
castor oil (UNII: D5340Y2I9G)	
medium-chain triglycerides (UNII: C9H2L21V7U)	
high density polyethylene (UNII: UG00KM4WR7)	
yellow wax (UNII: 2ZA36H0S2V)	
candelilla wax (UNII: WL0328HX19)	
shea butter (UNII: K49155WL9Y)	
cetearyl ethylhexanoate (UNII: 9M64UO4C25)	
silica dimethyl silylate (UNII: EU2PSP0G0W)	

glycerin (UNII: PDC6A3C0OX)
octyldodecanol (UNII: 461N1O614Y)
glyceryl isostearate (UNII: HYE7O27HAO)
isostearyl alcohol (UNII: Q613OCQ44Y)
propylparaben (UNII: Z8IX2SC1OH)
saccharin sodium (UNII: SB8ZUX40TY)
microcrystalline wax (UNII: XOF597Q3KY)
.beta.-sitosterol (UNII: S347WMO6M4)
butylated hydroxytoluene (UNII: 1P9D0Z171K)
sorbitan isostearate (UNII: 01S2G2C1E4)
petrolatum (UNII: 4T6H12BN9U)
cholesterol (UNII: 97C5T2UQ7J)
cetostearyl alcohol (UNII: 2DMT128M1S)
carnauba wax (UNII: R12CBM0EIZ)
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)
sucrose cocoate (UNII: 3H18P0UK73)
manganese violet (UNII: 72M48QQV8Q)
titanium dioxide (UNII: 15FIX9V2JP)
aluminum oxide (UNII: LM26O6933)
d&c red no. 7 (UNII: ECW0LZ41X8)
fd&c yellow no. 5 (UNII: I753WB2F1M)
d&c red no. 27 (UNII: 2LRS185U6K)
talc (UNII: 7SEV7J4RIU)
d&c red no. 6 (UNII: 481744AI4O)
d&c red no. 21 (UNII: 08744Z6JNY)

### Product Characteristics

Color	RED	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-453-02	1 in 1 CARTON		
1	NDC:13537-453-01	50 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	02/01/2013	

## ESIKA PERFECT MATCH SPF 20 CORAL SEDUCTION

octinoxate and oxybenzone lipstick

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-454
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.025 g in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>castor oil</b> (UNII: D5340Y2I9G)	
<b>medium-chain triglycerides</b> (UNII: C9H2L21V7U)	
<b>high density polyethylene</b> (UNII: UG00KM4WR7)	
<b>yellow wax</b> (UNII: 2ZA36H0S2V)	
<b>candelilla wax</b> (UNII: WL0328HX19)	
<b>shea butter</b> (UNII: K49155WL9Y)	
<b>cetearyl ethylhexanoate</b> (UNII: 9M64UO4C25)	
<b>silica dimethyl silylate</b> (UNII: EU2PSP0G0W)	
<b>glycerin</b> (UNII: PDC6A3C0OX)	
<b>octyldodecanol</b> (UNII: 461N1O614Y)	
<b>glyceryl isostearate</b> (UNII: HYE7O27HAO)	
<b>isostearyl alcohol</b> (UNII: Q613OCQ44Y)	
<b>propylparaben</b> (UNII: Z8IX2SC1OH)	
<b>saccharin sodium</b> (UNII: SB8ZUX40TY)	
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)	
<b>.beta.-sitosterol</b> (UNII: S347WMO6M4)	
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)	
<b>sorbitan isostearate</b> (UNII: 01S2G2C1E4)	
<b>petrolatum</b> (UNII: 4T6H12BN9U)	
<b>cholesterol</b> (UNII: 97C5T2UQ7J)	
<b>cetostearyl alcohol</b> (UNII: 2DMT128M1S)	
<b>carnauba wax</b> (UNII: R12CBM0EIZ)	
<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229XJ4V12)	
<b>sucrose cocoate</b> (UNII: 3H18P0UK73)	
<b>manganese violet</b> (UNII: 72M48QQV8Q)	
<b>titanium dioxide</b> (UNII: 15FIX9V2JP)	
<b>aluminum oxide</b> (UNII: LM26O6933)	
<b>d&amp;c red no. 7</b> (UNII: ECW0LZ41X8)	
<b>fd&amp;c yellow no. 5</b> (UNII: I753WB2F1M)	
<b>d&amp;c red no. 27</b> (UNII: 2LRS185U6K)	
<b>talc</b> (UNII: 7SEV7J4RIU)	
<b>d&amp;c red no. 6</b> (UNII: 481744AI4O)	
<b>d&amp;c red no. 21</b> (UNII: 08744Z6JNY)	

## Product Characteristics

<b>Color</b>	ORANGE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-454-02	1 in 1 CARTON		
1	NDC:13537-454-01	50 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	02/01/2013	

## ESIKA PERFECT MATCH SPF 20 CHERRY CLASS

octinoxate and oxybenzone lipstick

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-455
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.025 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
castor oil (UNII: D5340Y2I9G)	
medium-chain triglycerides (UNII: C9H2L21V7U)	
high density polyethylene (UNII: UG00KM4WR7)	
yellow wax (UNII: 2ZA36H0S2V)	
candelilla wax (UNII: WL0328HX19)	
shea butter (UNII: K49155WL9Y)	
cetearyl ethylhexanoate (UNII: 9M64UO4C25)	
silica dimethyl silylate (UNII: EU2PSP0G0W)	
glycerin (UNII: PDC6A3C00X)	
octyldodecanol (UNII: 461N1O614Y)	
glyceryl isostearate (UNII: HYE7O27HAO)	
isostearyl alcohol (UNII: Q613OCQ44Y)	
propylparaben (UNII: Z8IX2SC1OH)	
saccharin sodium (UNII: SB8ZUX40TY)	

microcrystalline wax (UNII: XOF597Q3KY)
.beta.-sitosterol (UNII: S347WMO6M4)
butylated hydroxytoluene (UNII: 1P9D0Z171K)
sorbitan isostearate (UNII: 01S2G2C1E4)
petrolatum (UNII: 4T6H12BN9U)
cholesterol (UNII: 97C5T2UQ7J)
cetostearyl alcohol (UNII: 2DMT128M1S)
carnauba wax (UNII: R12CBM0EIZ)
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)
sucrose cocoate (UNII: 3H18P0UK73)
manganese violet (UNII: 72M48QQV8Q)
titanium dioxide (UNII: 15FIX9V2JP)
aluminum oxide (UNII: LM26O6933)
d&c red no. 7 (UNII: ECW0LZ41X8)
fd&c yellow no. 5 (UNII: I753WB2F1M)
d&c red no. 27 (UNII: 2LRS185U6K)
talc (UNII: 7SEV7J4RIU)
d&c red no. 6 (UNII: 481744AI4O)
d&c red no. 21 (UNII: 08744Z6JNY)

Product Characteristics			
Color	RED	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-455-02	1 in 1 CARTON		
1	NDC:13537-455-01	50 g in 1 TUBE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	02/01/2013	

**ESIKA PERFECT MATCH SPF 20 RED SUPREME**  
 octinoxate and oxybenzone lipstick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-456
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.025 g in 1g

**Inactive Ingredients**

Ingredient Name	Strength
<b>castor oil</b> (UNII: D5340Y2I9G)	
<b>medium-chain triglycerides</b> (UNII: C9H2L21V7U)	
<b>high density polyethylene</b> (UNII: UG00KM4WR7)	
<b>yellow wax</b> (UNII: 2ZA36H0S2V)	
<b>candelilla wax</b> (UNII: WL0328HX19)	
<b>shea butter</b> (UNII: K49155WL9Y)	
<b>cetearyl ethylhexanoate</b> (UNII: 9M64UO4C25)	
<b>silica dimethyl silylate</b> (UNII: EU2PSP0G0W)	
<b>glycerin</b> (UNII: PDC6A3C0OX)	
<b>octyldodecanol</b> (UNII: 461N1O614Y)	
<b>glyceryl isostearate</b> (UNII: HYE7O27HAO)	
<b>isostearyl alcohol</b> (UNII: Q613OCQ44Y)	
<b>propylparaben</b> (UNII: Z8IX2SC1OH)	
<b>saccharin sodium</b> (UNII: SB8ZUX40TY)	
<b>microcrystalline wax</b> (UNII: XOF597Q3KY)	
<b>.beta.-sitosterol</b> (UNII: S347WMO6M4)	
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)	
<b>sorbitan isostearate</b> (UNII: 01S2G2C1E4)	
<b>petrolatum</b> (UNII: 4T6H12BN9U)	
<b>cholesterol</b> (UNII: 97C5T2UQ7J)	
<b>cetostearyl alcohol</b> (UNII: 2DMT128M1S)	
<b>carnauba wax</b> (UNII: R12CBM0EIZ)	
<b>polyglyceryl-2 dipolyhydroxystearate</b> (UNII: 9229XJ4V12)	
<b>sucrose cocoate</b> (UNII: 3H18P0UK73)	
<b>manganese violet</b> (UNII: 72M48QQV8Q)	
<b>titanium dioxide</b> (UNII: 15FIX9V2JP)	
<b>aluminum oxide</b> (UNII: LMI26O6933)	
<b>d&amp;c red no. 7</b> (UNII: ECW0LZ41X8)	
<b>fd&amp;c yellow no. 5</b> (UNII: I753WB2F1M)	
<b>d&amp;c red no. 27</b> (UNII: 2LRS185U6K)	
<b>talc</b> (UNII: 7SEV7J4RIU)	
<b>d&amp;c red no. 6</b> (UNII: 481744AI4O)	
<b>d&amp;c red no. 21</b> (UNII: 08744Z6JNY)	

**Product Characteristics**

<b>Color</b>	RED	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-456-02	1 in 1 CARTON		
1	NDC:13537-456-01	50 g in 1 TUBE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	02/01/2013	

## ESIKA PERFECT MATCH SPF 20 VINO MIDNIGHT

octinoxate and oxybenzone lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-457
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.025 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
castor oil (UNII: D5340Y2I9G)	
medium-chain triglycerides (UNII: C9H2L21V7U)	
high density polyethylene (UNII: UG00KM4WR7)	
yellow wax (UNII: 2ZA36H0S2V)	
candelilla wax (UNII: WL0328HX19)	
shea butter (UNII: K49155WL9Y)	
cetearyl ethylhexanoate (UNII: 9M64UO4C25)	
silica dimethyl silylate (UNII: EU2PS0G0W)	
glycerin (UNII: PDC6A3C0OX)	
octyldodecanol (UNII: 461N1O614Y)	
glyceryl isostearate (UNII: HYE7O27HAO)	
isostearyl alcohol (UNII: Q613OCQ44Y)	
propylparaben (UNII: Z8IX2SC1OH)	
saccharin sodium (UNII: SB8ZUX40TY)	
microcrystalline wax (UNII: XOF597Q3KY)	
.beta.-sitosterol (UNII: S347WMO6M4)	
butylated hydroxytoluene (UNII: 1P9D0Z171K)	
sorbitan isostearate (UNII: 01S2G2C1E4)	
petrolatum (UNII: 4T6H12BN9U)	



cholesterol (UNII: 97C5T2UQ7J)
cetostearyl alcohol (UNII: 2DMT128M1S)
carnauba wax (UNII: R12CBM0EIZ)
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)
sucrose cocoate (UNII: 3H18P0UK73)
manganese violet (UNII: 72M48QQV8Q)
titanium dioxide (UNII: 15FIX9V2JP)
aluminum oxide (UNII: LM26O6933)
d&c red no. 7 (UNII: ECW0LZ41X8)
fd&c yellow no. 5 (UNII: I753WB2F1M)
d&c red no. 27 (UNII: 2LRS185U6K)
talc (UNII: 7SEV7J4RIU)
d&c red no. 6 (UNII: 481744AI4O)
d&c red no. 21 (UNII: 08744Z6JNY)

### Product Characteristics

Color	RED	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-457-02	1 in 1 CARTON		
1	NDC:13537-457-01	50 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	02/01/2013	

## ESIKA PERFECT MATCH SPF 20 FUCSIA FEMME

octinoxate and oxybenzone lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-458
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.025 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
castor oil (UNII: D5340Y2I9G)	
medium-chain triglycerides (UNII: C9H2L21V7U)	
high density polyethylene (UNII: UG00KM4WR7)	
yellow wax (UNII: 2ZA36H0S2V)	
candelilla wax (UNII: WL0328HX19)	
shea butter (UNII: K49155WL9Y)	
cetearyl ethylhexanoate (UNII: 9M64UO4C25)	
silica dimethyl silylate (UNII: EU2PSP0G0W)	
glycerin (UNII: PDC6A3C0OX)	
octyldodecanol (UNII: 461N1O614Y)	
glyceryl isostearate (UNII: HYE7O27HAO)	
isostearyl alcohol (UNII: Q613OCQ44Y)	
propylparaben (UNII: Z8IX2SC1OH)	
saccharin sodium (UNII: SB8ZUX40TY)	
microcrystalline wax (UNII: XOF597Q3KY)	
.beta.-sitosterol (UNII: S347WMO6M4)	
butylated hydroxytoluene (UNII: 1P9D0Z171K)	
sorbitan isostearate (UNII: 01S2G2C1E4)	
petrolatum (UNII: 4T6HI2BN9U)	
cholesterol (UNII: 97C5T2UQ7J)	
cetostearyl alcohol (UNII: 2DMT128M1S)	
carnauba wax (UNII: R12CBM0EIZ)	
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)	
sucrose cocoate (UNII: 3H18P0UK73)	
manganese violet (UNII: 72M48QQV8Q)	
titanium dioxide (UNII: 15FIX9V2JP)	
aluminum oxide (UNII: LMI26O6933)	
d&c red no. 7 (UNII: ECW0LZ41X8)	
fd&c yellow no. 5 (UNII: I753WB2F1M)	
d&c red no. 27 (UNII: 2LRS185U6K)	
talc (UNII: 7SEV7J4R1U)	
d&c red no. 6 (UNII: 481744AI4O)	
d&c red no. 21 (UNII: 08744Z6JNY)	

## Product Characteristics

Color	PINK	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-458-02	1 in 1 CARTON		
1	NDC:13537-458-01	50 g in 1 TUBE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	02/01/2013	

## ESIKA PERFECT MATCH SPF 20 CEREZA DEEP

octinoxate and oxybenzone lipstick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-459
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.025 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
castor oil (UNII: D5340Y2I9G)	
medium-chain triglycerides (UNII: C9H2L21V7U)	
high density polyethylene (UNII: UG00KM4WR7)	
yellow wax (UNII: 2ZA36H0S2V)	
candelilla wax (UNII: WL0328HX19)	
shea butter (UNII: K49155WL9Y)	
cetearyl ethylhexanoate (UNII: 9M64UO4C25)	
silica dimethyl silylate (UNII: EU2PSP0G0W)	
glycerin (UNII: PDC6A3C0OX)	
octyldodecanol (UNII: 461N1O614Y)	
glyceryl isostearate (UNII: HYE7O27HAO)	
isostearyl alcohol (UNII: Q613OCQ44Y)	
propylparaben (UNII: Z8IX2SC1OH)	
saccharin sodium (UNII: SB8ZUX40TY)	
microcrystalline wax (UNII: XOF597Q3KY)	
.beta.-sitosterol (UNII: S347WMO6M4)	
butylated hydroxytoluene (UNII: 1P9D0Z171K)	
sorbitan isostearate (UNII: 01S2G2C1E4)	
petrolatum (UNII: 4T6H12BN9U)	
cholesterol (UNII: 97C5T2UQ7J)	
cetostearyl alcohol (UNII: 2DMT128M1S)	
carnauba wax (UNII: R12CBM0EIZ)	
polyglyceryl-2 dipolyhydroxystearate (UNII: 9229XJ4V12)	
sucrose cocoate (UNII: 3H18P0UK73)	
manganese violet (UNII: 72M48QQV8Q)	

titanium dioxide (UNII: 15FIX9V2JP)	
aluminum oxide (UNII: LM26O6933)	
d&c red no. 7 (UNII: ECW0LZ41X8)	
fd&c yellow no. 5 (UNII: I753WB2F1M)	
d&c red no. 27 (UNII: 2LRS185U6K)	
talc (UNII: 7SEV7J4RIU)	
d&c red no. 6 (UNII: 481744AI4O)	
d&c red no. 21 (UNII: 08744Z6JNY)	

**Product Characteristics**

<b>Color</b>	RED	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-459-02	1 in 1 CARTON		
1	NDC:13537-459-01	50 g in 1 TUBE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	02/01/2013	

**Labeler** - Ventura Corporation LTD. (602751344)

**Establishment**

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(13537-450, 13537-451, 13537-452, 13537-453, 13537-454, 13537-455, 13537-456, 13537-457, 13537-458, 13537-459)

**Establishment**

Name	Address	ID/FEI	Business Operations
Yobel Supply Chain Management S.A. (Peru)		934116930	MANUFACTURE(13537-450, 13537-451, 13537-452, 13537-453, 13537-454, 13537-455, 13537-456, 13537-457, 13537-458, 13537-459)