# **BENZOYL PEROXIDE** - benzoyl peroxide gel MD Formulation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Benzoyl Peroxide 10&%

Benzoyl Peroxide 10%

Acne Treatment

Treats and helps prevent acne pimples.

Foe external use only

If swallowed, get medical help or contact a Poison Control Center right away.

Directions Cleanse skin thoroughly before applying medication. Cover the entire affected area with a thin layer 1 to 3 times dally. Because excessive drying of the skin may accur, start with 1 application daily, then gradually increase to 2 to 3 times daily If needed or as directed by a physician. If bothersome dryness or peeling occurs, reduce application to once a day or every other other day.

Inactive Ingredients:

Water, glycerin, propylene glycol, carbomer, diazolidinyl urea, methylparaben, propylparaben, aminomethyl propanol.

Drug Facts	md formulations		
Active Ingredient Purpose Acne Treatment	ma formulations		
Uses Treats and helps prevent acne pimples.	NDC 66078-033-02		
Warnings For external use only.			
When using this product Avoid innecessary sun exposure and use sunscreen. Keep away from eyes, lips and mouth. This product may cause irritation, characterized by redness, burning, itching, peeling or possible swelling. More frequent use or higher concentrations may aggravate such irritation. Stop use and ask a doctor if Condition worsens or does not improve after regular use.	benzoyl peroxide 10 acne medication		
	benzoyle peroxyde 10 traitment anti-acnéique		
Keep out of reach of children If swallowed, get medical help or contact a Polson Control Center right away.			
See Carton for complete information			
Dist. by <b>md</b> formulations <sup>®</sup> Em San Francisco, CA 94105 USA Bare Escentrusts UK LtdSS13 IND. UK www.mdformulations.com	60 ml (2 fl. oz.)		

#### US PROFESSIONAL TREAT-

#### **Drug Facts**

Active Ingredient zoyl Pero de 109

Purpose Acne Treatment Uses Treats and helps prevent acre pimples.

11

Warnings For external use only When using this product Avold unnecessary sun exposure and use sunscreen. Keep away from eves, lips and mouth. This product

may cause Irritation, characterized by redness, burning, itching, peeling or possible swelling. More frequent use or higher concentrations may aggravate such irritation.

Stop use and ask a doctor if Condition worsens or does not improve after regular use. Keep out of reach of children. It swallowed, get medical help or contact a Poison Control Center right away.

Directions Cleanse skin thoroughly before applying medication. Cover the entire affected area with a thin layer 1 to 3 times daily. Because excessive drving of the skin may occur, start with 1 application daily, then gradually increase to 2 to 3 times daily if needed or as directed by a physician. If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Other information This product may bleach hair or dyed fabrics. Store at 20-25°C (68-77°F) Inactive ingredients Water (aqua), glycerin, propylene glycol, carbomer, dlazolidinyl urea, methyl

paraben, propylparaben, aminomethyl propanol.

Dist. by md formulations® San Francisco, CA 94105 USA Bare Escentuals UK Ltd., SS13 1ND, UK www.mdformulations.com Made in USA + 30838



F PRODUIT DE SOIN PROFESSIONNEL

Formule hydratante non grasse à absorption rapide pour le frathement des peaux à problème (lendance achéique). Atténue l'effet desséchant les irritations et régularise les excès de séourn

- testé sous contrôle dermatologique
  non-comédogène
  hypoallergénique
  sans parlum

• soits purion Utilisation: Neltoyer la peau puis appliquer une faible quantité de get sur les zones con-pendes une à trois fois par jour. Bien se laver les mains après l'application. Un dessèchement excessit de la peau peut survenir. Dans ce cas, commencer par une seule application quatidienne. Puis, procéder petit à petit à deux excessivement sèche et commence à peler, réduire le nombre d'application que par jour.

réduire le nombre d'application à une par jour ou une tous les deux jours.

Précautions d'empioi: À usage externe uniquement. L'utilisation d'un autre traitement topique, en même temps ou juste après ce traitement, peut augmenter le dessèchement ou l'irritation de la peau. Dans ce cas, un seul traitement doit être suivi, sout avis contraire du médecin. Ne pas utiliser ce médicament si la peau est extrêmement medicament si la pedu est externement sensible ou en cas de sensibilité au peroxyde de benzoyle. Ce produit peut provoquer des inflations caractérisées par des rougeurs, une sensation de brûlure, des démangeaisons, une peau qui pèle ou de possibles gonfle-ments. Une utilisation fréquente ou des concentrations élevées de produit peuvent aggraver ces symptômes ou irriter la peau. Une légère irritation peut être réduite en Une légère irritotion peut être réduite en utilisant le produit moins souvent ou en concentrations moins grandes. Si les irrita-tions persistent, consulter un médecin. Éviter le contour de la bouche, des yeux et des lèvres. Ce produit peut décolorer les cheveux ou les vêtements.

### md formulations'

benzoyl peroxide 10 acne medication contains benzovl peroxide 10%

benzoyle peroxyde traitement anti-acnéique contient du benzovl peroxide à 10%

#### md formulations'

NDC 66078-033-02

1

## PRODUCTO PARA TRATAMIENTO PROFESIONAL

Trate las pieles propensas al aoné con esta fórmula humectante no grasa y de rápida absorción que minimiza la sequedad, imta-clón y erupciones cutáneos.

!

- dermatológicamente testeada
  no comedogénica
  hipoalergénica
  libre de fragancia

Modo de uso: Limple la plei. Cubra las zo-nas alectadas con una capa delgada de gel una a tres veces por día. Lávese bien las manos después de cada aplicación. (Como

la piel puede secarse excesivamente, es aconsejable comenzar con una aplicación diaria. Si es necesario, aumente gradualmente las aplicaciones a dos o tres veces por día. Si la piel se reseca o se despelleja excesivamente, reduzca las aplicaciones a una vez al día o cada dos días.)

Advertencia: Sólo para uso externo. El uso de otros medicamentos para tratamientos tópicos al mismo tiempo o inmediatamente después de este producto puede aumentar la seguedad o initación de la piel. En ese caso y salvo indicación médica en contrario, deberá usarse un solo medicamento. No use este medicamento si su piel es muy sensible o si es alérgico al peróxido de benzoilo. Este producto puede causar irritación, la cual puede caracterizarse por enrojecimiento, ardor, picazón, descamado o posible hinchazón. El uso más frecuente o una mayor concentra-ción puede agravar o irritar la piel. La irrita-ción leve puede disminuirse mediante el empleo menos frecuente del producto o de una concentración menor. Si la initación continúa, consulte a un mácico. Mantenga alejado de los ojos, los labios y la boca. Este producto puede desteñir el cabello o las telas teñidas.

#### 60 ml (2 fl. oz.)

U421320

Ш

Pro	duct Information	1							
Prod	luct T yp e	HUMAN OTC DRUG	Item C	ode (Source)		NDC:66078-033			
Rout	e of Administration	TOPICAL							
Acti	ve Ingredient/A	ctive Moietv							
1100	ve ingreatentin	Ingredient Name		Ba	sis of Sti	rength Strength			
BEN7	OVI. PEROXIDE (III	NII: W9 WZN9 A0 GM) (BENZO YL PEI	ROXIDE - UNII:W			ROXIDE 10 g in 100			
Inac		Strength							
WAT	<b>ER</b> (UNII: 059QF0KO	0 R)							
CARBOMER 934 (UNII: Z135WT9208)									
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)									
DIAZ	OLIDINYL UREA (U	NII: H5RIZ3MPW4)							
METI	HYLPARABEN (UNII:	A2I8C7HI9T)							
PROI	PYLPARABEN (UNII:	Z8IX2SC1OH)							
		<b>OL</b> (UNII: LU49E6626Q)							
GLY	C <b>ERIN</b> (UNII: PDC6A3	3C0OX)							
Pac	kaging								
#	Item Code	Package Description	Marketin	ng Start Date	Mar	keting End Date			
1 ND	C:66078-033-02	54 in 1 CASE							
1		1 in 1 CARTON							
1		61.68 g in 1 CYLINDER							
Ma	rketing Infor	mation							
	keting Category	Application Number or Monog	raph Citation	Marketing Start	Date N	Marketing End Date			
Mar	Ketting Category	ripplication number of monog							

## Labeler - MD Formulation (087008363)

Registrant - Harmony Labs, inc. (105803274)

Establishment							
Name	Address	ID/FEI	Business Operations				
Harmony Labs, inc.		105803274	manufacture, label, pack, relabel, repack				

Revised: 5/2011