

**AMERICAINE- benzocaine aerosol, spray**  
**Insight Pharmaceuticals LLC**

-----  
**Americaine Topical Spray**

**Americaine®**  
**Benzocaine**  
**Topical Anesthetic Spray**

***Drug Facts***

**Active ingredient**

Benzocaine 20%

**Purpose**

Topical Anesthetic

**Uses**

temporarily relieves pain and itching associated with:

- minor cuts
- scrapes
- minor burns
- insect bites

**Warnings**

**For external use only**

**Allergy Alert**

**do not use**

this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other “caine” anesthetics.

**Flammability Warning**

Contents under pressure. Do not puncture or incinerate. Flammable mixture; do not use near fire or flame, or expose to heat or temperatures above 49°C (120°F). Use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**When using this product**

avoid contact with the eyes

**Stop use and ask a doctor if**

- condition worsens, or symptoms persists for more than 7 days
- symptoms do not get better, or if redness, irritation, swelling, pain or other symptoms occur or increase

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- **shake can well**, hold 6" to 12" from affected area; spray liberally.
- **adults and children 2 years of age and older:** apply to affected area not more than 3 to 4 times daily
- **children under 2 years of age:** consult a physician

**Inactive ingredients**

Polyethylene glycol 300

**Propellant:** Isobutane, , propane

**Store at room temperature 15°- 25°C (59°- 77°F).**

**Questions?**

1-800-344-7239

**PRINCIPAL DISPLAY PANEL - 2 OZ Spray Label**

**Americaine®**

Benzocaine

Topical Anesthetic Spray

**NET WT. 2 OZ (57 G)**

HOSPITAL FORMULA

CLINICALLY PROVEN



**Americaine**<sup>®</sup>  
Benzocaine  
Topical Anesthetic Spray  
Shake Well Before Use

**Maximum Strength  
20% Benzocaine**

Stops the pain and itch fast.  
For minor cuts, scrapes,  
burns and sunburns.

**NET WT. 2 OZ (57 g)**

**Drug Facts**

|                          |                    |
|--------------------------|--------------------|
| <b>Active ingredient</b> | <b>Purpose</b>     |
| Benzocaine 20%           | Topical anesthetic |

**Uses** temporarily relieves pain and itching associated with:  
 ■ minor cuts ■ scrapes ■ minor burns ■ insect bites

**Warnings**  
**For external use only**

**Allergy Alert:** do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics. **Flammability Warning:** Contents under pressure. Do not puncture or incinerate. Flammable mixture; do not use near fire or flame, or expose to heat or temperatures above 49°C (120°F). Use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**When using this product** avoid contact with the eyes.

**Stop use and ask a doctor if**  
 ■ condition worsens, or symptoms persists for more than 7 days  
 ■ symptoms do not get better, or if redness, irritation, swelling, pain or other symptoms occur or increase

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions** ■ shake can well, hold 6" to 12" from affected area; spray liberally. ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily ■ children under 2 years of age: consult a physician

**Inactive ingredients**  
 Polyethylene glycol 300. Propellant: Isobutane, propane

Store at room temperature 15° - 25° C (59° - 77° F).  
 Questions? 1-800-344-7239  
 Dist. by Insight Pharmaceuticals Corp., Tarrytown NY 10591 USA, a Prestige Consumer Healthcare company. ©2022 Trade dress is owned by Insight Pharmaceuticals Corp. Made in China.  
 AMUS000503 DOT 2Q



|  |                |                           |                 |
|--|----------------|---------------------------|-----------------|
| <b>AMERICAINE</b>  |                |                           |                 |
| benzocaine aerosol, spray                                    |                |                           |                 |
| <b>Product Information</b>                                   |                |                           |                 |
| <b>Product Type</b>  | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:63736-378   |
| <b>Route of Administration</b>                               | TOPICAL        |                           |                 |
| <b>Active Ingredient/Active Moiety</b>                       |                |                           |                 |
| <b>Ingredient Name</b>                                       |                | <b>Basis of Strength</b>  | <b>Strength</b> |
| BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5) |                | BENZOCAINE                | 11.4 g in 57 g  |
| <b>Inactive Ingredients</b>                                  |                |                           |                 |
| <b>Ingredient Name</b>                                       |                |                           | <b>Strength</b> |
| ISOBUTANE (UNII: BXR49TP611)                                 |                |                           |                 |
| POLYETHYLENE GLYCOL 300 (UNII: 5655G9Y8AQ)                   |                |                           |                 |
| PROPANE (UNII: T75W9911L6)                                   |                |                           |                 |
| <b>Product Characteristics</b>                               |                |                           |                 |
| <b>Color</b>   | white (clear)  | <b>Score</b>              |                 |
| <b>Shape</b>   |                | <b>Size</b>               |                 |
| <b>Flavor</b>  |                | <b>Imprint Code</b>       |                 |
| <b>Contains</b>  |                |                           |                 |

**Packaging**

| # | Item Code        | Package Description                              | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:63736-378-02 | 57 g in 1 CAN; Type 0: Not a Combination Product | 07/14/2009           |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M017                                     | 07/14/2009           |                    |

**Labeler** - Insight Pharmaceuticals LLC (055665422)

Revised: 10/2025

Insight Pharmaceuticals LLC