

**LIDOCAINE KNEE PAIN RELIEF PATCH- lidocaine patch**  
**Guangzhou Sumi Technology Innovation Co., Ltd**

-----  
**Sumi-Lidocaine Knee Pain Relief Patch**

**Active ingredient**

Lidocaine 4% ..... Purpose: Topical Anesthetic

**Purpose**

Topical Anesthetic

**Uses**

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings**

**For external use only**

**Do not use**

- more than 1 patch on your body at a time or with other topical anesthetics at the same time
- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

**When using this product**

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly
- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

**Stop use if:**

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

**Ask a doctor if:**

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

**Pregnancy or breast feeding**

**If pregnant or breastfeeding**, ask a health professional before use

**Keep out of reach of children**

**Keep out of reach of children.** If swallowed, get medical help or contact with Poison Control Center immediately.

**Directions**

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily.
- Remove patch from the skin after at most 8-hour application

Children under age of 12:Consult a doctor

**Other information**

Store at 20°C to 25°C (68°F - 77°F)

Store in a cool dry place away from direct sunlight

**Inactive ingredients**

Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Kaolin, Methylparaben, Polysorbate 80, PropyleneGlycol, Polyacrylic Acid, Povidone, Propylparaben, Sodium Polyacrylate, Titanium Dioxide, Tartaric Acid, Water

## Questions or Comments?

supports@povihomeofficial.com

## Package label. Principal display panel

Povihome®  
The more attention to health

CUT OPEN HERE      Child Resistant Packaging (Before Opening)

Maximum OTC Strength

# LIDOCAINE

## KNEE PAIN RELIEF PATCH

Desensitizes aggravated nerves  
in the knee and relieves knee pain.

Odor-Free

Single-Use Application

Numbs Pain Away

1

**PATCHES**  
 3.93" X 5.11"  
 10cm X 13cm

Lidocaine 4%

## Usage

1 Remove patch from outer package

2 Partially peel back protective film

3 Place on affected area

4 Remove remaining film while pressing patch to skin

<p><b>Drug Facts</b></p> <p><b>Active ingredient</b> ..... <b>Purpose</b> Lidocaine 4% ..... Topical anesthetic</p> <p><b>Uses</b> Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.</p> <p><b>Warnings</b> <b>For external use only</b></p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>• more than 1 patch on your body at a time or with other topical anesthetics at the same time</li> <li>• on wounds or damaged skin</li> <li>• with a heating pad or device</li> <li>• with other ointments, creams, sprays, or lotions</li> <li>• if you are allergic to any ingredients of this product</li> </ul> <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>• use only as directed</li> <li>• avoid contact with the eyes, mucous membranes, or rashes</li> <li>• do not bandage tightly</li> <li>• dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.</li> </ul> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>• localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering</li> <li>• condition worsens</li> <li>• symptoms persist for more than 7 days</li> <li>• symptoms clear up and occur again within a few days</li> </ul>	<p><b>If pregnant or breast-feeding,</b> ask a health professional before use.</p> <p><b>KEEP OUT OF REACH OF CHILDREN.</b> If swallowed accidentally, get medical help or contact with Poison Control Center immediately.</p> <p><b>Directions</b> <b>Adults and Children above 12 years old:</b></p> <ul style="list-style-type: none"> <li>• Clean and dry the affected area.</li> <li>• Tear off the protective film and apply the exposed part of the patch to the affected area.</li> <li>• Carefully remove remaining film while pressing the patch firmly on the skin.</li> <li>• Apply 1 patch at a time to affected area, not more than 3 to 4 times daily.</li> <li>• Remove patch from the skin after at most 8-hour application</li> </ul> <p><b>Children under age of 12: Consult a doctor</b></p> <p><b>Other Information</b></p> <ul style="list-style-type: none"> <li>• Store at 20°C to 25°C (68°F - 77°F)</li> <li>• Store in a cool dry place away from direct sunlight</li> </ul> <p><b>Inactive ingredients</b> Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Kaolin, Methylparaben, Polysorbate 80, PropyleneGlycol, Polyacrylic Acid, Povidone, Propylparaben, Sodium Polyacrylate, Titanium Dioxide, Tartaric Acid, Water</p> <p><b>Questions or Comments:</b> supports@povihomeofficial.com</p> <p><b>Child Resistant Packaging</b></p>
--	--

**LIDOCAINE**  
KNEE PAIN RELIEF PATCH  
www.povihomeofficial.com



**Povihome®**  
The more attention to health

Maximum OTC Strength

# LIDOCAINE

## KNEE PAIN RELIEF PATCH

Desensitizes aggravated nerves in the knee and relieves knee pain.

- Odor-Free
- Single-Use Application
- Numbs Pain Away



**15** PATCHES  
3.93" X 5.11"  
10cm X 13cm

**Lidocaine 4%**

Guangzhou Sumi Technology Innovation Co., Ltd  
506, Building A, No. 8 Dongheng 3rd Road,  
Zhuocun, Tianhe District, Guangzhou, Guangdong, 510660 China

Made in PRC

### Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin

The more attention to health  
**Povihome®**

#### Drug Facts

**Active ingredient** Purpose  
Lidocaine 4% Topical anesthetic

#### Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

#### Warnings

For external use only

#### Do not use

- more than 1 patch on your body at a time or with other topical anesthetics at the same time
- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

#### When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly
- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

#### Stop use and ask a doctor if

- soaked skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

#### If pregnant or breast-feeding,

ask a health professional before use.

#### KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

#### Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Remove patch from the skin after at most 8-hour application

Children under age of 12: Consult a doctor

#### Other Information

- Store at 20°C to 25°C (68°F - 77°F)
- Store in a cool dry place away from direct sunlight

#### Inactive ingredients

Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Kaolin, Methylparaben, Polyisobutyl Methacrylate, Polyethylene Glycol, Polyacrylic Acid, Povidone, Propylparaben, Sodium Polycrylate, Titanium Dioxide, Tartaric Acid, Water

#### Questions or Comments:

support@povihomeofficial.com

#### Child Resistant Packaging



6 9 4 2 4 8 8 6 2 6 1 0 0 1



**LIDOCAINE**  
KNEE PAIN RELIEF PATCH  
www.povihome.com

**Povihome®**  
The more attention to health

Maximum OTC Strength  
**LIDOCAINE**  
**KNEE PAIN RELIEF PATCH**

Desensitizes aggravated nerves in the knee and relieves knee pain.

- Odor-Free
- Single-Use Application
- Numbs Pain Away



**25** PATCHES  
3.93" X 5.11"  
10cm X 13cm  
**Lidocaine 4%**

Guangzhou Suni Technology Innovation Co., Ltd  
505, Building A, No. 8 Dongcheng 3rd Road,  
Zhuzhou, Tianke District, Guangzhou, Guangdong, 510000 China

Made in PRC

**Usage**



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin

**Povihome®**  
The more attention to health

<b>Drug Facts</b>	<b>If pregnant or breast-feeding,</b> ask a health professional before use.
<b>Active ingredient</b> ..... <b>Purpose</b> Lidocaine 4% ..... Typical anesthetic	<b>KEEP OUT OF REACH OF CHILDREN.</b> If swallowed accidentally, get medical help or contact your Poison Control Center immediately.
<b>Uses</b> Temporarily relieves muscle spasms and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.	<b>Directions</b> <b>Adults and Children above 17 years old:</b> • Clean and dry the affected area. • Tear off the protective film and apply the exposed part of the patch to the affected area. • Carefully remove remaining film while pressing the patch firmly on the skin. • Apply 1 patch at a time to affected area, not more than 1 to 4 times daily. • Remove patch from the skin after at most 8-hour application. <b>Children under age of 12:</b> Consult a doctor
<b>Warnings</b> <b>For external use only</b>	<b>Other Information</b> • Store at 20°C to 25°C (68°F - 77°F). • Store in a cool dry place away from direct sunlight.
<b>Do not use</b> • more than 1 patch on your body at a time or with other topical anesthetics at the same time • on wounds or damaged skin • with a heating pad or device • with other ointments, creams, sprays, or liniments • if you are allergic to any ingredients of this product	<b>Inactive ingredients</b> Dihydroxyethylamine Ammonium Salts, Edetate Disodium, Glycerin, Hydroxyethylcellulose, Polybutene-2, Propylene Glycol, Polyacrylic Acid, Polyethylene Glycol, Polyethylene Glycol, Titanium Dioxide, Tartaric Acid, Water
<b>When using this product</b> • use only as directed • avoid contact with the eyes, mucous membranes, or wounds • do not bandage tightly • dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests the patch.	<b>Questions or Comments:</b> http://www.povihome.com
<b>Stop use and ask a doctor if</b> • irritated skin reactions occur, such as rash, itching, redness, irritation, pain, swelling, and blistering • symptoms persist for more than 7 days • symptoms clear up and occur again within a few days	<b>Child Resistant Packaging</b>





# LIDOCAINE KNEE PAIN RELIEF PATCH

lidocaine patch

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:87518-189
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
GLYCERIN (UNII: PDC6A3C0OX)	
POVIDONE K90 (UNII: RDH86HJV5Z)	

<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>TARTARIC ACID</b> (UNII: W4888I119H)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS</b> (UNII: 1K713C615K)

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87518-189-15	15 in 1 BOX	04/20/2026	
1		1 in 1 BAG		
1		8 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:87518-189-25	25 in 1 BOX	04/20/2026	
2		1 in 1 BAG		
2		8 g in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:87518-189-35	35 in 1 BOX	04/20/2026	
3		1 in 1 BOX		
3		8 g in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/20/2026	

**Labeler** - Guangzhou Sumi Technology Innovation Co., Ltd (518555082)

**Registrant** - Guangzhou Sumi Technology Innovation Co., Ltd (518555082)

