

**RHTALGORISM DELAY SPRAYS FOR MEN- panax ginseng root extract
7% liquid
Guangdong Meizhiyuan Biotechnology Co., Ltd.**

85277-002 Rhtalgorism Delay Spray for Men

PIPER METHYSTICUM ROOT EXTRACT 0.07%
EPIMEDIUM BREVICORNUM EXTRACT 0.07%
CERVUS ELAPHUS EXTRACT 0.07%
PANAX GINSENG ROOT EXTRACT 7.00%
CNIDIUM MONNIERI FRUIT EXTRACT 0.7%
POLYGONATUM OFFICINALE RHIZOME/ROOT EXTRACT 0.035%
REHMANNIA CHINENSIS ROOT EXTRACT 1.4%

Rhtalgorism Male Delay Spray

Its main function is to reduce local sensitivity, thereby prolonging sexual intercourse time to a certain extent and improving sexual satisfaction

1. Consult Your Doctor. Consult your doctor before use if you have heart disease, high blood pressure, or any serious medical condition.
 2. Not a Contraceptive This product is not a contraceptive and does not protect against sexually transmitted diseases.
 3. For Adults Only: For adult use only
 4. Do Not Share: Do not share this product with others to prevent cross-contamination.
 5. Individual Results May Vary.
- intended Use: This product is intended as an aid for personal wellness and is not meant to diagnose, treat, cure, or prevent any disease. For any health concerns, seek professional medical advice.
if you have any questions during use, please email the brand's official mailbox:
rhtalgorism@outlook.com

on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

1. Timing: For best results, apply 10 to 20 minutes before intimacy.
2. Application Apply 0.2 ml of this product by spraying it onto the coronal sulcus area. (Typically one or two presses of the spray nozzle will dispense a 0.2 ml dose. If you find it difficult to control the dosage, you may dip a cotton swab into the liquid and apply it in a circular motion around the coronal sulcus.) Then, pull the foreskin back over the area to


allow the liquid to be fully absorbed.

3.Absorption: Allow It to air dry naturally. No need to wipe or rinse oft. You will appreciate Its non-greasy feel.

4.Application area: Apply this product to the coronal sulcus and penis body, do not spray on the urethral opening, otherwise it will reduce the efficacy

5.Cleanliness: Wash hands before and after use

ALCOHOL
BUTYLENE GLYCOL
1,2-HEXANEDIOL
water



Drug Facts

Active Ingredient(s)	Purpose
PANAX GINSENG ROOT EXTRACT 7%	Rhtalgorism Male Delay Spray
PANAX GINSENG ROOT EXTRACT 7%	
EPIMEDIUM BREVICORNUM EXTRACT 0.07%	
CERVUS ELAPHUS EXTRACT 0.07%	
CNIDIUM MONNIERI FRUIT EXTRACT 0.07%	
POLYGONATUM OFFICINALE EXTRACT 0.35%	
REHMANNIA CHINENSIS ROOT EXTRACT 1.4%	
PIPER METHYSTICUM ROOT EXTRACT 0.035%	
PHASEOLUS RADIATUS SEED EXTRACT 0.015%	

Use

Its main function is to reduce local sensitivity, thereby prolonging sexual intercourse time to a certain extent and improving sexual satisfaction.

Warnings

1. Consult Your Doctor. Consult your doctor before use if you have heart disease, high blood pressure, or any serious medical condition.
 2. Not a Contraceptive This product is not a contraceptive and does not protect against sexually transmitted diseases.
 3. For Adults Only: For adult use only
 4. Do Not Share: Do not share this product with others to prevent cross-contamination.
 5. Individual Results May Vary.
- Intended Use:** This product is intended as an aid for personal wellness and is not meant to diagnose, treat, cure, or prevent any disease. For any health concerns, seek professional medical advice.

If you have any questions during use, please email the brand's official mailbox:
rhtalgorism@outlook.com

Do not use

- on open skin wounds

WHEN USING SECTION

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

OTC - STOP USE SECTION

Stop use and ask a doctor if irritation or rash occurs.

OTC - KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions for Use

1. Timing: For best results, apply 10 to 20 minutes before intimacy.
2. Application Apply 0.2 ml of this product by spraying it onto the coronal sulcus area. (Typically one or two presses of the spray nozzle will dispense a 0.2 m dose. If you find it difficult to control the dosage, you may dip a cotton swab into the liquid and apply it in a circular motion around the coronal sulcus.) Then, pull the foreskin back over the area to allow the liquid to be fully absorbed.
3. Absorption: Allow it to air dry naturally. No need to wipe or rinse off. You will appreciate its non-greasy feel.
4. Application area: Apply this product to the coronal sulcus and penis body, do not spray on the urethral opening, otherwise it will reduce the efficacy
5. Cleanliness: Wash hands before and after use.

Inactive ingredients

ALCOHOL, BUTYLENE GLYCOL, 1,2-HEXANEDIOL, WATER

RHTALGORISM DELAY SPRAYS FOR MEN

panax ginseng root extract 7% liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85277-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CERVUS ELAPHUS VELVET (UNII: Z608183YD0) (CERVUS ELAPHUS VELVET - UNII:Z608183YD0)	CERVUS ELAPHUS VELVET	0.07 g in 100 mL
PIPER METHYSTICUM ROOT (UNII: BOW48C81XP) (PIPER METHYSTICUM ROOT - UNII:BOW48C81XP)	PIPER METHYSTICUM ROOT	0.07 g in 100 mL
EPIMEDIUM BREVICORNU TOP (UNII: 1D5HJN5DG4) (EPIMEDIUM BREVICORNU TOP - UNII:1D5HJN5DG4)	EPIMEDIUM BREVICORNU TOP	0.07 g in 100 mL
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ) (REHMANNIA GLUTINOSA ROOT - UNII:1BEM3U6LQQ)	REHMANNIA GLUTINOSA ROOT	1 g in 100 mL
ASIAN GINSENG (UNII: CUQ3A77YXI) (ASIAN GINSENG - UNII:CUQ3A77YXI)	ASIAN GINSENG	7 g in 100 mL
CNIDIUM MONNIERI FRUIT (UNII: V1A3S3CUS) (CNIDIUM MONNIERI FRUIT - UNII:V1A3S3CUS)	CNIDIUM MONNIERI FRUIT	0.7 g in 100 mL
POLYGONATUM ODORATUM ROOT (UNII: KPF03O64AZ) (POLYGONATUM ODORATUM ROOT - UNII:KPF03O64AZ)	POLYGONATUM ODORATUM ROOT	0.04 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	

WATER (UNII: 059QF0KO0R)

ALCOHOL (UNII: 3K9958V90M)

1,2-HEXANEDIOL (UNII: TR046Y3K1G)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85277-002-01	6 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/20/2026	
2	NDC:85277-002-02	12 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/20/2026	
3	NDC:85277-002-03	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/20/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	04/20/2026	

Labeler - Guangdong Meizhiyuan Biotechnology Co., Ltd. (403967973)

Establishment

Name	Address	ID/FEI	Business Operations
Guangdong Meizhiyuan Biotechnology Co., Ltd.		403967973	manufacture(85277-002)

Revised: 4/2026

Guangdong Meizhiyuan Biotechnology Co., Ltd.