

**JOHNSONS BABY MINERAL SUNSCREEN SPF 30- titanium dioxide, zinc oxide lotion**  
**Kenvue Brands LLC**

-----  
**Johnson's Baby Mineral Sunscreen Lotion SPF 30**

***Drug Facts***

**Active ingredients**

Titanium Dioxide (6.5%), Zinc Oxide (18.7%)

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- apply generously and evenly 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.

- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

### **Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics
- **Do not use if quality seal is broken or missing.**

### **Inactive ingredients**

Water, Isohexadecane, C12-15 Alkyl Benzoate, Ethylhexyl methoxycrylene, Behenyl Alcohol, Steareth-21, Aloe Barbadensis Leaf Extract, Tocopheryl Acetate, Euphorbia Cerifera (Candelilla) Wax, Glycerin, Glyceryl Stearate, Ethylhexylglycerin, Xanthan Gum, Calcium Sodium Borosilicate, Aluminum Hydroxide, Triethoxycaprylylsilane, Cetyl Alcohol, Stearic Acid, Polyhydroxystearic Acid, Disodium EDTA, PEG-100 Stearate, Chlorphenesin, Phenoxyethanol

### **Questions or comments?**

**866-565-BABY;** Outside US, dial collect **215-273-8755.**

Distributed by:

Kenvue Brands LLC

Summit, NJ 07901

### **PRINCIPAL DISPLAY PANEL - 88 mL Tube Label**

**clinically tested**

**safe for babies**

**new**

**Johnson's<sup>®</sup>**

**baby**

**SPF**

**30**

no

more

tears<sup>®</sup>

**mineral**

**sunscreen**

**lotion**

**with aloe & vitamin E**  
**for baby's delicate skin**  
**broad spectrum SPF 30**  
**water resistant (80 minutes)**  
**3.0 FL OZ (88 mL)**

1/4" NO COPY AREA

Quiet zone. All copy must be 1/16" below the eye-mark.

Eye-mark



new

Johnson's<sup>®</sup>  
baby



no more tears<sup>®</sup>  
mineral  
sunscreen  
lotion

with aloe & vitamin E  
for baby's delicate skin

broad spectrum SPF 30  
water resistant (80 minutes)

3.0 FL OZ (88 mL)



- ✓ Leaves skin feeling hydrated
- ✓ Hypoallergenic
- ✓ Fragrance free
- ✓ Lightweight
- ✓ Non-greasy

Made with zinc oxide, titanium dioxide, aloe & vitamin E, **JOHNSON'S<sup>®</sup> baby** sunscreen provides safe and effective sun protection for your baby's precious skin.

No added

PABA, parabens, dyes, octinoxate or oxybenzone

**Drug Facts**

Active ingredients	Purpose
Titanium Dioxide (6.5%), Zinc Oxide (18.7%)	Sunscreen

**Uses** helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only • Do not use on damaged or broken skin. • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

• apply generously and evenly 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

**Other information**

protect this product from excessive heat and direct sun • may stain some fabrics • Do not use if quality seal is broken or missing.

**Inactive ingredients**

Water, Isohexadecane, C12-15 Alkyl Benzoate, Ethylhexyl methoxycrylene, Behenyl Alcohol, Steareth-21, Aloe Barbadensis Leaf Extract, Tocopheryl Acetate, Euphorbia Cerifera (Candelilla) Wax, Glycerin, Glyceryl Stearate, Ethylhexylglycerin, Xanthan Gum, Calcium Sodium Borosilicate, Aluminum Hydroxide, Triethoxycaprylylsilane, Cetyl Alcohol, Stearic Acid, Polyhydroxystearic Acid, Disodium EDTA, PEG-100 Stearate, Chlorphenesin, Phenoxyethanol



**Questions or comments?** 866-565-BABY; Outside US, dial collect 215-273-8755.



how2recycle.info



Dist. by: Kenvue Brands LLC  
Summit, NJ 07901  
© Kenvue Brands LLC 2026  
Pat. www.kenvuepats.com

30062663

3/16" NO COPY AREA

**JOHNSONS BABY MINERAL SUNSCREEN SPF 30**

titanium dioxide, zinc oxide lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-1001
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	187 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	65 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>STEARETH-21</b> (UNII: 53J3F32P58)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CALCIUM SODIUM BOROSILICATE</b> (UNII: 4MM76N4VMY)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>BEHENYL ALCOHOL</b> (UNII: 9G1OE216XY)	
<b>GLYCERYL STEARATE</b> (UNII: 230OU9XXE4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IU0)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>EUPHORBIA CERIFERA (CANDELILLA) WAX</b> (UNII: WL0328HX19)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>ALOE BARBADENSIS LEAF</b> (UNII: ZY81Z83H0X)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-1001-3	88 mL in 1 TUBE; Type 0: Not a Combination Product	04/29/2026	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2026	

