BOSLEY MINOXIDIL TOPICAL SOLUTION 2 FOR WOMEN- minoxidil liquid Scientific Hair Research, LLC

BOSLEY Minoxidil Topical Solution (2%) for Women

Drug Facts

Active Ingredient

Minoxidil 2.0%w/v

Purpose

Hair regrowth treatment for women

Use

to regrow hair on the top of the scalp (vertex only, see picture on side of box)

Warnings

For external use only.

Flammable: keep away from fire or flame

Do not use if:

- your amount of hair loss is different than that shown on the side of this box because this product may not work for you.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medications on the scalp

Ask a doctor before use if you have

heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results
- the amount of hair regrowth is different for each person. This product will not work for all women.

Stop use and ask a doctor if:

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used

when pregnant or breastfeeding.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- prime the sprayer by holding the bottle upright and pump the sprayer 5 times to ensure delivery of full spray. Do not inhale mist.
- apply one ml. (6 sprays) 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Other information

- see hair loss pictures on side of this box
- · before use, read all information on carton and enclosed insert
- keep carton, it contains important information
- in clinical studies with mostly white women aged 18-45 years with mild to moderate degrees of hair loss, the following response to minoxidil topical solution 2% was reported: 19% of women reported moderate hair regrowth after using woman's minoxidil topical solution 2% for 8 months; 19% had moderate regrowth; 40% had minimal regrowth. This compares with 7% of women reporting hair regrowth after using the placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth, 33% had minimal regrowth).
- store at controlled room temperature 20° to 25°C (68° to 77°F)

Inactive Ingredients

Alcohol, Propylene Glycol, Purified Water

Questions or comments?

Call us at 1-800-267-5391 or visit website at www.bosleymd.com

Label

BOSLEY MINOXIDIL TO	OPICAL SOLUTION 2	FOR WOMEN	
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69113-462
Route of Administration	TOPICAL		
Active Ingredient/Active I	Moiety		
I	ngredient Name	Basis of Stre	ength Strength
MINOXIDIL (UNII: 5965120SH1) (MINO) XIDIL - UNII:5965120SH1)	MINOXIDIL	20 mg in 1 mL
Inactive Ingredients			
	Ingredient Name		Strength
ALCOHOL (UNII: 3K9958V90M)			
PROPYLENE GLYCOL (UNII: 6DC9Q16	57V3)		
WATER (UNII: 059QF0KO0R)			

Pa	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69113-462-00	1 in 1 BOX	02/26/2024	
-		Construct Department of Net - Construction Product		
1		60 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
	larketing Inf			
м	larketing Inf	ormation	Marketing Start Date	Marketing End Date

Labeler - Scientific Hair Research, LLC (961897647)

Revised: 2/2024

Scientific Hair Research, LLC