

**SINUS PRESSURE AND PAIN MAXIMUM STRENGTH- acetaminophen,
phenylephrine hcl tablet
DOLGENCORP, LLC**

Dollar General 44-502 RR

Active ingredients (in each caplet)

Acetaminophen 325 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer
Nasal decongestant

Uses

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
 - minor aches and pains
 - nasal congestion
 - headache
 - sinus congestion and pressure
- promotes sinus drainage
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- diabetes
- liver disease
- heart disease
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not use more than directed**
- adults and children 12 years and over
 - take 2 caplets every 4 hours
 - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

Questions or comments?

1-888-309-9030

Principal display panel

DG™ | health

Compare to active ingredients of Sudafed PE® Sinus Pressure + Pain*

Maximum Strength

Sinus Pressure & Pain

Acetaminophen • Pain Reliever/Fever Reducer
Phenylephrine HCl • Nasal Decongestant

Relieves: • Sinus pressure & congestion
• Sinus headache

Pseudoephedrine Free

Non Drowsy

24 Caplets

Actual Caplet Size

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark SUDAFED PE® SINUS PRESSURE + PAIN.

50844 REV0820L50208

DISTRIBUTED BY OLD EAST MAIN CO.
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072

100%
Satisfaction
Guaranteed!
 (888) 309-9030

Maximum Strength
Sinus Pressure & Pain



Compare to active ingredients of **SUDAFED PE[®] SINUS PRESSURE + PAIN[®]**



Maximum Strength
Sinus Pressure & Pain

Acetaminophen • Pain Reliever/Fever Reducer
Phenylephrine HCl • Nasal Decongestant

Relieves: • Sinus pressure & congestion
 • Sinus headache



24 Caplets

Pseudoephedrine Free

Non Drowsy

Actual Caplet Size

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

NO PRINT/NO VARNISH LOT & EXP DATE

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark SUDAFED PE[®] SINUS PRESSURE + PAIN.
 50844 REV0820L50208
 DISTRIBUTED BY OLD EAST MAIN CO.
 100 MISSION RIDGE
 GOODLETTSVILLE, TN 37072

100%
Satisfaction
Guaranteed!
 (888) 309-9030

Drug Facts (continued)

Other information
 ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ see end flap for expiration date and lot number

Drug Facts (continued)

Inactive ingredients corn starch, croscarmellose sodium, crospovidone, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

Questions or comments? 1-888-309-9030

Drug Facts

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Active ingredients (in each caplet)
 Acetaminophen 325 mg.....Pain reliever/fever reducer
 Phenylephrine HCl 5 mg.....Nasal decongestant

Purpose
 ■ temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
 ■ minor aches and pains ■ nasal congestion ■ headache
 ■ sinus congestion and pressure
 ■ promotes sinus drainage ■ temporarily reduces fever

Uses
 ■ temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
 ■ minor aches and pains ■ nasal congestion ■ headache
 ■ sinus congestion and pressure
 ■ promotes sinus drainage ■ temporarily reduces fever

Warnings
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take
 ■ more than 4,000 mg of acetaminophen in 24 hours
 ■ with other drugs containing acetaminophen
 ■ 3 or more alcoholic drinks every day while using this product
 Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash
 If a skin reaction occurs, stop use and seek medical help right away.
 Do not use
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) or certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease, or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor

Directions
 ■ do not use more than directed
 ■ adults and children 12 years and over
 ■ take 2 caplets every 4 hours
 ■ do not take more than 10 caplets in 24 hours
 ■ children under 12 years: ask a doctor

Stop use and ask a doctor if
 ■ nervousness, dizziness, or sleeplessness occur
 ■ pain or nasal congestion gets worse or lasts more than 7 days
 ■ fever gets worse or lasts more than 3 days
 ■ redness or swelling is present ■ new symptoms occur
 These could be signs of a serious condition.
 If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

When using this product do not exceed recommended dosage.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Ask a doctor before use if you have ■ diabetes ■ liver disease ■ heart disease ■ thyroid disease ■ high blood pressure ■ difficulty in urination due to enlargement of the prostate gland

Ingredients
 ■ if you have ever had an allergic reaction to this product or any of its ingredients

Drug Facts (continued)

B-0315-502-08RR
 REV0820L50208

SINUS PRESSURE AND PAIN MAXIMUM STRENGTH

acetaminophen, phenylephrine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-925
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	44;502
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-925-08	2 in 1 CARTON	06/23/2005	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug	M012	06/23/2005	
--------------------	------	------------	--

Labeler - DOLGENCORP, LLC (068331990)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(55910-925) , pack(55910-925)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(55910-925)

Revised: 6/2025

DOLGENCORP, LLC