

**NO7 PERFECT AND PERFECT INTENSE ADVANCED ALL IN ONE FOUNDATION  
SPF 50 TOFFEE- octinoxate, titanium dioxide, octisalate cream  
BCM Cosmetique SAS**

-----  
**No7 Protect and Perfect Intense Advanced All in One Foundation SPF 50  
Toffee**

**Carton Active Ingredients Section**

Active Ingredients

Octinoxate 6.5%

Titanium dioxide 4.25%

Octisalate 5%

Purpose

Sunscreen

**Uses**

Uses - helps prevent sunburn

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

**Ask a doctor**

Stop use and ask a doctor if rash occurs.

**Keep out of reach of children**

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

### Directions

apply liberally 15 minutes before sun exposure

reapply at least every 2 hours

use a water resistant sunscreen if swimming or sweating

children under 6 months of age: Ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

limit time in the sun, especially from 10 a.m. - 2 p.m.

wear long-sleeved shirts, pants, hats, and sunglasses

## **Directions**

### Directions

apply liberally 15 minutes before sun exposure

reapply at least every 2 hours

use a water resistant sunscreen if swimming or sweating

children under 6 months of age: Ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

limit time in the sun, especially from 10 a.m. - 2 p.m.

wear long-sleeved shirts, pants, hats, and sunglasses

### Other information

Protect the product in this container from excessive heat and direct sun

## **Inactive ingredients**

Aqua (Water), Cyclopentasiloxane, Caprylyl methicone, Glycerin, Butylene glycol, PEG-9 dimethicone, Trimethylsiloxysilicate, HDI/trimethylol hexyllactone crosspolymer, Bis-isobutyl peg/ppg-10/7/dimethicone copolymer, Distearidimonium hectorite, Cyclohexasiloxane, Mica, Magnesium sulfate, Phenoxyethanol, Silica, Alcohol denat., Propylene carbonate, Triethoxycaprylylsilane, Methylparaben, Propylene glycol, Tocopheryl acetate, Dimethicone, Ascorbyl glucoside, Ethylparaben, Retinyl palmitate, Tetrasodium EDTA, Sorbitan laurate, Panax ginseng extract, Carbomer, Potassium hydroxide, Dimethylmethoxy chromanol, Polysorbate 20, Tocopherol, Hydroxyethyl cellulose, Acetyl dipeptide-1 cetyl ester, Morus alba extract, BHT, Palmitoyl Tripeptide-1, Palmitoyl tetrapeptide-7 [+/- (May Contain) CI 77891

(Titanium Dioxide), CI 77492 (Iron oxides), CI 77491 (Iron oxides), CI 77499 (Iron oxides)].

## **Description**

No7

Protect & Perfect Intense ADVANCED All-in-One Foundation

Targets the appearance of the first signs of ageing

MEDIUM COVERAGE

Sunscreen

Broad Spectrum SPF 50+

30 ml e 1 US Fl. Oz.

Target the appearance of the first signs of ageing with this complexion perfecting foundation powered by No7 Protect & Perfect Intense Advanced Serum technology: MATRIXYL 3000 PLUS <sup>TM</sup>. The formula with SPF50+ helps protect skin from the damaging effects of the sun. A medium coverage foundation which instantly reduces the appearance of fine lines and pores resulting in flawless and younger-looking skin.

## **Information**

Made in France

Boots Retail USA

Distr. New York, NY 10005

[www.No7Beauty.com](http://www.No7Beauty.com)

## **Carton**

**Drug Facts (continued)**

**Inactive Ingredients**  
 Aqua (Water), Cyclopentasiloxane, Caprylyl methicone, Glycerin, Butylene glycol, PEG-9 dimethicone, Trimethylsiloxysilicate, HDI/trimethylol hexyllactone crosspolymer, Bis-isobutyl PEG/PPG-10/7/ dimethicone copolymer, Distearldimonium hectorite, Cyclohexasiloxane, Mica, Magnesium sulfate, Phenoxyethanol, Silica, Alcohol denat., Propylene carbonate, Triethoxycaprylyl silane, Methylparaben, Propylene glycol, Tocopheryl acetate, Dimethicone, Ascorbyl glucoside, Ethylparaben, Retinyl palmitate, Tetrasodium EDTA, Sorbitan laurate, Panax ginseng root extract, Carbomer, Potassium hydroxide, Dimethylmethoxy chromanol, Polysorbate 20, Tocopherol.

# No7

## Protect & Perfect Intense

**ADVANCED**

### All-in-One Foundation

**Drug Facts (continued)**

Hydroxyethyl cellulose, Acetyl dipeptide-1 cetyl ester, Morus alba leaf extract, BHT, Palmitoyl tripeptide-1, Palmitoyl tetrapeptide-7, [+/- (May contain) CI 77891 (Titanium dioxide), CI 77492 (Iron oxides), CI 77491 (Iron oxides), CI 77499 (Iron oxides)].

**USA: Questions? 1-866-75-BOOTS**

Target the appearance of the first signs of ageing with this complexion perfecting foundation powered by No7 Protect & Perfect Intense ADVANCED Serum technology: MATRXYL 3000 PLUS™. The formula with SPF50+ helps protect skin from the damaging effects of the sun. A medium coverage foundation which instantly reduces the appearance of fine lines and pores resulting in flawless and younger-looking skin.

For best results blend on smoothly and evenly. Use on top of your regular Protect & Perfect skincare regime to supercharge your results. Suitable for sensitive skin.

Made in France  
 Boots Retail USA  
 Dist. New York, NY 10005  
 www.No7Beauty.com

Targets the appearance of the first signs of ageing

**MEDIUM COVERAGE**

**Sunscreen**

**Broad Spectrum SPF 50+**

30 ml e 1 US Fl. Oz.

**Drug Facts**

**Active Ingredients Purpose**

Octinoxate 6.5%  
 Titanium Dioxide 4.25%  
 Octisalate 5%..... Sunscreen

**Uses** • helps prevent sunburn

**Warnings**  
**For external use only**  
**Do not use** on damaged or broken skin  
**When using this product** keep out of eyes. Rinse with water to remove  
**Stop use and ask a doctor if** rash occurs  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • apply liberally 15 minutes before sun exposure  
 • reapply at least every two hours  
 • use a water resistant sunscreen if swimming or sweating  
 • children under 6 months: Ask a doctor  
**• Sun Protection Measures.**  
 Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other protection measures including:  
 • Limit time in the sun especially from 10am - 2pm  
 • Wear long sleeved shirts, pants, hats and sunglasses

**Other Information**  
 • protect the product in this container from excessive heat and direct sun

## NO7 PERFECT AND PERFECT INTENSE ADVANCED ALL IN ONE FOUNDATION SPF 50 TOFFEE

octinoxate, titanium dioxide, octisalate cream

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:61589-0225 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name                                                                 | Basis of Strength | Strength        |
|---------------------------------------------------------------------------------|-------------------|-----------------|
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)             | OCTINOXATE        | 1.95 g in 30 g  |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE  | 1.275 g in 30 g |

|                                                                     |            |               |
|---------------------------------------------------------------------|------------|---------------|
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 1.5 g in 30 g |
|---------------------------------------------------------------------|------------|---------------|

## Inactive Ingredients

| Ingredient Name                                                                            | Strength |
|--------------------------------------------------------------------------------------------|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)                                                            |          |
| <b>CYCLOMETHICONE</b> (UNII: NMQ347994Z)                                                   |          |
| <b>GLYCEROL FORMAL</b> (UNII: 3L7GR2604E)                                                  |          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)                                                  |          |
| <b>PEG-9 DIMETHICONE</b> (UNII: 9OZ27X065D)                                                |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                                                         |          |
| <b>TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0)</b> (UNII: 25LXE464L2)                            |          |
| <b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9) |          |
| <b>DIMETHICONE/BIS-ISOBUTYL PPG-20 CROSSPOLYMER</b> (UNII: O4I3UFO6ZF)                     |          |
| <b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)                                        |          |
| <b>MICA</b> (UNII: V8A1AW0880)                                                             |          |
| <b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)                                   |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)                                                   |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                                                  |          |
| <b>ALCOHOL</b> (UNII: 3K9958V90M)                                                          |          |
| <b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)                                              |          |
| <b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)                                          |          |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)                                                    |          |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)                                                 |          |
| <b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)                                      |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)                                       |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)                                                      |          |
| <b>ASCORBYL GLUCOSIDE</b> (UNII: 2V52R0NHXW)                                               |          |
| <b>ETHYLPARABEN</b> (UNII: 14255EXE39)                                                     |          |
| <b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)                                              |          |
| <b>EDETATE SODIUM</b> (UNII: MP1J8420LU)                                                   |          |
| <b>SORBITAN MONOLAURATE</b> (UNII: 6W9PS8B71J)                                             |          |
| <b>CARBOMER 940</b> (UNII: 4Q93RCW27E)                                                     |          |
| <b>PANAX GINSENG ROOT OIL</b> (UNII: P9T4K47OM0)                                           |          |
| <b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)                                              |          |
| <b>DIMETHYLMETHOXY CHROMANOL</b> (UNII: XBH432G01F)                                        |          |
| <b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)                                                   |          |
| <b>TOCOPHEROL</b> (UNII: ROZB2556P8)                                                       |          |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)                              |          |
| <b>N-ACETYL DIPEPTIDE-1</b> (UNII: HA41Z1UF8D)                                             |          |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)                                         |          |
| <b>MORUS ALBA LEAF</b> (UNII: M8YIA49Q2P)                                                  |          |
| <b>.ALPHA.-TOCOPHEROL, DL-</b> (UNII: 7QWA1RIO01)                                          |          |
| <b>BROWN IRON OXIDE</b> (UNII: 1N032N7MFO)                                                 |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                                                 |          |
| <b>FERROSOFERRIC OXIDE</b> (UNII: XM0M87F357)                                              |          |

## Packaging

| #                            | Item Code        | Package Description                                 | Marketing Start Date        | Marketing End Date        |
|------------------------------|------------------|-----------------------------------------------------|-----------------------------|---------------------------|
| 1                            | NDC:61589-0225-7 | 1 in 1 CARTON                                       | 06/29/2021                  |                           |
| 1                            |                  | 30 g in 1 BOTTLE; Type 0: Not a Combination Product |                             |                           |
|                              |                  |                                                     |                             |                           |
| <b>Marketing Information</b> |                  |                                                     |                             |                           |
| <b>Marketing Category</b>    |                  | <b>Application Number or Monograph Citation</b>     | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
| OTC Monograph Drug           |                  | M020                                                | 06/29/2021                  |                           |
|                              |                  |                                                     |                             |                           |

**Labeler** - BCM Cosmetique SAS (275359578)

**Registrant** - The Boots Company PLC (218622660)

## Establishment

| Name               | Address | ID/FEI    | Business Operations     |
|--------------------|---------|-----------|-------------------------|
| BCM Cosmetique SAS |         | 275359578 | manufacture(61589-0225) |

Revised: 6/2021

BCM Cosmetique SAS