

**PHOTOAGE GUARD- avobenzone, homosalate, octisalate, octocrylene, zinc oxide cream**  
**MACROMOTION, INC.**

-----

**Active ingredients**

AVOBENZONE 2.8%

HOMOSALATE 7%

OCTISALATE 4.5%

OCTOCRYLENE 9%

ZINC OXIDE 6.72%

**Purpose**

SUNSCREEN

**Uses**

helps prevent sunburn • if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Do not use**

- on damaged skin or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use**

and ask a doctor if • rash occurs

**Keep out of reach**

of children If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

■ apply liberally 15 minutes before sun exposure.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

■ children under 6 months of age: Ask a doctor

■ reapply at least every 2 hours

■ use a water-resistant sunscreen if swimming or sweating


## Other information

■ protect the product from excessive heat and direct sun ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

## Inactive ingredients

Water, Butylene Glycol, Butyloctyl Salicylate, Polyphenylsilsesquioxane, Citric Acid, Ammonium Acryloyldimethyltaurate/VP Copolymer, Caprylyl Glycol, Potassium Cetyl Phosphate, Polyacrylate Crosspolymer-6, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Sodium Stearoyl Glutamate, Triethoxycaprylylsilane, Polypropylsilsesquioxane, Polyisobutene, Pentylene Glycol, Niacinamide, Xanthan Gum, Hydroxypropyl Methylcellulose Stearoxy Ether, Ethylhexylglycerin, Caprylyl/Capryl Glucoside, Sorbitan Oleate, Ceramide NP, Tocopherol

## PACKAGE LABEL PRINCIPAL DISPLAY PANEL



- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only.**

- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Other Information**

- Protect the product from excessive heat and direct sun.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.

**Sun Protection Measures**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 

- Limit time in the sun, especially from 10 a.m. – 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

**Inactive Ingredients**

Water, Butylene Glycol, Butyloctyl Salicylate, Polyphenylsilsesquioxane, Citric Acid, Ammonium Acryloyldimethyltaurate/VP Copolymer, Caprylyl Glycol, Potassium Cetyl Phosphate, Polyacrylate Crosspolymer-6, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Sodium Stearoyl Glutamate, Polypropylsilsesquioxane, Triethoxycaprylylsilane, Polyisobutene, Pentylene Glycol, Hydroxypropyl Methylcellulose Stearoyl Ether, Niacinamide, Xanthan Gum, Ethylhexylglycerin, Caprylyl/Capryl Glucoside, Sorbitan Oleate, Ceramide NP, Tocopherol

DISTRIBUTED BY  
**MacroMotion, Inc**  
 5665 W. Wilshire Blvd #1125  
 Los Angeles, CA 90036 U.S.A.

Made In Korea



**DID YOU KNOW?**

**UP TO 90% OF SKIN AGING IS PHOTOAGING.**

UVA1 is the primary driver. It penetrates deep into the dermis, breaking down collagen and elastin—leading to dark spots and wrinkles, even without a sunburn.

TIMESCREEN goes beyond broad spectrum, targeting the critical UVA1 gap most sunscreens miss.

*Clinically tested by dermatologists.*

**TIMESCREEN**

*PhotoAge Guard*

**Screens Time. Not Just Sun.**



**ENGINEERED PHOTOAGING DEFENSE**

CW	379.8 nm
UVA1 Ratio	0.82
Photostable	≥ 4 MED

**Broad Spectrum SPF 41 Sunscreen**

50 ml / 1.69 fl. oz.



**Photoaging is daily. So is TIMESCREEN.**

Designed to fit seamlessly into your routine.

- Zero White Cast
- Silky Primer-Like Finish
- Makeup-Ready Base
- Weightless Hydration
- Paraben-Free
- Dermatologist Tested

**PHOTOAGE GUARD**

avobenzone, homosalate, octisalate, octocrylene, zinc oxide cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:87617-150
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	3.36 g in 50 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	4.5 g in 50 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.4 g in 50 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	3.5 g in 50 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.25 g in 50 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>NIACINAMIDE</b> (UNII: 25X5118RD4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>POLYACRYLATE CROSSPOLYMER-6</b> (UNII: Q7UI015FF9)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SODIUM STEAROYL GLUTAMATE</b> (UNII: 65A9F4P024)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>SORBITAN OLEATE</b> (UNII: 06XEA2VD56)	
<b>CERAMIDE NP</b> (UNII: 4370DF050B)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CITRIC ACID</b> (UNII: 2968PHW8QP)	
<b>CAPRYLYL/CAPRYL GLUCOSIDE</b> (UNII: E00JL9G9K0)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER</b> (UNII: W59H9296ZG)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87617-150-02	1 in 1 BOX	04/23/2026	
1	NDC:87617-150-01	50 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/23/2026	

**Labeler** - MACROMOTION, INC. (042509477)

### Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

HANACOS CO., LTD.		690177857	manufacture(87617-150)
-------------------	--	-----------	------------------------

Revised: 4/2026

MACROMOTION, INC.