

**ATHLETES FOOT- terbinafine hydrochloride cream**  
**Topco Associates LLC**

-----  
**Athletes Foot Cream**

***Drug Facts***

**Active ingredient**

Terbinafine hydrochloride 1%

**Purpose**

Antifungal

**Uses**

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ring worm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

**Warnings**

**For external use only**

**Do not use**

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections

**When using this product** do not get into the eyes.

If eye contact occurs, rinse thoroughly with water.


**Stop use and ask a doctor if** too much irritation occurs or gets worse.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 12 years and over:
  - use the tip of the cap to break the seal and open the tube
  - wash the affected skin with soap and water and dry completely before applying
  - **for athlete's foot** wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
    - **between the toes only:** apply twice a day (morning and night) for **1 week** or as directed by a doctor
    - **on the bottom or sides of the foot:** apply twice a day (morning and night) for **2 weeks** or as directed by a doctor

- **for jock itch and ringworm:** apply once a day (morning **or** night) for **1 week** or as directed by a doctor
- wash hands after each use

- children under 12 years: ask a doctor
- 1 week between the toes
- 2 weeks on the bottom or sides of the foot
- 

**Other information**

- do not use if seal on tube is broken or is not visible
- store at controlled room temperature 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

**Inactive ingredients**

benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol.

**Questions?**

Call **1-888-423-0139**

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
ELK GROVE VILLAGE, IL 60007

**PRINCIPAL DISPLAY PANEL - 15 g Tube Carton**

TopCare®  
health™

FULL PRESCRIPTION STRENGTH

Athlete's Foot Cream

TERBINAFINE HYDROCHLORIDE CREAM 1% • ANTIFUNGAL

• OUR PHARMACISTS  
RECOMMEND •

NET WT 0.5 OZ (15 g)

NDC 36800-080-01

COMPARE TO LAMISIL AT®  
ACTIVE INGREDIENT\*

# Athlete's Foot Cream

TERBINAFINE HYDROCHLORIDE CREAM 1% • ANTIFUNGAL

## Cures Most Athlete's Foot

### RELIEVES:

- Itching • Burning
- Cracking • Scaling

LPK-6045-3  
1218-3  
14



FULL PRESCRIPTION STRENGTH

# Athlete's Foot Cream

TERBINAFINE HYDROCHLORIDE CREAM 1% • ANTIFUNGAL



NET WT 0.5 OZ (15 g)

**Athlete's Foot Cream**  
TERBINAFINE  
HYDROCHLORIDE  
CREAM 1%  
ANTIFUNGAL

NO COPY ON THIS  
FLAP FOR LOT #  
AND EXPIRY  
DATE PRINT



\*This product is not manufactured or distributed by Novartis Consumer Health, Inc., owner of the registered trademark Lamisil AT®.  
DISTRIBUTED BY TOPCO ASSOCIATES LLC  
ELK GROVE VILLAGE, IL 60007  
© TOPCO TARA0518  
QUESTIONS? 1-888-423-0139  
topcare@topco.com  
www.topcarebrand.com  
MADE IN CANADA  
Visit here for more information: <http://topbrnds.com/48zr51>



This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

T1174

NO VARNISH  
ON THIS FLAP

NO VARNISH  
ON THIS FLAP


<p><b>Directions</b></p> <ul style="list-style-type: none"> <li>• adults and children 12 years and over: use the tip of the cap to break the seal and open the tube</li> <li>• wash the affected skin with soap and water and dry completely before applying</li> </ul>	<p><b>Warnings</b></p> <p>For external use only</p> <ul style="list-style-type: none"> <li>• Do not use             <ul style="list-style-type: none"> <li>• on nails or scalp</li> <li>• in or near the mouth or eyes</li> <li>• for vaginal yeast infections</li> </ul> </li> <li>• When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.</li> <li>• Stop use and ask a doctor if too much irritation occurs or gets worse.</li> <li>• Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</li> </ul>
<p><b>Uses</b></p> <ul style="list-style-type: none"> <li>• cures most athlete's foot (tinea pedis)</li> <li>• cures most lock itch (tinea cruris) and ringworm (tinea corporis)</li> <li>• relieves itching, burning, cracking and scaling which accompany these conditions</li> </ul>	<p><b>Other information</b></p> <ul style="list-style-type: none"> <li>• do not use if seal on tube is broken or is not visible</li> <li>• store at controlled room temperature 20° to 25°C (68° to 77°F)</li> <li>• see carton or tube crimp for lot number and expiration date</li> </ul>
<p><b>Ingredients</b></p> <p>benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol.</p>	<p><b>Questions?</b> Call 1-888-423-0139</p>



Change shoes and socks at least once daily.

- between the toes only: apply twice a day (morning and night) for 1 week or as directed by a doctor
- on the bottom or sides of the foot: apply twice a day (morning and night) for 2 weeks or as directed by a doctor
- for lock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor
- wash hands after
  - 1 week between the toes
  - 2 weeks on the bottom
- each use
- children under 12 years: ask a doctor





## ATHLETES FOOT

terbinafine hydrochloride cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-080
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Terbinafine Hydrochloride</b> (UNII: 012C11ZU6G) (Terbinafine - UNII:G7RIW8S0XP)	Terbinafine Hydrochloride	1 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>benzyl alcohol</b> (UNII: LKG8494WBH)	
<b>cetyl alcohol</b> (UNII: 936JST6JCN)	
<b>cetyl palmitate</b> (UNII: 5ZA2S6B08X)	
<b>isopropyl myristate</b> (UNII: 0RE8K4LNJS)	
<b>polysorbate 60</b> (UNII: CAL22UVI4M)	
<b>water</b> (UNII: 059QF0K00R)	
<b>sodium hydroxide</b> (UNII: 55X04QC32I)	
<b>sorbitan monostearate</b> (UNII: NVZ4I0H58X)	
<b>stearyl alcohol</b> (UNII: 2KR89I4H1Y)	

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-080-01	1 in 1 CARTON	07/02/2007	
1		15 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077511	07/02/2007	

**Labeler** - Topco Associates LLC (006935977)

## Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(36800-080)

Revised: 3/2019

Topco Associates LLC