

3ECARE DUAL FORMULA WHITENINGTOOTHPASTE REFILL- sodium fluoride ointment

Hangzhou Namei Zhikang Technology Co., Ltd.

helps protect against cavities

It shall be used with electric dual toothpaste dispenser.

Keep out of reach of children under 6 years of age.

If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Keep out of reach of children. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

- ①Please use it with electric dual toothpaste dispenser;
- ②Mount dual-formula toothpaste on the electric dispenser according to the instructions for use;
- ③For the first use, unscrew the cap and remove the sealing sticker on the opening of toothpaste tube;
- ④When the electric dispenser is turned on, press the Squeeze button to squeeze the toothpaste, release the button to stop squeezing, then apply the toothpaste to the toothbrush.

adults and children 2 years of age and older:

Brush teeth thoroughly for at least 2 minute twice a day (morning and evening) or as recommended by a dentist or doctor. Do not swallow. Spit out after brushing.

children 2 to 6 years of age:

Use a pea-sized amount and supervise brushing. Instruct in good brushing and rinsing habits

children under 2 years of age: Consult a dentist or doctor.

A Tube: glycerin, hydrated silica, propylene glycol, calcium sodium phosphosilicate, cocamidopropyl betaine, polyoxyl 15

hydroxystearate, PEG-20, aroma, hydroxyapatite, PVP, titanium dioxide, zinc citrate, sucralose, carboxymethyl chitosan, triacetin.


B Tube: glycerin, water, hydrated silica, potassium nitrate, PEG-8, betaine, cocamidopropyl betaine, aroma, sodium lauryl sulfate, xanthan gum, sodium hydroxide, zinc citrate, strontium chloride hexahydrate, carbomer, arginine, sucralose, sodium carbonate, sodium bicarbonate, carboxymethyl chitosan, calcium aluminum borosilicate, tin oxide, titanium dioxide, blue 2.

Uses

aids in the prevention of dental cavities.

helps reduce and builds increasing protection against painful sensitivity of the teeth to cold, heat, acids, sweets, or contact.

66x51x170mm 350g白カ
2专+1K印刷+耐刮哑膜
LOGO烫哑银



3ECARE DUAL FORMULA WHITENING TOOTH PASTE REFILL

sodium fluoride ointment

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:87514-002

Route of Administration

SUBGINGIVAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	SODIUM FLUORIDE	0.155 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	1 g in 100 g


Product Characteristics

Color		Score	
Shape	RECTANGLE	Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87514-002-01	100 g in 1 BOX; Type 0: Not a Combination Product	03/20/2026	

66x51x170mm 350g白卡
2专+1K印刷+耐刮哑膜
LOGO烫哑银



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	03/20/2026	

Labeler - Hangzhou Namei Zhikang Technology Co., Ltd. (413965495)

Registrant - Hangzhou Namei Zhikang Technology Co., Ltd. (413965495)

Establishment

Name	Address	ID/FEI	Business Operations
Hangzhou Namei Zhikang Technology Co., Ltd.		413965495	api manufacture(87514-002)

Revised: 4/2026

Hangzhou Namei Zhikang Technology Co., Ltd.