

FLUORIDE- sodium fluoride paste
McKesson

Active ingredient (in each gram)

Sodium Fluoride - 0.243% (0.15% w/v fluoride ion)

Purpose

Anticavity

Uses

Aids in the prevention of dental cavities.

Warnings

Keep out of reach of children under 6 years of age.

If you accidentally swallow more than used for brushing, seek professional help or contact a Poison Control Center immediately.

Keep out of reach of children under 6 years of age.

If you accidentally swallow more than used for brushing, seek professional help or contact a Poison Control Center immediately.

Directions

Adults and children 2 years & older:

Brush teeth thoroughly after meals or at least twice a day or use as directed by a dentist.

Do not swallow.

Instruct children under 6 years of age in good brushing and rinsing habits

(to minimize swallowing, use a pea-sized amount).

Supervise children's brushing until good habits are established.

Children under 2 years: Consult a dentist or doctor.

Store in a cool, dry, well-ventilated area.

Inactive ingredients

Sorbitol, Silica, Treated Water, Glycerin, PEG-32, Sodium Lauryl Sulfate, Flavor, Titanium Dioxide, Cellulose Gum, Carrageenan, Trisodium Phosphate, Sodium Saccharin, Sodium Benzoate, Tetrasodium Pyrophosphate, FD&C Blue # 1.

Questions? Call 1-800-777-4908

NDC 68599-9573-1

MFR # 16-TPFL085

NET WEIGHT 0.85 oz (24.1 g)

McKesson

Fluoride Toothpaste

MINT, ANTI-CAVITY

Helps to protect against cavities and improve oral hygiene.

NDC 68599-9573-1

McKESSON

Fluoride Toothpaste

MINT

ANTI-CAVITY

Helps to protect against cavities and improve oral hygiene.

NET WEIGHT

0.85 oz
(24.1 g)

MFR #

16-TPFL085

Store in a cool, dry, well-ventilated area. Not made with natural rubber latex.

Distributed by
McKesson Medical-Surgical Inc.
Richmond, VA 23233
PVN A0126 AVN 03 Made in India
C. No. DNH/COS/DNH/52
XXXXXXXXXX

Drug Facts

Active ingredient (in each gram) **Purpose**

Sodium Fluoride - 0.22% (0.13% w/v fluoride ion).....Anticavity

Uses Aids in the prevention of dental cavities.

Warnings Keep out of reach of children under 6 years of age.

Directions ■ **Adults and children 2 years & older:** Brush teeth thoroughly after meals or at least twice a day or use as directed by a dentist. ■ Do not swallow. ■ Instruct children under 6 years of age in good brushing and rinsing habits (to minimize swallowing, use a pea-sized amount). ■ **Children under 2 years:** Consult a dentist or doctor.

Inactive ingredients Sorbitol, Silica, Treated Water, PEG-32, Sodium Lauryl Sulfate, Flavor, Titanium Dioxide, Cellulose Gum, Carrageenan, Trisodium Phosphate, Sodium Saccharin, Sodium Benzoate, Tetrasodium Pyrophosphate, Glycerin, FD&C Blue # 1.

Questions? Call 1-800-777-4908

NDC 68599-9573-2

MFR # 16-TPFL15

NET WEIGHT 1.5 oz (42.5 g)

McKesson

Fluoride Toothpaste

MINT, ANTI-CAVITY

Helps to protect against cavities and improve oral hygiene.

<p>MFR # 16-TPFL15</p>	<p>NDC 68599-9573-2</p> <p>McKesson</p> <p>Fluoride Toothpaste</p> <p>MINT</p> <p>NET WEIGHT 1.5 oz (42.5g)</p> <p>TUBE 1</p> <p>PER BOX 1</p>	<p>LOT XXXXXXXXX</p> <p>EXP YYYY-MM-DD</p> <p>C. No. DNH/COS/DNH/52</p>	
<p>MFR # 16-TPFL15</p> <p>NET WEIGHT 1.5 oz (42.5g)</p> <p>TUBE 1</p> <p>PER BOX 1</p>	 <p>McKesson</p> <p>Fluoride Toothpaste</p> <p>MINT</p> <p>ANTI-CAVITY</p> <p>Helps to protect against cavities and improve oral hygiene.</p> <p>NDC 68599-9573-2</p>	<p>LOT XXXXXXXXX</p> <p>EXP YYYY-MM-DD</p> <p>C. No. DNH/COS/DNH/52</p>	
<p>WARNING: See Drug Facts Panel. Store in a cool, dry, well-ventilated area. Not made with natural rubber latex. Questions? Call 1-800-777-4908 Distributed by McKesson Medical-Surgical Inc. Richmond, VA 23233 PVN A0126 AVN 02 Made in India</p> <p>MFR # 16-TPFL15</p>  <p>6 12479 28143 1</p>			<p>LOT XXXXXXXXX</p> <p>EXP YYYY-MM-DD</p> <p>C. No. DNH/COS/DNH/52</p>
<p>Drug Facts</p> <p>Active ingredient (in each gram) Sodium Fluoride - 0.22% (0.13% w/v fluoride ion).....Anticavity</p> <p>Purpose</p> <p>Uses Aids in the prevention of dental cavities.</p> <p>Warnings Keep out of reach of children under 6 years of age. If you accidentally swallow more than used for brushing, seek professional help or contact a Poison Control Center immediately.</p> <p>Directions Adults and children 2 years & older: Brush teeth thoroughly after meals or at least twice a day or use as directed by a dentist. Do not swallow. Instruct children under 6 years of age in good brushing and rinsing habits (to minimize swallowing,</p>	<p>Drug Facts (continued)</p> <p>Directions (continued) use a pea-sized amount). Supervise children's brushing until good habits are established. Children under 2 years: Consult a dentist or doctor.</p> <p>Inactive ingredients Sorbitol, Silica, Treated Water, PEG-32, Sodium Lauryl Sulfate, Flavor, Titanium Dioxide, Cellulose Gum, Carrageenan, Trisodium Phosphate, Sodium Saccharin, Sodium Benzoate, Tetrasodium Pyrophosphate, Glycerin, FD&C Blue # 1.</p> <p>Questions? Call 1-800-777-4908</p>	<p>LOT XXXXXXXXX</p> <p>EXP YYYY-MM-DD</p> <p>C. No. DNH/COS/DNH/52</p>	

NDC 68599-9573-3
MFR # 16-TPFL275
NET WEIGHT 2.75 oz (78 g)

McKesson

Fluoride Toothpaste
MINT, ANTI-CAVITY

Helps to protect against cavities and improve oral hygiene.

LOT XXXXXXXXX
EXP YYYY-MM-DD
C: No. DNH/COS/DNH/52

NDC 68599-9573-3

McKesson

Fluoride
Toothpaste

MINT

ANTI-CAVITY
Helps to protect against
cavities and improve oral
hygiene.



NET WEIGHT
2.75 oz
(78 g)

1
TUBE
PER BOX

MFR #
16-TPFL275

NDC 68599-9573-3
McKesson
Fluoride Toothpaste
MINT
NET WEIGHT
2.75 oz
(78 g)
TUBE
1
PER BOX

MFR #
16-TPFL275

Drug Facts

Active ingredient (in each gram) **Purpose**
Sodium Fluoride - 0.22% (0.13% w/v fluoride ion) Anticavity

Uses Aids in the prevention of dental cavities.

Warnings Keep out of reach of children under 6 years of age. If you accidentally swallow more than used for brushing, seek professional help or contact a Poison Control Center immediately.

Directions ■ **Adults and children 2 years & older:** Brush teeth thoroughly after meals or at least twice a day or use as directed by a dentist. ■ Do not swallow.

Drug Facts (continued)

Directions (continued) ■ Instruct children under 6 years of age in good brushing and rinsing habits (to minimize swallowing, use a pea-sized amount). ■ Supervise children's brushing until good habits are established. ■ **Children under 2 years:** Consult a dentist or doctor.

Inactive ingredients Sorbitol, Silica, Treated Water, PEG-32, Sodium Lauryl Sulfate, Flavor, Titanium Dioxide, Cellulose Gum, Carrageenan, Trisodium Phosphate, Sodium Saccharin, Sodium Benzoate, Tetrasodium Pyrophosphate, Glycerin, FD&C Blue # 1.

Questions? Call 1-800-777-4908

WARNING: See Drug Facts Panel.
Store in a cool, dry, well-ventilated area.
Not made with natural rubber latex.

Questions? Call 1-800-777-4908

Distributed by McKesson Medical-Surgical Inc.
Richmond, VA 23233
PVN A0126 AVN 02
Made in India

MFR #
16-TPFL275



NDC 68599-9573-4
MFR # 16-TPFL4
NET WEIGHT 4 oz (113.4 g)
McKesson
Fluoride Toothpaste
MINT, ANTI-CAVITY
Helps to protect against cavities and improve oral hygiene.

NDC 68599-9573-4

McKesson

Fluoride Toothpaste

MINT

NET WEIGHT
4.0Z
(113.4 g)

TUBE
1

PER BOX

MFR #
16-TPFL4

LOT XXXXXXXXX
EXP YYY-MM-DD
C. No. DNH/COS/DNH/52

NDC 68599-9573-4

McKesson

Fluoride Toothpaste

MINT

ANTI-CAVITY
Helps to protect against
cavities and improve oral
hygiene.

NET WEIGHT
4.0Z
(113.4 g)

TUBE
1

PER BOX

MFR #
16-TPFL4

LOT XXXXXXXXX
EXP YYY-MM-DD
C. No. DNH/COS/DNH/52

Drug Facts

Active ingredient (in each gram)
Sodium Fluoride - 0.22% (0.13% w/v fluoride ion)

Purpose
Anticavity

Uses Aids in the prevention of dental cavities.

Warnings Keep out of reach of children under 6 years of age. If you accidentally swallow more than used for brushing, seek professional help or contact a Poison Control Center immediately.

Directions Adults and children 2 years & older: Brush teeth thoroughly after meals or at least twice a day or use as directed by a dentist. Do not swallow.

Drug Facts (continued)

Directions (continued) Instruct children under 6 years of age in good brushing and rinsing habits (to minimize swallowing, use a pea-sized amount). Supervise children's brushing until good habits are established. Children under 2 years: Consult a dentist or doctor.

Inactive ingredients Sorbitol, Silica, Treated Water, PEG-32, Sodium Lauryl Sulfate, Flavor, Titanium Dioxide, Cellulose Gum, Carrageenan, Trisodium Phosphate, Sodium Saccharin, Sodium Benzoate, Tetrasodium Pyrophosphate, Glycerin, FD&C Blue # 1.

Questions? Call 1-800-777-4908

WARNING: See Drug Facts Panel.
Store in a cool, dry, well-ventilated area.
Not made with natural rubber latex.

Questions? Call 1-800-777-4908

Distributed by McKesson Medical-Surgical Inc.
Richmond, VA 23233
PVN A0126 AVN 02
Made in India

MFR #
16-TPFL4



6 12479 28149 3

FLUORIDE

sodium fluoride paste

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68599-9573
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU4080)	SODIUM FLUORIDE	0.22 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
CARRAGEENAN (UNII: 5C69YCD2YJ)	
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TETRASODIUM PYROPHOSPHATE (UNII: O352864B8Z)	
SILICA (UNII: ETJ7Z6XBU4)	
PEG-32 (UNII: 1212Z7S33A)	

TRISODIUM DIPHOSPHATE (UNII: AR7OGW33N1)	
SODIUM SACCHARIN (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
CELLULOSE GUM (UNII: K679OBS311)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68599-9573-1	24.1 g in 1 TUBE; Type 0: Not a Combination Product	04/23/2026	
2	NDC:68599-9573-2	42.5 g in 1 TUBE; Type 0: Not a Combination Product	04/23/2026	
3	NDC:68599-9573-3	78 g in 1 TUBE; Type 0: Not a Combination Product	04/23/2026	
4	NDC:68599-9573-4	113.4 g in 1 TUBE; Type 0: Not a Combination Product	04/23/2026	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	04/23/2026	

Labeler - McKesson (023904428)

Establishment			
Name	Address	ID/FEI	Business Operations
Dabur India Limited		650599231	manufacture(68599-9573)