

NIGHT TIME COUGH- dextromethorphan hydrobromide, doxylamine succinate liquid
Safeway, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each 30 mL)

Dextromethorphan HBr 30 mg

Doxylamine succinate 12.5 mg

Purpose

Cough suppressant

Antihistamine

Uses

temporarily relieves cold symptoms

- cough
- runny nose and sneezing

Warnings

Do not use

- to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a sodium-restricted diet
- asthma
- emphysema
- glaucoma
- excessive phlegm (mucus)
- breathing problems
- chronic bronchitis
- persistent or chronic cough
- cough associated with smoking

- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- **do not use more than directed**
- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

Stop use and ask a doctor if

- redness or swelling is present
- new symptoms occur
- fever gets worse or lasts more than 3 days
- pain or cough gets worse or lasts more than 7 days
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 4 doses in any 24-hours period
- measure only with dosing cup provided. Do not use any other dosing device
- keep dosing cup with product
- mL = milliliter

age	dose
adults & children 12 years & over	30 mL every 6 hours
children 4 to 11 years	do not use unless directed by a doctor
children under 4 years	do not use

- **When using DayTime and Nighttime products, carefully read each label to ensure correct dosing**

Other information

- **each 30 mL contains;** sodium 36 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

alcohol, citric acid, FD&C blue 1, FD&C red 40, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate

Questions or comments?

Call **1-888-723-3929 Monday-Friday 7AM-6PM PST**

Principal Display Panel**NightTime Cough Relief**

Dextromethorphan HBr- Cough Suppressant

Doxylamine Succinate- Antihistamine

Compare to Vicks® NyQuil® Cough active ingredient*

10% ALCOHOL

AGES 12 & OVER

FL OZ (mL)

CHERRY FLAVOR

*This product is not manufactured or distributed by Proctor & Gamble, owner of the registered trademark Vicks® NyQuil® Cough.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.

Failure to follow these warnings could result in serious consequences.

DISTREBUTED BY

BETTER LIVING BRANDS LLC

P.O. BOX 99, PLEASANTON, CA 94566-0009

www.betterlivingbrandsLLC.com

Product Label

Drug Facts (continued)

Directions

- do not take more than 4 doses in any 24-hour period • measure only with dosing cup provided. Do not use any other dosing device. • keep dosing cup with product
- mL = milliliter

age	dose
adults & children 12 years & over	30 mL every 6 hours
children 4 to 11 years	do not use unless directed by a doctor
children under 4 years	do not use

• When using Day Time and Night Time products, carefully read each label to ensure correct dosing.

Other information • each 30 mL contains: sodium 36 mg
• store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients
alcohol, citric acid, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate

Questions or comments?
Call 1-888-723-3929 Monday-Friday 7AM-6PM PST

*This product is not manufactured or distributed by Procter & Gamble, owner of the registered trademark Vicks® NyQuil® Cough.

PARENTS:
Learn what you need to know
www.StopMedShareNow.org

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY
BETTER LIVING BRANDS LLC
P.O. BOX 99,
PLEASANTON, CA 94566-0099
1-888-723-3929
www.betterlivingbrandsLLC.com

OUR PROMISE
QUALITY & SATISFACTION
100% GUARANTEED
OR YOUR MONEY BACK.



NDC 21130-345-12



AGES 12 & OVER

Nighttime Cough Relief

Dextromethorphan HBr 30 mg - Cough Suppressant
Doxylamine Succinate 12.5 mg - Antihistamine

CHERRY FLAVOR

Compare to
Vicks® NyQuil®
Cough
active ingredients*

• Alcohol 10%

12 FL OZ (355 mL)

Failure to follow these warnings could result in serious consequences.

Drug Facts

Active ingredients (in each 30 mL)	Purposes
Dextromethorphan HBr 30 mg	Cough suppressant
Doxylamine succinate 12.5 mg	Antihistamine

Uses temporarily relieves cold symptoms
• cough • runny nose and sneezing

Warnings
Do not use • to make a child sleepy
• if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have
• a sodium-restricted diet • asthma • emphysema • glaucoma
• chronic bronchitis • excessive phlegm (mucus) • breathing problems
• persistent or chronic cough • cough associated with smoking
• trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product • do not use more than directed
• excitability may occur, especially in children • marked drowsiness may occur
• avoid alcoholic drinks • be careful when driving a motor vehicle or operating machinery • alcohol, sedatives, and tranquilizers may increase drowsiness

Stop use and ask a doctor if • redness or swelling is present
• new symptoms occur • fever gets worse or lasts more than 3 days
• pain or cough gets worse or lasts more than 7 days
• cough comes back or occurs with rash or headache that lasts.
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Signature Care Nighttime Cough Relief

NIGHT TIME COUGH

dextromethorphan hydrobromide, doxylamine succinate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-345
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 30 mL
DOXYLAMINE SUCCINATE (UNII: V9B19B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-345-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/30/2015	05/31/2024

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/30/2015	05/31/2024

Labeler - Safeway, Inc. (009137209)

Revised: 11/2021

Safeway, Inc.