CERAVE DEVELOPED WITH DERMATOLOGISTS SKIN RENEWING BROAD SPECTRUM SPF 30 DAY- octinoxate and zinc oxide cream L'Oreal USA Products Inc.

Drug Facts

Active ingredients

Octinoxate 7.5%

Zinc Oxide 10.5%

Purpose

Sunscreen

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: •limit time in the sun, especially from 10 a.m. 2 p.m. •wear long-sleeved

shirts, pants, hats, and sunglasses

Other information

protect this product packaging from excessive heat and direct sun

Inactive ingredients

water, cyclomethicone, pentylene glycol, phenyl trimethicone, cetearyl alcohol, PEG-40 stearate,

dimethicone, glycerin, stearyl alcohol, phenoxyethanol, hydroxyethyl acrylate, sodium acryloyldimethyl taurate copolymer, ceramide 3, ceramide 6-II, ceramide 1, potassium cetyl phosphate, squalane, phytosphingosine, cholesterol, lecithin, hydrogenated palm glycerides, behentrimonium methosulfate, polysorbate 60, hyaluronic acid, retinol, disodium EDTA, xanthan gum, iris florentina root extract, ceteareth-20, polysilicone-11, polysorbate 20, chlorphenesin, sodium lauroyl lactylate, tetrahexyldecyl

ascorbate, alcohol, butylene glycol, ethylhexylglycerin, dimethicone crosspolymer-3, sodium polyacrylate, sodium hydroxide, carbomer, citric acid

Questions?

Toll-free number **1-888-768-2915**CeraVe.com



With Sunscreen

CeraVe® LLC, New York, NY 10001 MVE is a registered trademark of DFB Technology, Ltd. Made in USA www.cerave.com

Questions or comments? 1-888-768-2915

NEW

Skin Renewing Day With Sunscreen

Broad Spectrum SPF 30

Clinically shown non-irritating

With 3 essential ceramides & hyaluronic acid

ENCAPSULATED RETINOL

Net Wt. 1.76 OZ (50 g)

CeraVe® Skin **Renewing Day Cream** Developed with dermatologists, its unique formula with 3 essential ceramides – is designed to reduce the look of fine lines and wrinkles.



MVE Technology Controlled release for all day hydration



Non-Comedogenic Won't clog pores



Gentle on Skin Non-irritating



Fragrance Free To avoid fragrance irritation

Drug Facts

Active ingredients Purpose Octinoxate 7.5% . Zinc Oxide 10.5% Sunscreen

Uses

■ helps prevent sunburn
■ if used as directed with other sun protection measures
(see Directions), decreases the risk of skin cancer and
early skin aging caused by the sun

Warnings

For external use only

De not use on damaged or broken skin

When using this product m keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if a rash occurs

Keep out of reach of children

If swallowed, get medical help or contact a Polson Control Center right away.

Directions

■ apply liberally 15 minutes before sun exposure
■ reapply at least every 2 hours

use a water-resistant sunscreen if swimming or sweating

■ use a water-resistant sunscreen if swimming or sweating
children under 6 months of age: ask a doctor
Sun Protection Necesures. Spending time in the sun
increases your risk of skin cancer and early skin aging. To
decrease this risk, regularly use a sunscreen with a broad
spectrum SPF value of 15 or higher and other sun
protection measures including:
■ limit time in the sun, especially from 10 a.m.- 2 p.m.
■ wear long-sleeved shirts, pants, hats, and sunglasses

Other Information

protect this product packaging from excessive heat and direct sun

Inactive ingredients

water, cyclomethicone, pentylene glycol, phenyl trimethicone, cetearyl alcohol, PEG-40 stearate, dimethicone, glycerin, stearyl alcohol, phenoxyethanol, hydroxyethyl acrylate, sodium acryloyldimethyl taurate copolymer, ceramide 3, ceramide 6-1l, ceramide 1, potassium cetyl phosphate, squalane, phytosphingosine, cholesterol, lecthin, hydrogenated palm glycerides, beheritrimonium methosulfate, polysorbate 60, hyaluronic acid, retinol, disodium EDTA, xanthan gum, iris florentina root extract, ceteareth-20, polysilicone-11, polysorbate 20, chlorphenesin, sodium lauroyl lactylate, tetrahexyldecyl ascorbate, alcohol, butylene glycol, ethylhexylglycerin, dimethicone crosspolymer-3, sodium polyacrylate, sodium hydroxide, carbomer, citric acid hydroxide, carbomer, citric acid

Questions?

Toll-free number 1-888-768-2915 CeraVe.com

5000000001782





With Sunscreen

CeraVe® LLC, New York, NY 10001 MVE is a registered trademark of DFB Technology, Ltd. Made in USA www.cerave.com

Questions or comments? 1-888-768-2915

NEW

Skin Renewing Day With Sunscreen

Broad Spectrum SPF 30

Clinically shown non-irritating

With 3 essential ceramides & hyaluronic acid

ENCAPSULATED RETINOL

Net Wt. 1.76 OZ (50 g)

CeraVe® Skin **Renewing Day Cream** Developed with dermatologists, its unique formula with 3 essential ceramides – is designed to reduce the look of fine lines and wrinkles.



MVE Technology Controlled release for all day hydration



Non-Comedogenic Won't clog pores



Gentle on Skin Non-irritating



Fragrance Free To avoid fragrance irritation

Drug Facts

Active ingredients Purpose Octinoxate 7.5% . Zinc Oxide 10.5% Sunscreen

Uses

■ helps prevent sunburn
■ if used as directed with other sun protection measures
(see Directions), decreases the risk of skin cancer and
early skin aging caused by the sun

Warnings

For external use only

De not use on damaged or broken skin

When using this product m keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if a rash occurs

Keep out of reach of children

If swallowed, get medical help or contact a Polson Control Center right away.

Directions

■ apply liberally 15 minutes before sun exposure
■ reapply at least every 2 hours

use a water-resistant sunscreen if swimming or sweating

■ use a water-resistant sunscreen if swimming or sweating
children under 6 months of age: ask a doctor
Sun Protection Necesures. Spending time in the sun
increases your risk of skin cancer and early skin aging. To
decrease this risk, regularly use a sunscreen with a broad
spectrum SPF value of 15 or higher and other sun
protection measures including:
■ limit time in the sun, especially from 10 a.m.- 2 p.m.
■ wear long-sleeved shirts, pants, hats, and sunglasses

Other Information

protect this product packaging from excessive heat and direct sun

Inactive ingredients

water, cyclomethicone, pentylene glycol, phenyl trimethicone, cetearyl alcohol, PEG-40 stearate, dimethicone, glycerin, stearyl alcohol, phenoxyethanol, hydroxyethyl acrylate, sodium acryloyldimethyl taurate copolymer, ceramide 3, ceramide 6-1l, ceramide 1, potassium cetyl phosphate, squalane, phytosphingosine, cholesterol, lecthin, hydrogenated palm glycerides, beheritrimonium methosulfate, polysorbate 60, hyaluronic acid, retinol, disodium EDTA, xanthan gum, iris florentina root extract, ceteareth-20, polysilicone-11, polysorbate 20, chlorphenesin, sodium lauroyl lactylate, tetrahexyldecyl ascorbate, alcohol, butylene glycol, ethylhexylglycerin, dimethicone crosspolymer-3, sodium polyacrylate, sodium hydroxide, carbomer, citric acid hydroxide, carbomer, citric acid

Questions?

Toll-free number 1-888-768-2915 CeraVe.com

5000000001782



CERAVE DEVELOPED WITH DERMATOLOGISTS SKIN RENEWING BROAD SPECTRUM SPF 30 DAY

octinoxate and zinc oxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-900
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g		
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	105 mg in 1 g		

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
PEG-40 STEARATE (UNII: ECU18C66Q7)	
DIMETHICONE (UNII: 92RU3N3Y10)	
GLYCERIN (UNII: PDC6A3C0OX)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%) (UNII: 86FQE96TZ4)	
CERAMIDE NP (UNII: 4370DF050B)	
CERAMIDE AP (UNII: F1X8L2B00J)	
CERAMIDE 1 (UNII: 5THT33P7X7)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
SQUALANE (UNII: GW89575KF9)	
PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
HYDROGENATED PALM GLYCERIDES (UNII: YCZ8EM144Q)	
BEHENTRIMONIUM METHOSULFATE (UNII: 5SHP745C61)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
HYALURONIC ACID (UNII: S270N0TRQY)	
RETINOL (UNII: G2SH0XKK91)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
XANTHAN GUM (UNII: TTV12P4NEE)	
IRIS GERMANICA VAR. FLORENTINA ROOT (UNII: M30XO5X4XD)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	

DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
CHLORPHENESIN (UNII: 1670DAL4SZ)	
SODIUM LAUROYL LACTYLATE (UNII: 7243K85WFO)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
ALCOHOL (UNII: 3K9958V90M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:49967- 900-01	1 in 1 CARTON	08/28/2017			
1		50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product				
2	NDC:49967- 900-02	5 g in 1 TUBE; Type 0: Not a Combination Product	08/28/2017			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/28/2017	

Labeler - L'Oreal USA Products Inc. (002136794)

Establishment				
Name	Address	ID/FEI	Business Operations	
Accupac, LLC		061595175	MANUFACTURE(49967-900)	

Revised: 12/2023 L'Oreal USA Products Inc.