

**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE EFFACLAR PORE
REFINING ACNE TREATMENT- salicylic acid liquid
L'Oreal USA Products Inc**

Drug Facts

Active ingredient

Salicylic acid 1.5%

Purpose

Acne treatment

Uses

- clears acne blemishes
- penetrates pores to control acne blemishes
- helps prevent new acne blemishes from forming

Warnings

For external use only

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- children under 12 years of age: ask a doctor

Inactive ingredients

water, alcohol denat., propanediol, glycolic acid, niacinamide, dimethyl isosorbide, pentylene glycol, sodium hydroxide, capitolize-26-buteth-26, PPG-26-buteth-26, hydroxyethylpiperazine ethane sulfonic acid, citric acid, PEG-30 glyceryl cocoate, PEG-40 hydrogenated castor oil, PEG-60 hydrogenated castor oil, capryloyl salicylic acid, biosaccharide gum-1, maltodextrin, phytic acid, polyquaternium-10, fragrance

Questions or comments?

1-888-LRP LABO

1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)



EFFACLAR
SALICYLIC ACID
ACNE TREATMENT

Drug Facts (continued)

hydroxide, PPG-26-buteth-26, hydroxyethylpiperazine ethane sulfonic acid, citric acid, PEG-30 glyceryl cocoate, PEG-40 hydrogenated castor oil, PEG-60 hydrogenated castor oil, capryloyl salicylic acid, biosaccharide gum-1, maltodextrin, phytic acid, polyquaternium-10, fragrance

Questions or comments?

1-888-577-5226
Monday - Friday
(9 a.m. - 5 p.m. EST)

2039007 100 Code F.I.L.: V295720/1

Sunburn Alert: This product contains an alpha hydroxy acid (AHA) that may increase your skin's sensitivity to the sun and particularly the possibility of sunburn. Use a sunscreen, wear protective clothing, and limit sun exposure while using this product and for a week afterwards.

Distribution reserved to La Roche-Posay agreed distributors. La Roche-Posay, LLC, New York, NY 10001.

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

ACNE BLEMISHES.
POST-ACNE MARKS.
VISIBLE PORES

**EFFACLAR
SALICYLIC ACID
ACNE TREATMENT**

ANTI-ACNE
PORE-REFINING

1.5% SALICYLIC ACID
GLYCOLIC ACID, NIACINAMIDE
WITH LA ROCHE-POSAY
THERMAL SPRING WATER

3 ml Made in France

Drug Facts

Active ingredient Purpose
Salicylic acid 1.5%

Uses

- clears acne blemishes
- penetrates pores to control acne blemishes
- helps prevent new acne blemishes from forming

Warnings

For external use only

When using this product skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

Flammable until dry.

Keep away from flames and heat.

Keep out of reach of children
If swallowed, get medical help or contact a Poison Control Center right away. Reduce application to once a day or every other day.

Directions

- shake well for even application
- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily

Drug Facts (continued)

- because excess drying of the skin may occur, start with one application daily, then gradually increase to two or 3 times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day

Other information

- store at room temperature 68°-77°F. Protect from freezing.

Inactive ingredient

water, alcohol denat, propanediol, glycolic acid, niacinamide, dimethyl isosorbide, pentylene glycol, sodium

Sample - Not for sale. Made in France.
La Roche-Posay Laboratoire Dermatologique
CAI 86270 La Roche-Posay, France
TSA 75000 93584 ST OUEEN CEDEX FR
www.larocche-posay.us



(US)

LOT

643



EFFACLAR
SALICYLIC ACID
ACNE TREATMENT

Drug Facts (continued)

hydroxide, PPG-26-buteth-26, hydroxyethylpiperazine ethane sulfonic acid, citric acid, PEG-30 glyceryl cocoate, PEG-40 hydrogenated castor oil, PEG-60 hydrogenated castor oil, capryloyl salicylic acid, biosaccharide gum-1, maltodextrin, phytic acid, polyquaternium-10, fragrance

Questions or comments?

1-888-577-5226
Monday - Friday
(9 a.m. - 5 p.m. EST)

2039007 100 Code F.I.L.: V295720/1

Sunburn Alert: This product contains an alpha hydroxy acid (AHA) that may increase your skin's sensitivity to the sun and particularly the possibility of sunburn. Use a sunscreen, wear protective clothing, and limit sun exposure while using this product and for a week afterwards.

Distribution reserved to La Roche-Posay agreed distributors. La Roche-Posay, LLC, New York, NY 10001.

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

ACNE BLEMISHES.
POST-ACNE MARKS.
VISIBLE PORES

**EFFACLAR
SALICYLIC ACID
ACNE TREATMENT**

ANTI-ACNE
PORE-REFINING

1.5% SALICYLIC ACID
GLYCOLIC ACID, NIACINAMIDE
WITH LA ROCHE-POSAY
THERMAL SPRING WATER

3 ml Made in France

Drug Facts

Active ingredient Purpose
Salicylic acid 1.5%

Uses

- clears acne blemishes
- penetrates pores to control acne blemishes
- helps prevent new acne blemishes from forming

Warnings

For external use only

When using this product skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

Flammable until dry.

Keep away from flames and heat.

Keep out of reach of children
If swallowed, get medical help or contact a Poison Control Center right away. Reduce application to once a day or every other day.

Directions

- shake well for even application
- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily

Drug Facts (continued)

- because excess drying of the skin may occur, start with one application daily, then gradually increase to two or 3 times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day

Other information

- store at room temperature 68°-77°F. Protect from freezing.

Inactive ingredient

water, alcohol denat, propanediol, glycolic acid, niacinamide, dimethyl isosorbide, pentylene glycol, sodium

Sample - Not for sale. Made in France.
La Roche-Posay Laboratoire Dermatologique
CAI 86270 La Roche-Posay, France
TSA 75000 93584 ST OUEEN CEDEX FR
www.larocche-posay.us



(US)

LOT

643



EFFACLAR
SALICYLIC ACID
ACNE TREATMENT

Drug Facts (continued)

hydroxide, PPG-26-buteth-26, hydroxyethylpiperazine ethane sulfonic acid, citric acid, PEG-30 glyceryl cocoate, PEG-40 hydrogenated castor oil, PEG-60 hydrogenated castor oil, capryloyl salicylic acid, biosaccharide gum-1, maltodextrin, phytic acid, polyquaternium-10, fragrance

Questions or comments?

1-888-577-5226
Monday - Friday
(9 a.m. - 5 p.m. EST)

2039007 100 Code F.I.L.: V295720/1

Sunburn Alert: This product contains an alpha hydroxy acid (AHA) that may increase your skin's sensitivity to the sun and particularly the possibility of sunburn. Use a sunscreen, wear protective clothing, and limit sun exposure while using this product and for a week afterwards.

Distribution reserved to La Roche-Posay agreed distributors. La Roche-Posay, LLC, New York, NY 10001.

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

ACNE BLEMISHES.
POST-ACNE MARKS.
VISIBLE PORES

EFFACLAR
SALICYLIC ACID
ACNE TREATMENT

ANTI-ACNE
PORE-REFINING

1.5% SALICYLIC ACID
GLYCOLIC ACID, NIACINAMIDE
WITH LA ROCHE-POSAY
THERMAL SPRING WATER

3 ml Made in France

Drug Facts

Active ingredient Purpose
Salicylic acid 1.5%

Uses

- clears acne blemishes
- penetrates pores to control acne blemishes
- helps prevent new acne blemishes from forming

Warnings

For external use only

When using this product skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

Flammable until dry.

Keep away from flames and heat.

Keep out of reach of children
If swallowed, get medical help or contact a Poison Control Center right away. Reduce application to once a day or every other day.

Directions

- shake well for even application
- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily

Drug Facts (continued)

- because excess drying of the skin may occur, start with one application daily, then gradually increase to two or 3 times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day

Other information

- store at room temperature 68°-77°F. Protect from freezing.

Inactive ingredient

water, alcohol denat., propanediol, glycolic acid, niacinamide, dimethyl isosorbide, pentylene glycol, sodium

Sample - Not for sale. Made in France.
La Roche-Posay Laboratoire Dermatologique
CAI 86270 La Roche-Posay, France
TSA 75000 93584 ST. OUEEN CEDEX FR
www.larocheposay.us



(US)

LOT

6.43

C1 - Internal use

LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE EFFACLAR

PORE REFINING ACNE TREATMENT

salicylic acid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-529
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	15 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCOLIC ACID (UNII: 0WT12SX38S)	
NIACINAMIDE (UNII: 25X51I8RD4)	
DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
PPG-26-BUTETH-26 (UNII: 2II1K6TZ4P)	
HYDROXYETHYLPIPERAZINE ETHANE SULFONIC ACID (UNII: RWW266YE9I)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
PEG-30 GLYCERYL COCOATE (UNII: FX3EB7VC3L)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
PEG-60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)	
CAPRYLOYL SALICYLIC ACID (UNII: 5F7PJF6AA4)	
BIOSACCHARIDE GUM-1 (UNII: BB4PU4V09H)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
FYTIC ACID (UNII: 7IGF0S7R8I)	
POLYQUATERNIUM-10 (10000 MPA.S AT 2%) (UNII: PI1STR9QYH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-529-01	1 in 1 CARTON	05/01/2022	
1		30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:49967-529-02	1 in 1 CARTON	05/01/2022	
2		3 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	05/01/2022	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
COSMETIQUE ACTIVE PRODUCTION		282658798	manufacture(49967-529) , pack(49967-529)

Establishment

Name	Address	ID/FEI	Business Operations
Interspray		364829903	pack(49967-529)

Revised: 12/2023

L'Oreal USA Products Inc