FERROUS SULFATE- ferrous sulfate tablet, delayed release Rising Pharma Holdings, Inc.

Ferrous Sulfate Enteric-Coated Tablets

Iron Supplement

Supplement Facts

Serving size: 1 Tablet

Servings Per Container: 100 and 1,000

	Amount Per Serving	% Daily Value
Iron (as dried ferrous sulfate)	65 mg	361%

Other Ingredients: Croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C Red No. 40, hypromellose, magnesium stearate, methacrylic acid, microcrystalline cellulose, polyethylene glycol, silicon dioxide, stearic acid, titanium dioxide, triacetin.

Directions:

Adults and children over 12 years age: 1 tablet daily preferably with meal or as directed by a doctor. Children under 12 years of age: Consult a doctor. Do not chew or crush tablets. Do not exceed recommended dosage.

Caution:

Since oral iron products interfere with absorption of oral tetracycline antibiotics, these products should not be taken within two hours of each other. Iron-containing products may cause constipation or diarrhea. As with any dietary supplement, if you are pregnant or nursing a baby, seek the advice of a health professional before using this product.

Store at room temperature. Keep tightly closed in a cool dry place.

Warning: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of the reach of children. In case of accidental overdose, call a doctor or Poison Control Center immediately.

Questions or comments? call 1-844-474-7464

Distributed by:

Rising Pharma Holdings, Inc.

East Brunswick, NJ 08816



SEAL UNDER CAP IS BROKEN TAMPER EVIDENT: DO NOT USE IF SAFET Y OR MISSIN

65 mg Supplement Facts Serving size: 1 Tablet Servings Per Container: 100 Iron (as dried ferrous sulfate)

b Daily

361%

magnesium stearate, methacrylic acid microcrystalline cellulose, polyethylene glycol, silicor Other Ingredients: ypromellose,

Directions: Adults and children over 12 years age: 1 tablet daily preferably with meal or as directed by a doctor. Children under 12 years of age: Consult a doctor. Do not chew or crush tablets. Do not exceed dioxide, stearic acid, titanium dioxide, triacetin. recommended dosage.

products may cause constipation or diarrhea. As with any dietary supplement, if you are pregnant or nursing a baby, Caution: Since oral iron products interfere with absorption seek the advice of a health professional before using this of oral tetracycline antibiotics, these products should be taken within two hours of each other. Iron-contain

Store at room temperature. Keep tightly closed in a cool

overdose of iron-containing ading cause of fatal poisoning in Keep this product out of the reach ise of accidental overdose, call a doctor or poison control center immediately. case of Warning: Accidental en under children.

Questions or comments? Call 1-844-474-7464

Non Varnish Area Size: 0.7" x 0.4' LOT: EXP: Rising Pharma Holdings, Inc. East Brunswick, NJ 08816 Distributed by:

Non Varnish Area Size: 0.7" x 0.4"

Rising

57237-366-01

Ferrous Sulfate **Enteric - Coated Tablets**

3**25 m**g

Iron Supplement

Equivalent to 65 mg of **ELEMENTAL IRON**

100 Tablets

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING Amount Per Supplement Facts Serving size: 1 Tablet Servings Per Container: 100

% Daily Value 361%

65 mg

Iron (as dried ferrous sulfate)

cellulose, polyethylene glycol, silicon dioxide, stearic acid triacetin. Other Ingredients: Croscarmellose sodium,

Directions: Adults and children over 12 years age: 1 tablet taily preferably with meal or as directed by a doctor. Children under 12 years of age: Consuit a doctor. Do not chew or crush tablets. Do not exceed recommended dosage.

Caution: Since oral iron products interfere with absorption of oral tetracycline antibiotics, these products should not be taken within two hours of each other. Iron-oratining products may cause constitution or diarrhea. As with any dietary supplement, if you are pregnant or nursing a baby, seek the advice of a health professional before using this product.

Store at room temperature. Keep tightly closed in a cool

is a leading cause of fatal poisoning in children under 6. Keep this product out of the reach of children. In case of accidental overdose, call a doctor or poison control center

Questions or comments? Call 1-844-474-7464

Rising Pharma Holdings, Inc. East Brunswick, NJ 08816 Distributed by

Issued: 11/2025

LOT: EXP:

FERROUS SULFATE

ferrous sulfate tablet, delayed release

Product Information

DIETARY SUPPLEMENT Item Code (Source) NHRIC:57237-365 **Product Type**

ORAL **Route of Administration**

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength FERROUS SULFATE (UNII: 39R4TAN1VT) (FERROUS CATION - UNII:GW89581OWR) FERROUS CATION 65 mg

Inactive Ingredients Ingredient Name Strength CROSCARMELLOSE SODIUM (UNII: M280L1HH48) **DIBASIC CALCIUM PHOSPHATE DIHYDRATE** (UNII: O7TSZ97GEP) FD&C RED NO. 40 (UNII: WZB9127XOA) HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) MAGNESIUM STEARATE (UNII: 70097M6I30)

METHACRYLIC ACID (UNII: 1CS02G8656)

CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

STEARIC ACID (UNII: 4ELV7Z65AP)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

TRIACETIN (UNII: XHX3C3X673)

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NHRIC:57237-365-01	100 in 1 BOTTLE, PLASTIC			
2	NHRIC:57237-365-10	1000 in 1 BOTTLE, PLASTIC			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
dietary supplement		12/22/2025	

Supplement Facts

Serving Size : Serving per Container :

Amount Per Serving % Daily Value

color

shape

scoring 1

size (solid drugs) 10 mm

FERROUS SULFATE

ferrous sulfate tablet, delayed release

Product Information				
Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:57237-366	
Route of Administration	ORAL			

	Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength	
ı	EEDDOUS SUI EATE (LINII) 300/TAN1/T) (FEDDOUS CATION LINII) CW805810WD)	FEDDOLIS CATION	65 ma	

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHACRYLIC ACID (UNII: 1CS02G8656)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:57237-366-01	100 in 1 BOTTLE, PLASTIC		
2	NHRIC:57237-366-10	1000 in 1 BOTTLE, PLASTIC		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
dietary supplement		12/22/2025	

Supplement Facts			
Serving Size :		Serving per Container :	
	Amount Per Serving	% Daily Value	
color			
shape			
scoring	1		
size (solid drugs)	10 mm		

Labeler - Rising Pharma Holdings, Inc. (116880195)

Registrant - Nucrogene Inc (110928621)

Establishment			
Name	Address	ID/FEI	Business Operations
Nucrogene Inc		110928621	

Revised: 11/2025 Rising Pharma Holdings, Inc.