

**PAIN RELIEF PM EXTRA STRENGTH- acetaminophen, diphenhydramine hcl tablet
SuperValu (Equaline)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active ingredients (in each caplet)

Acetaminophen 500 mg

Diphenhydramine HCl 25 mg

Purpose

Pain reliever

Nighttime sleep-aid

Uses

Temporary relief of occasional headaches and minor aches and pains accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other products containing diphenhydramine, even one used on skin
- in children under 12 years of age

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.
- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**
- adults and children 12 years and over: take 2 caplets at bedtime. Do not take more than 2 caplets of this product in 24 hours.
- children under 12 years: do not use

Other information

- store at room temperature 15°- 30° C (59°- 86° F)
- avoid high humidity and excessive heat

Inactive ingredients

croscarmellose sodium*, D&C Yellow #10 Aluminum Lake*, FD&C Blue #1 Aluminum Lake, FD&C Blue #2 Aluminum Lake*, hypromellose, magnesium silicate*, magnesium stearate*, microcrystalline cellulose*, mineral oil*, polyethylene glycol*, povidone, pregelatinized starch, silica*, sodium starch glycolate*, stearic acid, talc*, titanium dioxide, triacetin*

*contains one or more of these ingredients

Questions or comments?

Call toll free **1-877-932-7948**

Principal Display Panel

Compare to Extra Strength **TYLENOL® PM** Caplets active ingredients**

extra strength

Pain Relief PM

ACETAMINOPHEN 500 mg

DIPHENHYDRAMINE HCl 25 mg

Pain reliever/ Nighttime Sleep Aid

Non Habit forming

**This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the

registered trademark Extra Strength Tylenol® PM

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Product Label

PLD-B
FC001081
Exp. Date:

Lot No.:
0 41163 24508 2



Drug Facts (continued)	Other information	Inactive ingredients
<ul style="list-style-type: none"> ■ store at room temperature 15°-30°C (59°-86°F) ■ avoid high humidity and excessive heat 	<ul style="list-style-type: none"> ■ store at room temperature 15°-30°C (59°-86°F) ■ avoid high humidity and excessive heat 	<ul style="list-style-type: none"> ■ sodium*, D&C yellow #10 aluminum lake* ■ FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake*, hypromellose, magnesium silicate*, magnesium stearate*, microcrystalline cellulose*, mineral oil*, polyethylene glycol*, povidone, pregelatinized starch, silica*, sodium starch glycolate*, stearic acid, titanium dioxide, triacetin* *contains one or more of these ingredients
Questions or comments? Call toll free 1-877-932-7948		

**This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Extra Strength Tylenol® PM.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

**TAMPER EVIDENT:
DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

DISTRIBUTED BY SUPervalU INC.
EDEN PRAIRIE, MN 55344 USA
Contact us at 1-877-932-7948, or
www.supervalu-ourownbrands.com



Drug Facts (continued)

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleepiness persists continuously for more than 24 hours
- you feel dizzy or lightheaded
- you have a severe headache
- you have a fever
- you have a rash or other allergic reaction
- you have a change in vision
- you have a change in hearing
- you have a change in taste
- you have a change in smell
- you have a change in voice
- you have a change in breathing
- you have a change in heart rate
- you have a change in blood pressure
- you have a change in pulse
- you have a change in temperature
- you have a change in weight
- you have a change in height
- you have a change in skin color
- you have a change in skin texture
- you have a change in skin temperature
- you have a change in skin moisture
- you have a change in skin elasticity
- you have a change in skin tone
- you have a change in skin color
- you have a change in skin texture
- you have a change in skin temperature
- you have a change in skin moisture
- you have a change in skin elasticity
- you have a change in skin tone

Directions

- do not take more than directed (see overdose warning)
- adults and children 12 years and over: take 2 caplets at bedtime. Do not take more than 2 caplets of this product in 24 hours.
- children under 12 years: do not use

Drug Facts	Purpose	
<p>Active ingredients (in each caplet)</p> <p>Acetaminophen 500 mg Diphenhydramine HCl 25 mg</p>	<p>Pain reliever</p>	
<p>Uses</p> <p>temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness.</p>	<p>Warnings</p> <p>Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:</p> <ul style="list-style-type: none"> ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product 	
<p>Do not use</p> <ul style="list-style-type: none"> ■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ with any other product containing diphenhydramine, even one used on skin ■ in children under 12 years of age 	<p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ liver disease ■ a breathing problem such as emphysema or chronic bronchitis ■ trouble urinating due to an enlarged prostate gland ■ glaucoma 	



NO PRINT
NO VARNISH
NO COATING



NO PRINT
NO VARNISH
NO COATING

acetaminophen, diphenhydramine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41163-214
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM SILICATE (UNII: 9B9691B2N9)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
POVIDONES (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
ALUMINUM OXIDE (UNII: LM26O6933)	

Product Characteristics

Color	BLUE	Score	no score
Shape	CAPSULE	Size	18mm
Flavor		Imprint Code	S525;CPC752
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-214-10	1 in 1 BOX		
1		100 in 1 BOTTLE		
2	NDC:41163-214-50	1 in 1 BOX		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part338	03/25/2013	

Labeler - SuperValu (Equaline) (006961411)**Registrant** - P and L Development of New York Corporation (800014821)

Revised: 2/2013

SuperValu (Equaline)